

BS ISO 8036:2015



BSI Standards Publication

Microscopes — Immersion liquids for light microscopy

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of ISO 8036:2015. It supersedes BS ISO 8036:2006 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPW/172, Optics and Photonics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 88295 1

ICS 37.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2015.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

ISO
8036

Second edition
2015-06-01

**Microscopes — Immersion liquids for
light microscopy**

Microscopes — Liquides d'immersion pour microscopie optique



Reference number
ISO 8036:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Classification	1
4 Characteristics of immersion liquids	1
4.1 Optical properties	1
4.2 Transmittance	2
4.3 Autofluorescence	2
4.4 Viscosity	2
4.5 Density	2
5 Minimum requirements	3
6 Ingredients	3
7 Designation of immersion liquids	3
8 Labelling of containers	3
9 Technical data sheet	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 172, *Optics and photonics*, SC 5, *Microscopes and endoscopes*.

This second edition cancels and replaces the first edition (ISO 8036:2006), where in [Clause 6](#), the outdated reference to the EU Directive 91/155/EEC and its Amendments 93/112/EC and 01/58/EC were removed.

Microscopes — Immersion liquids for light microscopy

1 Scope

This International Standard describes the characteristics of immersion liquids used in microscopy. It classifies immersion liquids according to their field of application and specifies requirements and test methods for each type.

This International Standard further specifies a system of designation for immersion liquids, the information to be included on container labels, and the information to be supplied in technical data sheets.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2592, *Determination of flash and fire points — Cleveland open cup method*

ISO 8255-1, *Microscopes — Cover glasses — Part 1: Dimensional tolerances, thickness and optical properties*

ISO 8255-2, *Microscopes — Cover glasses — Part 2: Quality of materials, standards of finish and mode of packaging*

3 Classification

Depending on their field of application, immersion liquids are classified as follows:

- type N: immersion oil for general use in light microscopy;
- type F: immersion oil which meets the requirements of fluorescence microscopy;
- type G: spectrally pure glycerol (commonly known as glycerine) for glycerol immersion.

4 Characteristics of immersion liquids

4.1 Optical properties

The optical properties of immersion liquids are defined by the refractive index at the wavelength $\lambda = 546,07$ nm, n_e , at a defined temperature (23 °C) and pressure (1 013,25 hPa), as well as by the Abbe number (reciprocal of the dispersive power), v_e .

The Abbe number, v_e , is calculated using Formula (1):

$$v_e = \frac{n_e - 1}{n_{F'} - n_{C'}} \quad (1)$$

where

$n_{F'}$ is the refractive index at $\lambda = 479,99$ nm;

$n_{C'}$ is the refractive index at $\lambda = 643,85$ nm.