

ETSI TS 125 222 V14.0.0 (2017-04)



**Universal Mobile Telecommunications System (UMTS);
Multiplexing and channel coding (TDD)
(3GPP TS 25.222 version 14.0.0 Release 14)**



Reference

RTS/TSGR-0125222ve00

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	11
3.1 Definitions.....	11
3.2 Symbols.....	12
3.3 Abbreviations	12
4 Multiplexing, channel coding and interleaving for the 1.28 Mcps, 3.84 Mcps and 7.68 Mcps options.....	14
4.1 General	14
4.2 General coding/multiplexing of TrCHs.....	14
4.2.1 CRC attachment.....	18
4.2.1.1 CRC calculation	18
4.2.1.2 Relation between input and output of the CRC attachment block.....	18
4.2.2 Transport block concatenation and code block segmentation.....	19
4.2.2.1 Concatenation of transport blocks	19
4.2.2.2 Code block segmentation	19
4.2.3 Channel coding	20
4.2.3.1 Convolutional coding.....	21
4.2.3.2 Turbo coding	22
4.2.3.2.1 Turbo coder	22
4.2.3.2.2 Trellis termination for Turbo coder	23
4.2.3.2.3 Turbo code internal interleaver.....	23
4.2.3.2.3.1 Bits-input to rectangular matrix with padding	24
4.2.3.3 Concatenation of encoded blocks.....	26
4.2.4 Radio frame size equalisation	27
4.2.5 1st interleaving.....	27
4.2.5.1 Relation between input and output of 1 st interleaving	28
4.2.6 Radio frame segmentation	28
4.2.7 Rate matching	28
4.2.7.1 Determination of rate matching parameters	30
4.2.7.1.1 Uncoded and convolutionally encoded TrCHs.....	30
4.2.7.1.2 Turbo encoded TrCHs	31
4.2.7.2 Bit separation and collection for rate matching.....	32
4.2.7.2.1 Bit separation.....	34
4.2.7.2.2 Bit collection	34
4.2.7.3 Rate matching pattern determination	35
4.2.8 TrCH multiplexing.....	36
4.2.9 Bit Scrambling.....	36
4.2.10 Physical channel segmentation	36
4.2.11 2nd interleaving	37
4.2.11.1 Frame related 2nd interleaving.....	37
4.2.11.2 Timeslot related 2 nd interleaving	39
4.2.11A Sub-frame segmentation for the 1.28 Mcps option.....	40
4.2.12 Physical channel mapping	41
4.2.12.1 Physical channel mapping for the 3.84 Mcps and 7.68Mcps options	41
4.2.12.1.1 Mapping scheme.....	41
4.2.12.2 Physical channel mapping for the 1.28 Mcps option	42
4.2.12.2.1 Mapping scheme.....	43
4.2.13 Multiplexing of different transport channels onto one CCTrCH, and mapping of one CCTrCH onto physical channels	44

4.2.13.1	Allowed CCTrCH combinations for one UE	44
4.2.13.1.1	Allowed CCTrCH combinations on the uplink	44
4.2.13.1.2	Allowed CCTrCH combinations on the downlink	44
4.2.14	Transport format detection.....	45
4.2.14.1	Blind transport format detection	45
4.2.14.2	Explicit transport format detection based on TFCI	45
4.2.14.2.1	Transport Format Combination Indicator (TFCI).....	45
4.3	Coding for layer 1 control for the 3.84 Mcps and 7.68Mcps TDD options.....	45
4.3.1	Coding of transport format combination indicator (TFCI)	45
4.3.1.1	Coding of long TFCI lengths	45
4.3.1.2	Coding of short TFCI lengths.....	46
4.3.1.2.1	Coding very short TFCIs by repetition	46
4.3.1.2.2	Coding short TFCIs using bi-orthogonal codes	47
4.3.1.3	Mapping of TFCI code word.....	47
4.3.2	Coding and Bit Scrambling of the Paging Indicator	48
4.3.3	Coding and Bit Scrambling of the MBMS Notification Indicator	48
4.4	Coding for layer 1 control for the 1.28 Mcps option.....	49
4.4.1	Coding of transport format combination indicator (TFCI) for QPSK and 16QAM.....	49
4.4.1.1	Mapping of TFCI code word.....	49
4.4.2	Coding of transport format combination indicator (TFCI) for 8PSK	51
4.4.2.1	Coding of long TFCI lengths	51
4.4.2.2	Coding of short TFCI lengths.....	53
4.4.2.2.1	Coding very short TFCIs by repetition	53
4.4.2.2.2	Coding short TFCIs using bi-orthogonal codes	53
4.4.2.3	Mapping of TFCI code word.....	54
4.4.3	Coding and Bit Scrambling of the Paging Indicator	55
4.4.4	Coding of the Fast Physical Access Channel (FPACH) information bits	55
4.4.5	Coding and Bit Scrambling of the MBMS Notification Indicator	56
4.4.6	Coding of PLCCCH	56
4.5	Coding for HS-DSCH	57
4.5.1	CRC attachment for HS-DSCH	59
4.5.2	Code block segmentation for HS-DSCH	59
4.5.3	Channel coding for HS-DSCH.....	60
4.5.4	Hybrid ARQ for HS-DSCH	60
4.5.4.1	HARQ bit separation.....	60
4.5.4.2	HARQ First Rate Matching Stage.....	60
4.5.4.3	HARQ Second Rate Matching Stage	61
4.5.4.4	HARQ bit collection	62
4.5.5	Bit scrambling.....	63
4.5.6	Interleaving for HS-DSCH	63
4.5.7	Constellation re-arrangement for 16 QAM and 64 QAM	64
4.5.8	Physical channel mapping for HS-DSCH.....	65
4.6	Coding/Multiplexing for HS-SCCH.....	67
4.6.1	HS-SCCH information field mapping	69
4.6.1.1	Channelisation code set information mapping	69
4.6.1.1.1	1.28Mcps TDD and 3.84Mcps TDD	69
4.6.1.1.2	7.68Mcps TDD	70
4.6.1.2	Timeslot information mapping	71
4.6.1.2.1	1.28 Mcps TDD	71
4.6.1.2.2	3.84 Mcps TDD and 7.68Mcps TDD	71
4.6.1.3	Modulation scheme information mapping	72
4.6.1.4	Redundancy and constellation version information mapping	73
4.6.1.5	HS-SCCH cyclic sequence number.....	73
4.6.1.6	UE identity	73
4.6.1.7	HARQ process identifier mapping	73
4.6.1.8	Transport block size index mapping	73
4.6.2	Multiplexing of HS-SCCH information.....	73
4.6.3	CRC attachment for HS-SCCH	74
4.6.4	Channel coding for HS-SCCH.....	74
4.6.5	Rate matching for HS-SCCH.....	74
4.6.6	Interleaving for HS-SCCH.....	74
4.6.7	Physical Channel Segmentation for HS-SCCH	74

4.6.8	Physical channel mapping for HS-SCCH	74
4.6A	Coding/Multiplexing for HS-SCCH orders type A	75
4.6A.1	HS-SCCH orders type A information field mapping	75
4.6A.1.1	Order type mapping	75
4.6A.1.2	UE identity mapping	75
4.6B	Coding/Multiplexing for HS-SCCH type 2 (1.28 Mcps TDD only)	75
4.6B.1	HS-SCCH type 2 information field mapping	77
4.6B.1.1	Type flag 1 mapping	77
4.6B.1.2	Resource repetition pattern index mapping	77
4.6B.1.3	Type flag 2 mapping	78
4.6B.1.4	Transport block size index mapping	78
4.6B.1.5	Timeslot information mapping	78
4.6B.1.6	Channelisation code set information mapping	78
4.6B.1.7	Modulation scheme information mapping	79
4.6B.1.8	HS-SICH indicator mapping	79
4.6B.1.9	HS-SCCH cyclic sequence number	79
4.6B.1.10	UE identity	79
4.6B.2	Multiplexing of HS-SCCH type 2 information	79
4.6B.3	CRC attachment for HS-SCCH type 2	80
4.6B.4	Channel coding for HS-SCCH type 2	80
4.6B.5	Rate matching for HS-SCCH type 2	80
4.6B.6	Interleaving for HS-SCCH type 2	80
4.6B.7	Physical Channel Segmentation for HS-SCCH type 2	80
4.6B.8	Physical channel mapping for HS-SCCH type 2	80
4.6C	Coding/Multiplexing for HS-SCCH type 3 (1.28 Mcps TDD only)	80
4.6C.1	HS-SCCH type 3 information field mapping	82
4.6C.1.1	Type flag 1 mapping	82
4.6C.1.2	Resource repetition pattern index mapping	82
4.6C.1.3	Type flag 2 mapping	82
4.6C.1.4	Transport block size index mapping	82
4.6C.1.5	Timeslot information mapping	83
4.6C.1.6	Channelisation code set information mapping	83
4.6C.1.7	Modulation scheme information mapping	83
4.6C.1.8	Redundancy version information mapping	83
4.6C.1.9	Pointer to the previous transmission mapping	83
4.6C.1.10	HS-SCCH cyclic sequence number	83
4.6C.1.11	UE identity	83
4.6C.2	Multiplexing of HS-SCCH type 3 information	83
4.6C.3	CRC attachment for HS-SCCH type 3	84
4.6C.4	Channel coding for HS-SCCH type 3	84
4.6C.5	Rate matching for HS-SCCH type 3	84
4.6C.6	Interleaving for HS-SCCH type 3	84
4.6C.7	Physical Channel Segmentation for HS-SCCH type 3	84
4.6C.8	Physical channel mapping for HS-SCCH type 3	84
4.6D	Coding/Multiplexing for HS-SCCH type 4 (1.28 Mcps TDD only)	85
4.6D.1	HS-SCCH type 4 information field mapping	86
4.6D.1.1	Type flag 1 mapping	86
4.6D.1.2	Type flag 2 mapping	86
4.6D.1.3	Channelisation code set information mapping	86
4.6D.1.4	Timeslot information mapping	87
4.6D.1.5	Modulation scheme information mapping	87
4.6D.1.6	Transport block size index mapping	87
4.6D.1.7	HARQ process identifier mapping	87
4.6D.1.8	Redundancy version information mapping	87
4.6D.1.9	HS-SCCH cyclic sequence number	87
4.6D.1.10	UE identity	88
4.6D.1.11	Midamble allocation scheme flag	88
4.6D.2	Multiplexing of HS-SCCH type 4 information	88
4.6D.3	CRC attachment for HS-SCCH type 4	88
4.6D.4	Channel coding for HS-SCCH type 4	88
4.6D.5	Rate matching for HS-SCCH type 4	88
4.6D.6	Interleaving for HS-SCCH type 4	89

4.6D.7	Physical Channel Segmentation for HS-SCCH type 4.....	89
4.6D.8	Physical channel mapping for HS-SCCH type 4	89
4.6E	Coding/Multiplexing for HS-SCCH type 5 (1.28 Mcps TDD only)	89
4.6E.1	HS-SCCH type 5 information field mapping.....	90
4.6E.1.1	Type flag 1 mapping	90
4.6E.1.2	Type flag 2 mapping	90
4.6E.1.3	Timeslot information mapping.....	90
4.6E.1.4	Modulation scheme information mapping	90
4.6E.1.5	Transport block size offset information mapping	91
4.6E.1.6	Transport block size index mapping	91
4.6E.1.7	HARQ process identifier mapping	91
4.6E.1.8	Redundancy version information mapping	91
4.6E.1.9	HS-SCCH cyclic sequence number.....	91
4.6E.1.10	UE identity	91
4.6E.2	Multiplexing of HS-SCCH type 5 information.....	91
4.6E.3	CRC attachment for HS-SCCH type 5.....	92
4.6E.4	Channel coding for HS-SCCH type 5	92
4.6E.5	Rate matching for HS-SCCH type 5	92
4.6E.6	Interleaving for HS-SCCH type 5.....	92
4.6E.7	Physical Channel Segmentation for HS-SCCH type 5.....	92
4.6E.8	Physical channel mapping for HS-SCCH type 5	92
4.6F	Coding/Multiplexing for HS-SCCH type 6 (1.28 Mcps TDD only)	92
4.6F.1	HS-SCCH type 6 information field mapping.....	94
4.6F.1.1	Type flag mapping	94
4.6F.1.2	Channelisation code set information mapping	94
4.6F.1.3	Timeslot information mapping.....	94
4.6F.1.4	Modulation scheme information mapping	94
4.6F.1.5	Resource repetition pattern index mapping.....	94
4.6F.1.6	Transport block size index mapping	95
4.6F.1.7	HS-SICH indicator mapping	95
4.6F.1.8	HS-SCCH cyclic sequence number.....	95
4.6F.1.9	UE identity	95
4.6F.2	Multiplexing of HS-SCCH type 6 information.....	95
4.6F.3	CRC attachment for HS-SCCH type 6.....	95
4.6F.4	Channel coding for HS-SCCH type 6	95
4.6F.5	Rate matching for HS-SCCH type 6	96
4.6F.6	Interleaving for HS-SCCH type 6.....	96
4.6F.7	Physical Channel Segmentation for HS-SCCH type 6.....	96
4.6F.8	Physical channel mapping for HS-SCCH type 6	96
4.6G	Coding/Multiplexing for HS-SCCH type 7 (1.28 Mcps TDD only)	96
4.6G.1	HS-SCCH type 7 information field mapping.....	97
4.6G.1.1	Type flag mapping	97
4.6G.1.2	Channelisation code set information mapping	97
4.6G.1.3	Timeslot information mapping.....	97
4.6G.1.4	Modulation scheme information mapping	97
4.6G.1.5	Resource repetition pattern index mapping.....	98
4.6G.1.6	Transport block size index mapping	98
4.6G.1.7	Redundancy version information mapping	98
4.6G.1.8	Pointer to the previous transmission mapping	98
4.6G.1.9	HS-SCCH cyclic sequence number.....	98
4.6G.1.10	UE identity	98
4.6G.2	Multiplexing of HS-SCCH type 7 information.....	98
4.6G.3	CRC attachment for HS-SCCH type 7	98
4.6G.4	Channel coding for HS-SCCH type 7	99
4.6G.5	Rate matching for HS-SCCH type 7	99
4.6G.6	Interleaving for HS-SCCH type 7	99
4.6G.7	Physical Channel Segmentation for HS-SCCH type 7.....	99
4.6G.8	Physical channel mapping for HS-SCCH type 7	99
4.6H	Coding/Multiplexing for HS-SCCH type 8 (1.28 Mcps TDD only)	99
4.6H.1	HS-SCCH type 8 information field mapping.....	100
4.6H.1.1	Channelisation code set information mapping	100
4.6H.1.2	Transport block size index mapping	101

4.6H.1.3	Modulation scheme information mapping	102
4.6H.1.4	Timeslot information mapping.....	102
4.6H.1.5	Redundancy version information mapping	102
4.6H.1.6	Type flag mapping	102
4.6H.1.7	Field flag mapping	102
4.6H.1.8	Special Information mapping	102
4.6H.1.9	HARQ process identifier mapping	102
4.6H.1.10	HS-SCCH cyclic sequence number.....	102
4.6H.1.11	UE identity	102
4.6H.2	Multiplexing of HS-SCCH type 8 information.....	102
4.6H.3	CRC attachment for HS-SCCH type 8.....	103
4.6H.4	Channel coding for HS-SCCH type 8.....	103
4.6H.5	Rate matching for HS-SCCH type 8.....	103
4.6H.6	Interleaving for HS-SCCH type 8.....	103
4.6H.7	Physical Channel Segmentation for HS-SCCH type 8.....	103
4.6H.8	Physical channel mapping for HS-SCCH type 8	103
4.6I	Coding/Multiplexing for HS-SCCH type 9 (1.28 Mcps TDD only)	103
4.6I.1	HS-SCCH type 9 information field mapping.....	105
4.6I.1.1	Channelisation code set information mapping	105
4.6I.1.2	Transport block size offset information mapping	106
4.6I.1.3	Modulation scheme information mapping	106
4.6I.1.4	Timeslot information mapping.....	106
4.6I.1.5	Redundancy version information mapping	106
4.6I.1.6	HARQ process identifier mapping	106
4.6I.1.9	HS-SCCH cyclic sequence number.....	106
4.6I.1.10	UE identity	106
4.6I.2	Multiplexing of HS-SCCH type 9 information.....	106
4.6I.3	CRC attachment for HS-SCCH type 9.....	107
4.6I.4	Channel coding for HS-SCCH type 9.....	107
4.6I.5	Rate matching for HS-SCCH type 9	107
4.6I.6	Interleaving for HS-SCCH type 9.....	107
4.6I.7	Physical Channel Segmentation for HS-SCCH type 9.....	107
4.6I.8	Physical channel mapping for HS-SCCH type 9	107
4.6J	Coding/Multiplexing for HS-SCCH orders type B (1.28Mcps TDD only)	108
4.6J.1	HS-SCCH orders type B information field mapping	108
4.6J.1.1	Order type mapping.....	108
4.6J.1.2	UE identity mapping	108
4.7	Coding for HS-SICH	108
4.7.1	HS-SICH information field mapping.....	109
4.7.1.1	RMF information mapping	109
4.7.1.2	RTBS information mapping	109
4.7.1.3	ACK/NACK information mapping	109
4.7.2	Coding for HS-SICH	110
4.7.2.1	Field Coding of ACK/NACK.....	110
4.7.2.2	Field Coding of CQI.....	110
4.7.2.2.1	Field Coding of CQI for 1.28 Mcps TDD	110
4.7.2.2.2	Field Coding of CQI for 3.84 Mcps TDD and 7.68Mcps TDD.....	111
4.7.3	Multiplexing of HS-SICH information fields	111
4.7.4	Interleaver for HS-SICH	111
4.7.5	Physical channel mapping for HS-SICH	111
4.7A	Coding for HS-SICH type 2 (1.28 Mcps TDD only).....	111
4.7A.1	HS-SICH type 2 information field mapping	112
4.7A.1.1	RMF information mapping	112
4.7A.1.2	RTBS information mapping	112
4.7A.1.3	ACK/NACK information mapping	113
4.7A.2	Coding for HS-SICH type 2.....	113
4.7A.2.1	Field Coding of ACK/NACK.....	113
4.7A.2.2	Field Coding of CQI.....	113
4.7A.3	Multiplexing of HS-SICH type 2 information fields	113
4.7A.4	Interleaver for HS-SICH type 2	114
4.7A.5	Physical channel mapping for HS-SICH type 2	114
4.8	Coding for E-DCH	114

4.8.1	CRC attachment for E-DCH	115
4.8.2	Code block segmentation for E-DCH	115
4.8.3	Channel coding for E-DCH	116
4.8.4	Physical layer HARQ functionality and rate matching for E-DCH	116
4.8.4.1	Determination of SF, modulation and number of physical channels.....	116
4.8.4.2	HARQ bit separation.....	116
4.8.4.3	HARQ Rate Matching Stage.....	116
4.8.4.4	HARQ bit collection	117
4.8.5	Bit scrambling.....	117
4.8.6	Interleaving for E-DCH	117
4.8.7	Constellation re-arrangement for 16 QAM.....	117
4.8.8	Physical channel mapping for E-DCH.....	117
4.9	Coding for E-UCCH.....	118
4.9.1	Coding for E-UCCH for the 3.84Mcps and 7.68Mcps TDD options.....	118
4.9.1.1	Overview.....	118
4.9.1.2	E-UCCH part 1.....	119
4.9.1.2.1	Information field mapping of E-TFCI.....	119
4.9.1.2.2	Channel coding for E-UCCH part 1	119
4.9.1.2.3	Physical channel mapping for E-UCCH part 1.....	119
4.9.1.3	E-UCCH part 2.....	119
4.9.1.3.1	Information field mapping of retransmission sequence number.....	119
4.9.1.3.2	Information field mapping of HARQ process ID	119
4.9.1.3.3	Multiplexing of E-UCCH part 2 information	120
4.9.1.3.4	Channel coding for E-UCCH part 2	120
4.9.1.3.5	Physical channel mapping for E-UCCH part 2.....	120
4.9.2	Coding for E-UCCH for the 1.28Mcps TDD option.....	120
4.9.2.1	E-UCCH information field mapping.....	121
4.9.2.1.1	Information field mapping of E-TFCI	121
4.9.2.1.2	RSN information mapping.....	121
4.9.2.1.3	HARQ information mapping	122
4.9.2.2	Multiplexing for E-UCCH	122
4.9.2.3	Coding for E-UCCH	122
4.9.2.4	Physical channel mapping for E-UCCH	123
4.10	Coding for E-AGCH	123
4.10.1	Information Field Mapping	124
4.10.1.1	Mapping of the Absolute Grant (Power) Value	124
4.10.1.2	Mapping of the Code Resource Related Information.....	126
4.10.1.3	Mapping of the Timeslot Resource Related Information	127
4.10.1.4	Mapping of the E-AGCH Cyclic Sequence Number (ECSN).....	127
4.10.1.5	Mapping of the Resource Duration Indicator	127
4.10.1.6	Mapping of the E-HICH Indicator (1.28Mcps option only).....	128
4.10.1.7	Mapping of the E-UCCH Number Indicator (1.28Mcps option only)	128
4.10.2	Field Multiplexing	128
4.10.3	CRC attachment.....	129
4.10.4	Channel Coding	129
4.10.5	Rate Matching.....	129
4.10.6	Interleaving	129
4.10.7	Physical Channel Segmentation.....	129
4.10.8	Physical Channel Mapping	129
4.10A	Coding for E-AGCH type 2 (1.28Mcps TDD only)	129
4.10A.1	E-AGCH type 2 Information Field Mapping	131
4.10A.1.1	Mapping of the Absolute Grant (Power) Value	131
4.10A.1.2	Mapping of the Code Resource Related Information.....	131
4.10A.1.3	Mapping of the Timeslot Resource Related Information	131
4.10A.1.4	Mapping of the E-AGCH Cyclic Sequence Number (ECSN).....	131
4.10A.1.5	Mapping of the Field Flag	131
4.10A.1.6	Mapping of the Special Information 1	131
4.10A.1.7	Mapping of the Special Information 2	132
4.10A.1.8	Mapping of the E-UCCH Number Indicator	132
4.10A.2	Field Multiplexing of E-AGCH type 2	132
4.10A.3	CRC attachment for E-AGCH type 2	133
4.10A.4	Channel Coding for E-AGCH type 2.....	133

4.10A.5	Rate Matching for E-AGCH type 2	133
4.10A.6	Interleaving for E-AGCH type 2.....	133
4.10A.7	Physical Channel Segmentation for E-AGCH type 2	133
4.10A.8	Physical Channel Mapping for E-AGCH type 2.....	133
4.10B	Coding for E-AGCH orders.....	133
4.10B.1	E-AGCH orders information field mapping	133
4.10B.1.1	Order type mapping.....	133
4.10B.1.2	UE identity mapping	134
4.11	Coding for E-HICH ACK/NACK	134
4.11.1	Coding for E-HICH ACK/NACK for the 3.84Mcps and 7.68Mcps options	134
4.11.1.1	Overview.....	134
4.11.1.2	Coding of the HARQ acknowledgement indicator	134
4.11.1.3	Bit scrambling of the E-HICH	136
4.11.1.4	Physical channel mapping of the E-HICH	136
4.11.2	Coding for E-HICH for the 1.28Mcps option only	136
4.11.2.1	Overview.....	136
4.11.2.2	Coding of the HARQ acknowledgement indicator and TPC/SS	137
4.11.2.3	Bit scrambling and Physical channel mapping of the E-HICH	139
4.12	Coding for E-RUCCH	139
4.12.1	CRC attachment for E-RUCCH.....	140
4.12.2	Channel coding for E-RUCCH.....	140
4.12.3	Rate matching for E-RUCCH	140
4.12.4	Bit scrambling for E-RUCCH.....	140
4.12.5	Interleaving for E-RUCCH	140
4.12.6	Physical channel mapping for E-RUCCH	140
5	Multiplexing, channel coding and interleaving for the 3.84 Mcps MBSFN IMB option	140
5.1	General	140
5.2	General coding/multiplexing of TrCHs	141
5.2.1	CRC attachment.....	141
5.2.2	Transport block concatenation and code block segmentation.....	141
5.2.3	Channel coding	141
5.2.4	1 st Interleaving	141
5.2.5	Radio frame segmentation	141
5.2.6	Rate matching	141
5.2.7	TrCH multiplexing.....	141
5.2.8	Insertion of discontinuous transmission (DTX) indication bits	142
5.2.9	Physical channel segmentation	142
5.2.10	2 nd Interleaving	142
5.2.11	Physical channel mapping	142
5.2.12	Restrictions on different types of CCTrCHs.....	143
5.2.12.1	Broadcast channel (BCH)	143
5.2.12.2	Forward access channel (FACH)	143
5.2.13	Multiplexing of different TrCHs into one CCTrCH, and mapping of one CCTrCH onto physical channels	143
5.3	Transport format detection	143
5.3.1	Transport format detection based on TFCI.....	143
5.3.2	Coding of Transport-Format-Combination Indicator (TFCI)	143
5.3.3	Mapping of TFCI words	143
5.3.3.1	Mapping of TFCI bits for Secondary CCPCH	143
Annex A (informative):	Change history	145
History		149

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document describes multiplexing, channel coding and interleaving for UTRA Physical Layer TDD mode.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 25.202: "UE capabilities".
- [2] 3GPP TS 25.211: "Transport channels and physical channels (FDD)".
- [3] 3GPP TS 25.212: "Multiplexing and channel coding (FDD)".
- [4] 3GPP TS 25.213: "Spreading and modulation (FDD)".
- [5] 3GPP TS 25.214: "Physical layer procedures (FDD)".
- [6] 3GPP TS 25.215: "Physical layer – Measurements (FDD)".
- [7] 3GPP TS 25.221: "Transport channels and physical channels (TDD)".
- [9] 3GPP TS 25.223: "Spreading and modulation (TDD)".
- [10] 3GPP TS 25.224: "Physical layer procedures (TDD)".
- [11] 3GPP TS 25.225: "Measurements".
- [12] 3GPP TS 25.331: "RRC Protocol Specification".
- [13] 3GPP TS 25.308: "High Speed Downlink Packet Access (HSDPA): Overall description (stage 2)".
- [14] ITU-T Recommendation X.691 (12/97) "Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)".
- [15] 3GPP TS 25.321: "Medium Access Control (MAC) protocol specification"
- [16] 3GPP TS 25.302: "Services provided by the physical layer"
- [17] 3GPP TS 25.306: "UE Radio Access Capabilities"

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply.

TrCH number: The transport channel number identifies a TrCH in the context of L1. The L3 transport channel identity (TrCH ID) maps onto the L1 transport channel number. The mapping between the transport channel number and the