

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

---

**Explosive atmospheres –  
Part 19: Equipment repair, overhaul and reclamation**

**Atmosphères explosives –  
Partie 19: Réparation, révision et remise en état de l'appareil**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

---

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Explosive atmospheres –  
Part 19: Equipment repair, overhaul and reclamation**

**Atmosphères explosives –  
Partie 19: Réparation, révision et remise en état de l'appareil**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.260.20

ISBN 978-2-8322-7527-6

<p><b>Warning! Make sure that you obtained this publication from an authorized distributor.</b></p> <p><b>Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.</b></p>
--

## CONTENTS

FOREWORD .....	8
INTRODUCTION .....	13
1 Scope .....	14
2 Normative references .....	14
3 Terms and definitions .....	15
4 General .....	20
4.1 General principles .....	20
4.2 Instructions for the user .....	20
4.2.1 Ex Equipment Certificates and schedule drawings .....	20
4.2.2 Records and work instructions .....	21
4.2.3 Re-installation of repaired equipment .....	21
4.2.4 Service facilities .....	21
4.3 Instructions for the service facility .....	21
4.3.1 Statutory requirements .....	21
4.3.2 Repair and overhaul .....	21
4.3.3 Reclamations .....	26
4.3.4 Alterations and modifications .....	29
4.3.5 Temporary repairs .....	30
4.3.6 Electric machines .....	30
4.3.7 Control equipment .....	32
5 Additional requirements for the repair and overhaul of equipment with Type of Protection "d" .....	32
5.1 Application .....	32
5.2 Repair and overhaul .....	33
5.2.1 Enclosures .....	33
5.2.2 Water jackets .....	34
5.2.3 Entries into enclosures .....	34
5.2.4 Terminations .....	34
5.2.5 Insulation .....	34
5.2.6 Internal connections .....	34
5.2.7 Electric machines .....	34
5.2.8 Auxiliary equipment .....	35
5.3 Reclamation .....	36
5.3.1 General .....	36
5.3.2 Enclosures .....	36
5.3.3 Sleeving .....	38
5.3.4 Shafts and housings .....	38
5.3.5 Sleeve bearings .....	38
5.3.6 Rotors and stators .....	38
5.4 Alterations and modifications .....	38
5.4.1 Enclosures .....	38
5.4.2 Entries into enclosures .....	38
5.4.3 Terminations .....	39
5.4.4 Windings .....	39
5.4.5 Auxiliary equipment .....	39

6	Additional requirements for the repair and overhaul of equipment with Type of Protection "i" .....	39
6.1	Application .....	39
6.2	Repair and overhaul.....	40
6.2.1	Enclosures .....	40
6.2.2	Cable glands .....	40
6.2.3	Terminations.....	40
6.2.4	Soldered connections .....	40
6.2.5	Fuses .....	41
6.2.6	Relays .....	41
6.2.7	Shunt diode safety barriers and galvanic isolators .....	41
6.2.8	Printed circuit boards.....	41
6.2.9	Optocouplers and piezoelectric components .....	42
6.2.10	Electrical components.....	42
6.2.11	Batteries .....	42
6.2.12	Internal wiring.....	42
6.2.13	Transformers .....	43
6.2.14	Encapsulated components .....	43
6.2.15	Non-electrical parts .....	43
6.2.16	Testing .....	43
6.3	Reclamation.....	43
6.4	Modifications.....	43
7	Additional requirements for the repair and overhaul of equipment with Type of Protection "p" .....	43
7.1	Application .....	43
7.2	Repair and overhaul.....	44
7.2.1	Enclosures .....	44
7.2.2	Entries into enclosures .....	44
7.2.3	Terminations.....	44
7.2.4	Insulation.....	44
7.2.5	Internal connections .....	44
7.2.6	Electric machines .....	45
7.2.7	Auxiliary devices.....	46
7.2.8	Light-transmitting parts .....	46
7.2.9	Encapsulated parts .....	46
7.2.10	Batteries .....	46
7.2.11	Lamps .....	46
7.2.12	Lampholders.....	46
7.2.13	Ballasts .....	46
7.3	Reclamation.....	46
7.3.1	General .....	46
7.3.2	Enclosures .....	46
7.3.3	Shafts and housings .....	47
7.3.4	Sleeve bearings.....	47
7.3.5	Rotors and stators .....	47
7.4	Alterations and modifications .....	47
7.4.1	Enclosures .....	47
7.4.2	Entries into enclosures .....	47
7.4.3	Terminations.....	47

7.4.4	Windings .....	48
7.4.5	Auxiliary equipment .....	48
7.5	Pressurization system .....	48
8	Additional requirements for the repair and overhaul of equipment with Type of Protection "e" .....	48
8.1	Application .....	48
8.2	Repair and overhaul.....	49
8.2.1	Enclosures .....	49
8.2.2	Entries into enclosures .....	49
8.2.3	Terminations.....	49
8.2.4	Insulation.....	49
8.2.5	Internal connections .....	49
8.2.6	Electric machines .....	50
8.2.7	Light-transmitting parts .....	52
8.2.8	Encapsulated parts .....	52
8.2.9	Batteries.....	53
8.2.10	Lamps .....	53
8.2.11	Lampholders.....	53
8.2.12	Ballasts .....	53
8.2.13	Breathing devices .....	53
8.3	Reclamation.....	53
8.3.1	General .....	53
8.3.2	Enclosures .....	53
8.3.3	Sleeve bearings.....	54
8.3.4	Rotors and stators .....	54
8.4	Alterations and modifications .....	54
8.4.1	Enclosures .....	54
8.4.2	Entries into enclosures .....	54
8.4.3	Terminations.....	54
8.4.4	Windings .....	54
8.4.5	Auxiliary equipment .....	55
9	Additional requirements for the repair and overhaul of equipment with Type of Protection "n" .....	55
9.1	Application .....	55
9.2	Repair and overhaul.....	55
9.2.1	Enclosures .....	55
9.2.2	Entries into enclosures .....	55
9.2.3	Terminations.....	56
9.2.4	Insulation.....	56
9.2.5	Internal connections .....	56
9.2.6	Electric machines .....	56
9.2.7	Light-transmitting parts .....	58
9.2.8	Encapsulated parts .....	58
9.2.9	Batteries.....	59
9.2.10	Lamps .....	59
9.2.11	Lampholders.....	59
9.2.12	Ballasts .....	59
9.2.13	Enclosed break devices .....	59
9.2.14	Breathing devices .....	59

9.3	Reclamation.....	59
9.3.1	General .....	59
9.3.2	Enclosures .....	59
9.3.3	Joints .....	59
9.3.4	Shafts and housings .....	60
9.3.5	Sleeve bearings.....	60
9.3.6	Rotors and stators .....	60
9.4	Alterations and modifications .....	60
9.4.1	Enclosures .....	60
9.4.2	Entries into enclosures .....	60
9.4.3	Terminations.....	60
9.4.4	Windings .....	60
9.4.5	Auxiliary equipment .....	61
10	Additional requirements for the repair and overhaul of equipment covered by IEC 60079-26 .....	61
11	Additional requirements for the repair and overhaul of equipment with Type of Protection “t” (formerly “tD” or DIP).....	61
11.1	Application .....	61
11.2	Repair and overhaul.....	61
11.2.1	Enclosures .....	61
11.2.2	Entries into enclosures .....	62
11.2.3	Terminations.....	62
11.2.4	Insulation.....	62
11.2.5	Internal connections .....	62
11.2.6	Electric machines .....	62
11.2.7	Light-transmitting parts .....	63
11.2.8	Batteries.....	63
11.2.9	Lamps .....	63
11.2.10	Lamp holders.....	64
11.2.11	Ballasts .....	64
11.2.12	Breathing devices .....	64
11.3	Reclamation.....	64
11.3.1	General .....	64
11.3.2	Enclosures .....	64
11.3.3	Joints .....	64
11.3.4	Shafts and housings .....	64
11.3.5	Sleeve bearings.....	65
11.3.6	Rotors and stators .....	65
11.4	Alterations and modifications .....	65
11.4.1	Enclosures .....	65
11.4.2	Entries into enclosures .....	65
11.4.3	Windings .....	65
11.4.4	Auxiliary equipment .....	65
12	Requirements for the repair and overhaul of equipment with Type of Protection “o”.....	65
12.1	Application .....	65
12.2	Repair and overhaul.....	66
12.2.1	Associated Types of Protection.....	66
12.2.2	Removal of protective liquid.....	66

12.2.3	Replacement of components.....	66
12.2.4	Preparation for replacing protective liquid.....	66
12.2.5	Protective liquid.....	66
12.2.6	Closure of container .....	66
12.3	Reclamation.....	66
12.4	Modifications.....	67
13	Requirements for the repair and overhaul of equipment with Type of Protection “q” .....	67
13.1	Application.....	67
13.2	Repair and overhaul.....	67
13.2.1	Associated Types of Protection.....	67
13.2.2	Removal of protective materials.....	67
13.2.3	Replacement of components.....	67
13.2.4	Preparation for replacing protective materials .....	67
13.2.5	Protective materials .....	67
13.2.6	Closure of container .....	67
13.3	Reclamation.....	68
13.4	Modifications.....	68
14	Requirements for the repair and overhaul of equipment with Type of Protection “s” .....	68
15	Electrical resistance trace heating .....	68
Annex A (normative)	Identification of repaired equipment by marking .....	69
A.1	Marking information .....	69
A.2	Symbols.....	69
A.2.1	Repair in accordance with schedule drawings or manufacturer’s specification .....	69
A.2.2	Repair in accordance with the Type of Protection standards but not the schedule drawings .....	69
A.2.3	Other situations .....	70
Annex B (normative)	Knowledge, skills and competence of responsible persons and operatives.....	71
B.1	General.....	71
B.2	Knowledge and skills .....	71
B.2.1	Responsible persons .....	71
B.2.2	Operatives.....	71
B.3	Competence .....	71
B.3.1	General .....	71
B.3.2	Responsible persons .....	72
B.3.3	Operatives.....	72
B.4	Assessment .....	72
B.5	Qualification of reclamation operatives.....	72
Annex C (normative)	Requirements for measurements in flameproof equipment during overhaul, repair and reclamation (including guidance on tolerances).....	73
Annex D (informative)	Evaluation of best practice during rewinding and repair.....	76
Annex E (informative)	Additional requirements relating to Ex control equipment .....	77
E.1	General.....	77
E.2	Common items.....	77
E.3	Isolators and circuit interrupters.....	77
E.4	Interlocks and mechanical linkages.....	78
E.5	Earth fault devices .....	78
E.6	Other devices .....	78



E.7 Transformers .....	78
Bibliography.....	80
Figure A.1 – Repair in accordance with IEC 60079-19 and schedule drawings or manufacturer's specification.....	69
Figure A.2 – Repair in accordance with the Type of Protection standards but with insufficient evidence of full compliance with the schedule drawings .....	70
Figure C.1 – Determination of maximum gap of reclaimed parts.....	75
Table C.1 – Determination of maximum gap of reclaimed parts .....	73

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

EXPLOSIVE ATMOSPHERES –**Part 19: Equipment repair, overhaul and reclamation**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-19 has been prepared by subcommittee 31J: Classification of hazardous areas and installation requirements, of IEC technical committee 31: Equipment for explosive atmospheres.

This fourth edition cancels and replaces the third edition published in 2010 together with Amendment 1:2015. This edition constitutes a technical revision.

The significance of the changes between IEC 60079-19, Edition 3 (2010), including Amendment 1 (2015), and IEC 60079-19, Edition 4 (2019) are as listed below:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Relationship between IEC 60034-23 and IEC 60079-19	Introduction	X		
Document applicable to Type(s) of Protection “o” and “q”	1		X	
Standard for electrical resistance trace heating added	2		X	
Terms “repair facility” and “service facility” are considered equivalent. Changed “repair facility” to “service facility”	3 to 15	X		
Terms and definitions aligned alphabetically	3	X		
Clarification of definition “certificate”	3.2	X		
Addition of definition “Component Certificate”	3.2.1		X	
Addition of definition “Ex Equipment Certificate”	3.2.2		X	
Addition of definition “schedule drawing”	3.2.3		X	
Change in terms used from “certificate documents” to “schedule drawing”	4 Annex E	X		
Change in terms used from “certificate documents” to “Ex Equipment Certificates” and “schedule drawings”	4.2.1	X		
Change in terms used from “motor”, “rotating machine”, “rotating electrical machine” to “electric machine”	All	X		
Addition of specific operating requirements	4.3.2.1		X	
Clarification of requirements for repair of components	4.3.2.3		X	
Addition of a requirement to review “X” conditions	4.3.2.4.2		X	
Change in terms from “bolt” to “fastener”	4.3.2.5.2	X		
Addition of bullet point for marking of repairs to certification documentation	4.3.2.6 a)		X	
Addition of bullet point for fitness for purpose assessment to IEC 60079-17	4.3.2.6 e)		X	
Additional actions to be taken in case of uncertainty of a reclamation	4.3.3.1		X	
Change of “subject to repair” to “repairable”	4.3.3.2	X		
Elimination of duplication of requirements	4.3.3.3.1	X		
Addition of bullet point including other welding techniques to ISO 4063	4.3.3.4.5		X	
Addition of requirement for threaded hole verification using GO, NO-GO gauges and threaded hole reclamation test	4.3.3.4.7		X	
The role of a service facility clarified to exclude the role of a manufacturer when making alterations	4.3.4.1		X	
Addition of requirement that the Ex report following equipment modification shall not have an attestation of compliance	4.3.4.2		X	
Clarification of repairer's duty to confirm service condition following any reclamation	4.3.6.2	X		
Restructuring of requirements relating to testing of electric machines as subclauses of 4.3.6 from Type of Protection clauses 5, 7, 8, 9, 10 and 11 in previous editions.	4.3.6.3.1 and 4.3.6.3.2	X		
Addition of a requirement for greases with non-evaporating solvents for joint corrosion protection materials	5.2.1.1		X	
Revised a recommendation to a requirement “should” to “shall”	5.2.4		X	
Revised a recommendation to a requirement. “is necessary” to “shall be taken”	5.2.7.2		X	
Text amended to make requirement clearer	5.2.8.1	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Addition of requirement for threaded hole verification using GO, NO-GO gauge and threaded hole reclamation tests	5.3.2.3		X	
Addition of requirements for Type of Protection “i” requiring repair to manufacturer’s documentation and certificate requirements only Repair of multilayer boards or any board with surface mounted devices are excluded	6.1			C1
Addition of “thermal property” requirement for terminations	6.2.3		X	
Change in text of requirements for soldered connections	6.2.4	X		
Revised a recommendation to a requirement for fuses, “inappropriate” to “not permitted”	6.2.5		X	
Addition of requirement for printed circuit board repair	6.2.8		X	
Change in text of requirement for electrical components replacing “certification” by “assessment by a suitable competent person”	6.2.10	X		
Elimination of duplication of text	6.2.11	X		
Change in text for internal wiring replacing “certification” by “assessment by a suitable competent person”	6.2.12	X		
Addition of Type(s) of Protection marks with Explosion Protection Levels	7		X	
Addition of new subclause detailing requirements for verification of pressurization system	7.5		X	
Addition of “Level of Protection” to clarify “eb”	8	X		
Change in requirements for copy winding as introduced in IEC 60079-19:2010/AMD 1:2015	8.2.6.1.2		X	
Elimination of duplication of note and text and correction of bullet point letters	8.2.6.1.2			
Change in text to clarify the requirements for windings with voltage > 1 000 V	8.2.6.1.3	X		
Change in text to clarify the requirements relating to “light transmitting parts”	8.2.7	X		
Addition of Type of Protection “e” with Level of Protection “ec”	9	X	X	
Change in text to clarify the requirements for windings with voltage > 1 000 V	9.2.6.1.4	X		
Text moved from body of text in 9.2.6.1.3 to a new subclause to clarify that copy winding requirements apply to all voltages	9.2.6.1.5		X	
Addition of requirement from IEC 60079-19:2010/AMD 1:2015 that core losses after stripping shall not exceed 110 % of core losses before stripping	9.2.6.1.5 j) – s)		X	
Elimination of duplication of requirement in 4.3.6.2.1	9.2.6.1.5 t)	X		
Addition of Type of Protection standard numbers	11.1	X		
Addition of new Level of Protection marks “pxb”, “pyb” and “pzc”	7.1	X		
Addition of new clause with requirements for Type of Protection “o”	12		X	
Addition of new clause with requirements for Type of Protection “q”	13		X	
Addition of new clause with requirements for Type of Protection “s”	14		X	

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Addition of new clause with requirements for electric resistance trace heating"	15		X	
Addition of new Figure 1 description to clarify the intent of R in a square	A.2.1	X		
Addition of new Figure 2 description to clarify the intent of R in an inverted triangle	A.2.2	X		

NOTE 1 The technical changes referred to include the significance of technical changes in the revised IEC standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance can be found by referring to the Redline version of the standard.

## Explanations:

### A) Definitions

#### Minor and editorial changes

- clarification
- decrease of technical requirements
- minor technical change
- editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

#### Extension

- addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements from the previous standard.

#### Major technical changes

- addition of technical requirements
- increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that an overhaul or repair of product to the preceding edition will not always be able to fulfil the requirements given in the later edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes do not normally have an influence on equipment already placed on the market.

### B) Information about the background of 'major technical changes'

- C1 Due to the detailed nature of Type of Protection "i", repair to other than manufacturers schedule drawings risks violation of the Type of Protection. Some components such as multi-layer boards are not suitable for repair.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
31J/295/FDIS	31J/297/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

When equipment is installed in areas where dangerous concentrations and quantities of flammable gases, vapours or dusts may be present in the atmosphere, protective measures are applied to reduce the likelihood of explosion due to ignition by arcs, sparks or hot surfaces produced either in normal operation or under specified fault conditions.

This part of IEC 60079 is supplementary to other relevant IEC standards, for example the IEC 60034 series, in particular IEC 60034-23, and also refers to the IEC 60079 series and its appropriate parts for the design requirements of suitable electrical equipment.

The nature of the explosion protection offered by each Type of Protection varies according to its unique features.

This document gives guidance on the practical means of maintaining the explosion protection of repaired equipment. This document also defines procedures for repair, overhaul or reclamation and verification of continued compliance of the equipment with the provisions of the Ex Equipment Certificate or with the provisions of the appropriate explosion protection standard where an Ex Equipment Certificate is not available.

It is intended that the users utilize the most appropriate service facilities for any particular item of equipment, whether they be the facilities of the manufacturer or a suitably competent and equipped repairer.

This document recognizes the necessity of a required level of competence for the repair, overhaul and reclamation of the equipment. Some manufacturers may recommend that the equipment be repaired only by them.

Much of the content of this document is concerned with the repair and overhaul of electric machines. This is because they are items of repairable Ex equipment in which, irrespective of the Type of Protection involved, sufficient commonality of construction exists as to make possible more detailed instructions for their repair, overhaul, reclamation or modification.

## EXPLOSIVE ATMOSPHERES –

### Part 19: Equipment repair, overhaul and reclamation

#### 1 Scope

This part of IEC 60079:

- gives instructions, principally of a technical nature, on the repair, overhaul, reclamation and modification of Ex equipment designed for use in explosive atmospheres;
- applies to overhaul and repair which mitigates deficiencies identified during operation, inspection and maintenance;
- does not give advice on cable and wiring systems which can require a renewal when the equipment is re-installed; and
- is not applicable to Type of Protection “m”.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-23: Rotating electrical machines - Part 23: Repair, overhaul and reclamation

IEC 60079-0:2017, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-1, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures “d”*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosure “p”*

IEC 60079-6, *Explosive atmospheres – Part 6 Equipment protection by liquid immersion “o”*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety “e”*

IEC 60079-11:2011, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety “i”*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection “n”*

IEC 60079-26, *Explosive atmospheres – Part 26: Equipment with equipment protection level (EPL) Ga*

IEC/IEEE 60079-30-1, *Explosive atmospheres – Part 30-1: Electrical resistance trace heating – General and testing requirements*