



BSI Standards Publication

**Welding consumables - Covered electrodes
- Determination of the efficiency, metal
recovery and deposition coefficient**

National foreword

This British Standard is the UK implementation of EN ISO 2401:2018. It is identical to ISO 2401:2018. It supersedes BS EN 22401:1994, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee WEE/39, Welding consumables.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 98760 1

ICS 25.160.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN ISO 2401

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2018

ICS 25.160.20

Supersedes EN 22401:1994

English Version

**Welding consumables - Covered electrodes -
Determination of the efficiency, metal recovery and
deposition coefficient (ISO 2401:2018)**

Électrodes enrobées - Détermination de
l'efficacité, du rendement du métal et du
coefficient de dépôt (ISO 2401:2018)

Schweißzusätze - Umhüllte Stabelektroden
- Bestimmung der Ausbringung,
der Gesamtausbringung und des
Abschmelzkoeffizienten (ISO 2401:2018)

This European Standard was approved by CEN on 4 September 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 2401:2018) has been prepared by Technical Committee ISO/TC 44 "Welding and allied processes" in collaboration with Technical Committee CEN/TC 121 "Welding and allied processes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 22401:1994.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 2401:2018 has been approved by CEN as EN ISO 2401:2018 without any modification.

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Test plates	2
4.1 Number	2
4.2 Specification	2
5 Procedure	3
6 Calculation of efficiency and metal recovery	4
7 Rounding procedure	5
8 Calculation of deposition coefficient	5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 3, *Welding consumables*.

Any feedback, question or request for official interpretation related to any aspect of this document should be directed to the Secretariat of ISO/TC 44/SC 3 via your national standards body. A complete listing of these bodies can be found at www.iso.org/members.html. Official interpretations, where they exist, are available from this page: <https://committee.iso.org/sites/tc44/home/interpretation.html>.

This second edition cancels and replaces the first edition (ISO 2401:1972), which has been technically revised. The main changes compared to the previous edition are as follows:

- the Scope has been clarified;
- the document has been updated to the latest ISO style, including addition of [Clause 2](#) and subsequent renumbering;
- the term [3.1](#), electrode efficiency has been added;
- [Clause 5](#) has been revised and the option of eight electrodes introduced;
- in [Subclauses 6.1](#) and [6.2](#), the option of eight electrodes has been introduced;
- [Clause 7](#) has been introduced to align with other ISO/TC 44/SC 3 documents;
- in [Clause 8](#), requirements on rounding procedure have been reworked (example deleted).

Welding consumables - Covered electrodes - Determination of the efficiency, metal recovery and deposition coefficient

1 Scope

This document specifies methods for the determination of the efficiency, weld metal recovery and deposition coefficient of covered electrodes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 80000-1:2009, *Quantities and units — Part 1: General*. Corrected by ISO 80000-1:2009/ Cor 1:2011

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

electrode efficiency

ratio of the mass of weld metal deposited, under standard conditions, to the mass of core wire consumed

3.1.1

nominal electrode efficiency

R_N

electrode efficiency (3.1) calculated from the nominal diameter and specific weight of the core wire

Note 1 to entry: The value of R_N obtained using this document can be very close to the value of R_E .

Note 2 to entry: Specific weight for non-alloy, fine grained, high strength and creep resisting steels $7,85 \text{ gcm}^{-3}$.

3.1.2

effective electrode efficiency

R_E

electrode efficiency (3.1) determined using the actual mass of core wire consumed

Note 1 to entry: The value of R_E obtained using this document can be very close to the value of R_N .

3.2

overall weld metal recovery

R_G

ratio of the mass of weld metal deposited under standard conditions to the total mass of a given electrode tested