

PD IEC/TR 62471-3:2015



BSI Standards Publication

Photobiological safety of lamps and lamp systems

Part 3: Guidelines for the safe use of intense pulsed light source equipment on humans

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of IEC/TR 62471-3:2015.

The UK participation in its preparation was entrusted to Technical Committee EPL/76, Optical radiation safety and laser equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 84356 3
ICS 29.140.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 28 February 2015.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------



TECHNICAL REPORT



Photobiological safety of lamps and lamp systems – Part 3: Guidelines for the safe use of intense pulsed light source equipment on humans

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140

ISBN 978-2-8322-2207-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope and object.....	7
1.1 Scope	7
1.2 Object.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Responsibility for safe working conditions	8
5 Risks from exposure to IPL optical radiation	9
5.1 Risks to the eye	9
5.1.1 Inadvertent eye exposure	9
5.1.2 Treatment adjacent to the eye	9
5.2 Skin burns.....	9
5.3 Scars.....	9
5.4 Hyper/hypo-pigmentation.....	10
5.5 Purpura.....	10
5.6 Unrecognised malignancies or premalignant conditions on the treatment site	10
5.7 Delicate anatomy or inappropriate treatment sites.....	10
5.8 Drug-induced photosensitivity.....	10
5.9 Contra-indicated CLIENT conditions	10
6 Causes of risks.....	11
6.1 General.....	11
6.2 Operator errors	11
6.2.1 SKIN TYPE.....	11
6.2.2 Failure to recognize contra-indicated CLIENT conditions or photosensitizing drug use.....	11
6.2.3 Incorrect or non-use of protective eyewear	11
6.2.4 Failure to perform patch tests adjacent to the area of treatment	11
6.2.5 Failure to maintain optical components	11
6.2.6 Failure to use the appropriate filter	12
6.2.7 Inappropriate or inadequate skin cooling.....	12
6.2.8 Inappropriate technique.....	12
6.3 Poor CLIENT compliance.....	12
6.4 IPL OUTPUT variability from older equipment	12
6.4.1 Incorrect display of the settings	12
6.4.2 Excessive power peaks	12
6.4.3 Uneven energy distribution	13
6.5 Risks from other potential hazards.....	13
6.5.1 Airborne contaminants	13
6.5.2 Electrical safety	13
6.6 Cleansing and disinfecting.....	13
7 Risk assessment	13
8 Education and training	14
Annex A (informative) Biological effects, SKIN TYPES	16
A.1 Optical radiation spectrum.....	16

A.2	Fitzpatrick skin classification	16
A.3	Structure of the eye.....	16
A.4	Penetration of light in the eye	17
A.5	Structure of the skin	17
A.6	Biological effects.....	19
A.6.1	General	19
A.6.2	Ultraviolet radiation	20
A.6.3	Visible radiation	21
A.6.4	IR-A.....	21
A.6.5	IR-B.....	22
A.6.6	IR-C.....	22
Annex B (informative)	Personal eye protection	23
Annex C (informative)	IPL technology, classification	24
Annex D (informative)	Warning sign	25
Annex E (informative)	26
E.1	Local rules	26
E.2	Sample template	26
Bibliography	30
Figure A.1	– Structure of the eye.....	17
Figure A.2	– Penetration of different wavelengths through the eye	17
Figure A.3	– The structure of the skin.....	18
Figure A.4	– Penetration of different wavelengths through the skin.....	18
Figure A.5	– Absorption of skin main chromophores, log scale, arbitrary units.....	19
Figure D.1	– Warning symbol for use with IPL equipment.....	25
Table A.1	– Division of the optical radiation spectrum	16
Table A.2	– Fitzpatrick Classification Skin Type Scale	16
Table A.3	– Biological effects of optical radiation to the eye and skin	19
Table C.1	– Classification of risk group (IEC 62471).....	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PHOTOBIOLOGICAL SAFETY OF LAMPS AND LAMP SYSTEMS –

Part 3: Guidelines for the safe use of intense pulsed light source equipment on humans

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62471-3, which is a technical report, has been prepared by IEC technical committee 76: Optical radiation safety and laser equipment.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
76/497/DTR	76/505/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this technical report, terms printed in SMALL CAPITALS are used as defined in Clause 3.

A list of all parts in the IEC 62471 series, published under the general title *Photobiological safety of lamps and lamp systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This technical report describes possible adverse incidents that may occur in respect of the use of IPL devices and recommends measures to avoid them. Some of the described incidents represent serious adverse effects, ranging from cosmetically significant to physically or medically significant. Provided the IPL operator is appropriately educated and trained and the guidelines in this document are followed, the use of IPL in a cosmetic setting should be no more hazardous to the CLIENT or staff personnel than similar IPL interventions in medical settings.

PHOTOBIOLOGICAL SAFETY OF LAMPS AND LAMP SYSTEMS –

Part 3: Guidelines for the safe use of intense pulsed light source equipment on humans

1 Scope and object

1.1 Scope

This part of IEC 62471, which is a technical report, provides guidelines for the safe use of INTENSE PULSED LIGHT (IPL) source equipment in professional premises.

This technical report sets out the control measures recommended for the safety of recipients of IPL treatment, staff, service, maintenance personnel and others. Engineering controls which form part of the IPL equipment or the installation are also briefly described to provide an understanding of the general principles of protection.

1.2 Object

The object of this report is to provide information which helps to protect persons from hazardous exposure to optical radiation and other associated hazards by providing guidance on how to establish safety measures and procedures.

NOTE Although the manufacturers provide treatment information in their instructions for use, such information may not be exhaustive or applicable to all CLIENT treatment conditions.

If IPLs are applied to patients in medical premises, the physician is deemed to be responsible for all medical aspects of the treatment including his or her decisions about questions of indication and contraindication such as found in Clauses 5 and 6.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

None.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

CLIENT

person receiving the IPL treatment

EXAMPLE Customers in beauty salons or patients in medical environments.

3.2

CONTROLLED AREA

area around the IPL where the local rules apply

Note 1 to entry: Generally the room where the IPL is used.