# BS EN ISO 18854:2015



# **BSI Standards Publication**

Small craft — Reciprocating internal combustion engines exhaust emission measurement — Test-bed measurement of gaseous and particulate exhaust emissions



#### National foreword

This British Standard is the UK implementation of EN ISO 18854:2015.

The UK participation in its preparation was entrusted to Technical Committee GME/33, Small craft.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 83223 9

ICS 13.040.50; 47.020.20; 47.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2015.

Amendments issued since publication

Date Text affected

# **EUROPEAN STANDARD**

# **EN ISO 18854**

# NORME EUROPÉENNE EUROPÄISCHE NORM

April 2015

ICS 47.020.20; 47.080

### **English Version**

Small craft - Reciprocating internal combustion engines exhaust emission measurement - Test-bed measurement of gaseous and particulate exhaust emissions (ISO 18854:2015)

Petits navires - Moteurs alternatifs à combustion interne mesurage des émissions de gaz d'échappement -Mesurage des émissions de gaz et de particules au banc (ISO 18854:2015) Kleine Wasserfahrzeuge - Messung der Emission von Hubkolben-Verbrennungsmotoren - Prüfstandsmessung der gasförmigen Emission und der Partikelemission (ISO 18854:2015)

This European Standard was approved by CEN on 19 March 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

### **Foreword**

This document (EN ISO 18854:2015) has been prepared by Technical Committee ISO/TC 188 "Small craft".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2015, and conflicting national standards shall be withdrawn at the latest by October 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 18854:2015 has been approved by CEN as EN ISO 18854:2015 without any modification.

# Annex ZA (informative)

# Relationship between this European Standard and the Essential Requirements of EU Directive 2013/53/EC

This European standard has been prepared under a mandate given to CEN by the European Commission to provide one means of conforming to Essential Requirements of the New Approach Directive 2013/53/EC.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one member state, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1: Correspondence between this European Standard and Directive 2013/53/EC

Clauses/sub-clauses of this standard	Corresponding annexes/paragraphs of Directive 2013/53/EC	Comments
All Clauses of this Standard	Annex 1.B. 2. Exhaust emission requirements	In respect of measurement and evaluation methods for gaseous and particulate emissions
Clause 6	Annex 1.B. 2. Reference fuels	Fuels to be used for the emissions test for engines fuelled with petrol and diesel

**WARNING** — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

Co	ntent	S		Page
Fore	eword			vii
Intr	oductio	n		viii
1	Scon	e		1
2	•		eferences	
3	Tern	is and d	efinitions	1
4	-	Symbols and abbreviations		
	4.1		al symbols	
	4.2		ols for fuel composition	
	4.3		ols and abbreviations for the chemical components	
	4.4	Abbre	viations	6
5	Test	conditio	ons	7
	5.1	Engine	e test conditions	7
		5.1.1	record records and	
		5.1.2	Test validity	
	5.2	_	es with charge air cooling	
	5.3		•	
	5.4	1	ic test conditions	
		5.4.1	Engine air inlet system	
		5.4.2	Engine exhaust system	
		5.4.3	Cooling system	
		5.4.4 5.4.5	Lubricating oil Adjustable carburettors	
		5.4.6	Crankcase breather	
,	TT4			
6				
7			of the engine family concept and choice of parent engine	
8	Meas	suremen	nt equipment and data to be measured	10
	8.1		al	
	8.2		nometer specification	
	8.3		st gas flow	
			General	
		8.3.2	Direct measurement method	
		8.3.3	Air and fuel measurement method	
		8.3.4 8.3.5	Fuel flow and carbon balance method	
		8.3.6	Air flow and air-to-fuel ratio measurement method	
		8.3.7	Total dilute exhaust gas flow	
	8.4		acy	
	8.5		mination of the gaseous components	
	0.5	8.5.1	General analyser specifications	
		8.5.2	Gas drying	
		8.5.3	Analysers	
		8.5.4	Sampling for gaseous emissions	
	8.6		ulate determination	
		8.6.1	General	
		8.6.2	Particulate sampling filters	19
		8.6.3	Weighing chamber and analytical balance specifications	20

# BS EN ISO 18854:2015 **ISO 18854:2015(E)**

9	Calib	ration of	f the analytical instruments	20
	9.1	Genera	ıl requirements	20
	9.2	Calibra	ition gases	21
		9.2.1	General	
		9.2.2	Pure gas	
		9.2.3	Calibration and span gases	
		9.2.4	Use of gas dividers	
		9.2.5	Oxygen interference gases	
	9.3		ing procedure for analysers and sampling system	
	9.4		ge test	
	9.5		ition procedure	
		9.5.1	Instrument assembly	
		9.5.2	Warm-up time	
		9.5.3	NDIR and HFID analyser	
		9.5.4	GC and HPCL	
		9.5.5	Establishment of the calibration curve	
		9.5.6	Alternative calibration methods	
		9.5.7	Verification of the calibration	
	9.6		tion of tracer gas analyser for exhaust flow measurement	
	9.7		ncy test of the NO <sub>x</sub> converter	
		9.7.1	General	
		9.7.2	Test setup	
		9.7.3	Calibration	
		9.7.4	Calculation	
		9.7.5	Adding of oxygen	
		9.7.6	Activation of the ozonator	
		9.7.7	NO <sub>x</sub> mode	
		9.7.8	Deactivation of the ozonator	
		9.7.9	NO mode	
		9.7.10	Test interval	
		9.7.11	Efficiency requirement	
	9.8	,	ment of the FID	
		9.8.1	Optimization of the detector response	
		9.8.2	Hydrocarbon response factors	
		9.8.3	Oxygen interference check	
		9.8.4	Efficiency of the Non-Methane Cutter (NMC)	
	0.0	9.8.5	Methanol response factor	28
	9.9		rence effects with CO, CO <sub>2</sub> , NO <sub>x</sub> , O <sub>2</sub> , NH <sub>3</sub> , and N <sub>2</sub> O analysers	28
		9.9.1	General	
		9.9.2	CO analyser interference check	
		9.9.3	NO <sub>x</sub> analyser quench checks	
		9.9.4	O <sub>2</sub> analyser interference	
		9.9.5	Cross-interference check compensation for NH <sub>3</sub> and N <sub>2</sub> O measurement	
	0.10	C 1:1	using IR and UV measurement techniques	
	9.10	Calibra	ition intervals	33
<b>10</b>	Calib	ration of	f the particulate measuring system	33
	10.1		l	
	10.2		ition procedure	
		10.2.1	Flow measurement	
		10.2.2	Exhaust gas analysers	33
		10.2.3	Carbon flow check	
	10.3	Checki	ng the partial-flow conditions	
	104	Calibra	ution intervals	33

11	Calib	ration of the CVS full-flow dilution system	34	
	11.1	General		
	11.2	Calibration of the Positive Displacement Pump (PDP)	34	
		11.2.1 General	34	
		11.2.2 Data analysis		
	11.3	Calibration of the Critical-Flow Venturi (CFV)		
		11.3.1 General	35	
		11.3.2 Data analysis	35	
	11.4	Calibration of the Subsonic Venturi (SSV)		
		11.4.1 General		
		11.4.2 Data analysis		
	11.5	Total system verification		
		11.5.1 General		
		11.5.2 Metering with a critical flow orifice	37	
		11.5.3 Metering by means of a gravimetric technique		
12	Toot	cycles (running conditions)		
12	12.1	Requirements		
	12.1	Test cycles		
	12.2	12.2.1 Applications		
		12.2.2 Test modes and weighting factors		
		12.2.3 Performing the test		
13	Test 1	Test run		
	13.1	Preparation of the sampling filters		
	13.2	Installation of the measuring equipment		
	13.3	Starting the dilution system and the engine		
	13.4	Adjustment of the dilution ratio		
	13.5	Determination of test points		
	13.6	Checking of the analysers		
	13.7	Test cycles		
		13.7.1 Test sequence		
		13.7.2 Analyser response		
		13.7.3 Particulate sampling		
		13.7.4 Engine conditions		
	13.8	Re-checking the analysers		
	13.9	Test report	42	
14	Data	evaluation for gaseous and particulate emissions	42	
	14.1	Gaseous emissions		
	14.2	Particulate emissions		
4 5	Calau			
<b>15</b>		lation of the gaseous emissions		
	15.1	General Determination of the subsect and flow		
	15.2	Determination of the exhaust gas flow		
	15.3	Dry/wet correction		
	15.4	NO <sub>x</sub> correction for humidity and temperature Calculation of the emission mass flow rates		
	15.5			
		15.5.1 Raw exhaust gas		
		15.5.2 Dilute exhaust gas		
	15.6	Calculation of the specific emission		
	10.0	Gaiculation of the Special Cilissivit		

# BS EN ISO 18854:2015 **ISO 18854:2015(E)**

16	Calcu	lation of the particulate emission	51
	16.1	Particulate correction factor for humidity	
	16.2	Partial-flow dilution system	52
		16.2.1 Isokinetic systems	52
		16.2.2 Systems with measurement of CO <sub>2</sub> or NO <sub>x</sub> concentration	52
		16.2.3 Systems with CO <sub>2</sub> measurement and carbon balance method	52
		16.2.4 Systems with flow measurement	53
	16.3	Full-flow dilution system	53
	16.4	Calculation of the particulate mass flow rate	
	16.5	Calculation of the specific emissions	54
	16.6	Effective weighting factor	
17	Deter	Determination of the gaseous emissions	
	17.1	General	55
	17.2	Main exhaust components CO, CO <sub>2</sub> , HC, NO <sub>x</sub> , O <sub>2</sub>	
	17.3	Ammonia analysis	60
	17.4	Methane analysis	
		17.4.1 Gas chromatographic (GC) method (Figure 6)	
		17.4.2 Non-methane cutter (NMC) method (Figure 7)	
	17.5	Methanol analysis	64
	17.6	Formaldehyde analysis	
18	Deter	mination of the particulates	67
10	18.1	General	67
	18.2	Dilution system	
	10.2	18.2.1 Partial-flow dilution system ( <u>Figures 10</u> to <u>18</u> )	
		18.2.2 Full-flow dilution system	79
	18.3	Particulate sampling system	82
Rihli	noranh	v	

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 188, *Small craft*, SC 2, *Engines and propulsion systems*.

# Introduction

This International Standard is intended for use as a measurement procedure to determine the gaseous and particulate emission levels of reciprocating internal combustion (RIC) engines for marine use in small craft. Its purpose is to provide a map of an engine's emissions characteristics which, through use of the proper weighting factors, can be used as an indication of that engine's emission levels under various applications. The emission results are expressed in units of grams per kilowatt-hour and represent the mass rate of emissions per unit of work accomplished.

Although this International Standard is designed for marine engines, it shares many principles with particulate and gaseous emission measurements that have been in use for many years for on-road engines. One test procedure that shares many of these principles is the process of mixing dilution air with the total exhaust flow prior to separating a fraction of the diluted exhaust stream for analysis (full-flow dilution method) as currently specified for certification of 1985 and later heavy-duty truck engines in the USA. Another is the procedure for direct measurement of the gaseous emissions in the undiluted exhaust gas, as currently specified for the certification of heavy-duty truck engines in Japan and Europe.

NOTE It is common in many full-flow dilution systems to dilute this fraction of pre-diluted exhaust a second time to obtain appropriate sample temperatures at the particulate filter (see Figure 19).

Many of the procedures described in this International Standard are detailed accounts of laboratory methods, since determining an emissions value requires performing a complex set of individual measurements, rather than obtaining a single measured value. Thus, the results obtained depend as much on the process of performing the measurements as they depend on the engine and test method.

# Small craft — Reciprocating internal combustion engines exhaust emission measurement — Test-bed measurement of gaseous and particulate exhaust emissions

# 1 Scope

This International Standard specifies the measurement and evaluation methods for gaseous and particulate exhaust emissions from reciprocating internal combustion (RIC) engines under steady-state conditions on a test bed, necessary for determining one weighted value for each exhaust gas pollutant. Various combinations of engine load and speed reflect different engine applications.

This International Standard is applicable to RIC marine engines intended to be installed in small craft up to 24 m length of hull.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5725-1, Accuracy (trueness and precision) of measurement methods and results — Part 1: General principles and definitions

ISO 5725-2, Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method

ISO 8178-1:2006, Reciprocating internal combustion engines — Exhaust emission measurement — Part 1: Test-bed measurement of gaseous and particulate exhaust emissions

ISO 8178-6:2000, Reciprocating internal combustion engines — Exhaust emission measurement — Part 6: Report of measuring results and test

ISO 8666, Small craft — Principal data

ISO 14396, Reciprocating internal combustion engines — Determination and method for the measurement of engine power — Additional requirements for exhaust emission tests in accordance with ISO 8178

ISO 15550: 2002, Internal combustion engines - Determination and method for the measurement of engine power - General requirements

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8666 and the following apply.

### 3.1

#### particulates

material collected on a specified filter medium after diluting exhaust gases with clean, filtered air to a temperature greater than 315 K (42  $^{\circ}$ C) and less than or equal to 325 K (52  $^{\circ}$ C), as measured at a point immediately upstream of the primary filter

Note 1 to entry: Particulates consist primarily of carbon, condensed hydrocarbons, and sulfates and associated water.