BS EN 60384-20:2015



BSI Standards Publication

Fixed capacitors for use in electronic equipment

Part 20: Sectional specification — Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors



BS EN 60384-20:2015 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of EN 60384-20:2015. It is identical to IEC 60384-20:2015. It supersedes BS EN 60384-20:2008 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/40X, Capacitors and resistors for electronic equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 78450 7 ICS 31.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2015.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 60384-20

October 2015

ICS 31.060.10

Supersedes EN 60384-20:2008

English Version

Fixed capacitors for use in electronic equipment - Part 20: Sectional specification - Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors (IEC 60384-20:2015)

Condensateurs fixes utilises dans les equipements electroniques - Partie 20: Spécification intermédiaire -Condensateurs fixes pour montage en surface pour courant continu à diélectrique en film de sulfure de polyphénulène métallisé (IEC 60384-20:2015) Festkondensatoren zur Verwendung in Geräten der Elektronik - Teil 20: Rahmenspezifikation -Oberflächenmontierbare Festkondensatoren für Gleichspannung mit metallisierter Polyphenyl-Sulfid-Folie als Dielektrikum (IEC 60384-20:2015)

This European Standard was approved by CENELEC on 2015-08-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European Foreword

The text of document 40/2381/FDIS, future edition 3 of IEC 60384-20, prepared by IEC TC 40, "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60384-20:2015.

The following dates are fixed:

•	latest date by which the document has	(dop)	2016-05-26
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2018-08-26
	standards conflicting with the		
	document have to be withdrawn		

This document supersedes EN 60384-20:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60384-20:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60384-14 NOTE Harmonized as EN 60384-14.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

www.ceneiec.eu.				
Publication	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60062	2004	Marking codes for resistors and capacitors	EN 60062	2005
-	-	-	+ corrigendum Jan.	2007
IEC 60063	-	Preferred number series for resistors and capacitors	EN 60063	-
IEC 60068-1	2013	Environmental testing Part 1: General and guidance	EN 60068-1	2014
IEC 60384-1	2008	Fixed capacitors for use in electronic equipment Part 1: Generic specification	EN 60384-1	2009
IEC 61193-2	2007	Quality assessment systems Part 2: Selection and use of sampling plans for inspection of electronic components and packages	EN 61193-2	2007
ISO 3	-	Preferred numbers; Series of preferred numbers	-	-

CONTENTS

FC	DREWC	PRD	5
1	Gene	eral	7
	1.1	Scope	7
	1.2	Object	7
	1.3	Normative references	7
	1.4	Information to be given in a detail specification	8
	1.4.1	General	8
	1.4.2	Outline drawing and dimensions	8
	1.4.3	9	
	1.4.4	•	8
	1.4.5	ě	
	1.5	Terms and definitions	
	1.6	Marking	
	1.6.1		
	1.6.2	S .	
	1.6.3	ě i	
_	1.6.4		
2		erred ratings and characteristics	
	2.1	Preferred characteristics	
	2.2	Preferred values of ratings	
	2.2.1		
	2.2.2		
	2.2.3	9 (10)	
	2.2.4	3 7 3 (0)	
_	2.2.5	'	
3		ity assessment procedures	
	3.1	Primary stage of manufacture	
	3.2	Structurally similar components	
	3.3	Certified test records of released lots	
	3.4	Qualification approval procedures	
	3.4.1		
	3.4.2		
	3.4.3		
	3.5	Quality conformance inspections	
	3.5.1 3.5.2	•	
	3.5.2		
	3.5.4		
4		and measurement procedures	
7	4.1	Mounting	
	4.1	Visual examination and check of dimensions	
	4.2.1		
	4.2.1		
	4.2.3		
	4.3	Electrical tests	
	4.3.1		

IEC 60384-20:2015 © IEC 2015 — 3 —

4.3.2	Capacitance	21
4.3.3	Tangent of loss angle (tan δ)	21
4.3.4	Insulation resistance	22
4.4 She	ear test	23
4.4.1	General	23
4.5 Sub	ostrate bending test	23
4.5.1	General	23
4.5.2	Initial inspections	23
4.5.3	Final inspections and requirements	23
4.6 Res	sistance to soldering heat	24
4.6.1	General	24
4.6.2	Initial inspections	24
4.6.3	Test conditions	24
4.6.4	Recovery	24
4.6.5	Final inspections and requirements	24
4.7 Sol	derability	24
4.7.1	General	24
4.7.2	Test conditions	24
4.7.3	Final inspections and requirements	24
4.8 Rap	oid change of temperature	24
4.8.1	General	24
4.8.2	Initial inspections	24
4.8.3	Test conditions	24
4.8.4	Final inspections and requirements	25
4.9 Clin	natic sequence	25
4.9.1	General	25
4.9.2	Initial inspections	25
4.9.3	Dry heat	25
4.9.4	Damp heat, cyclic, test Db, first cycle	25
4.9.5	Cold	25
4.9.6	Damp heat, cyclic, test Db, remaining cycles	25
4.9.7	Recovery	25
4.9.8	Final inspections and requirements	25
4.10 Dar	np heat, steady state	25
4.10.1	General	25
4.10.2	Initial inspections	25
4.10.3	Test conditions	26
4.10.4	Recovery	26
4.10.5	Final inspections and requirements	26
4.11 End	lurance	26
4.11.1	General	26
4.11.2	Initial inspections	26
4.11.3	Test conditions	26
4.11.4	Final inspections and requirements	26
4.12 Cha	arge and discharge	27
4.12.1	General	27
4.12.2	Initial inspections	27
4.12.3	Test conditions	27
4.12.4	Recovery	27

4.12.5	Final inspections and requirements	27
4.13 C	omponent solvent resistance (if required)	27
4.13.1	General	27
4.14 S	olvent resistance of the marking (if required)	27
4.14.1	General	27
Bibliography		28
Table 1 – Pe	ercentage limit of the rated voltage at a.c. voltage frequency	11
Table 2 – Ca	ategory voltages for upper category temperature 125 °C	11
Table 3 – Ca	ategory voltages for upper category temperature 155 °C	11
Table 4 – Sa	ımpling plan for qualification approval – Assessment level EZ	13
Table 5 – Te	est schedule for qualification approval (1 of 5)	14
Table 6 – Lo	t-by-lot inspection	19
Table 7 – Pe	riodic tests	20
Table 8 – Te	st voltages	21
Table 9 – Ta	ngent of loss angle limits	22
Table 10 – F	Requirements insulation resistance	23
Table 11 – 0	Correction factor dependent on test temperature	23
Table 12 – E	Indurance test for Grade 1, 2 and 3 capacitors	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-20 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition, published in 2008, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Revision of the structure in accordance with ISO/IEC Directives, Part 2:2011 (sixth edition) to the extent practicable, and harmonization between other similar kinds of documents.
- b) In addition, Clause 4 and all the tables have been reviewed in order to prevent duplications and contradictions.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2381/FDIS	40/2394/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60384 series, published under the general title *Fixed capacitors* for use in electronic equipment, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 20: Sectional specification – Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors

1 General

1.1 Scope

This part of IEC 60384 applies to fixed surface mount capacitors for direct current, with metallized electrodes and polyphenylene sulfide dielectric for use in electronic equipment. These capacitors have metallized connecting pads or soldering strips and are intended to be mounted directly onto substrates for hybrid circuits or onto printed boards. They may have "self-healing properties" depending on conditions of use and are primarily intended for applications where the a.c. component is small with respect to the rated voltage.

These capacitors are divided to 3 grades. Performance grade 1 for long life, performance grade 2 for general purpose and performance grade 3 for miniature type.

Capacitors for radio interference suppression are not included, but are covered by IEC 60384-14.

Capacitors used for motor or fluorescent lamp are outside the scope of this standard.

1.2 Object

The object of this standard is to prescribe preferred ratings and characteristics and to select from IEC 60384-1, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this standard shall be of equal or higher performance level, lower performance levels are not permitted.

1.3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062:2004. Marking codes for resistors and capacitors

IEC 60063, Preferred number series for resistors and capacitors

IEC 60068-1:2013, Environmental testing – Part 1: General and guidance

IEC 60384-1:2008, Fixed capacitors for use in electronic equipment – Part 1: Generic specification

IEC 61193-2:2007, Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages

ISO 3, Preferred numbers – Series of preferred numbers