

BS EN 61800-7-302:2016



BSI Standards Publication

Adjustable speed electrical power drive systems

Part 7-302: Generic interface and use of profiles for power drive systems — Mapping of profile type 2 to network technologies

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 61800-7-302:2016. It is identical to IEC 61800-7-302:2015. It supersedes BS EN 61800-7-302:2008, which will be withdrawn on 12 October 2018.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 82133 2

ICS 29.200; 35.100.05

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 29 February 2016.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------

EUROPEAN STANDARD

EN 61800-7-302

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2016

ICS 29.200; 35.100.05

Supersedes EN 61800-7-302:2008

English Version

**Adjustable speed electrical power drive systems -
Part 7-302: Generic interface and use of profiles for power drive
systems - Mapping of profile type 2 to network technologies
(IEC 61800-7-302:2015)**

Entraînements électriques de puissance à vitesse variable -
Partie 7-302: Interface générique et utilisation de profils
pour les entraînements électriques de puissance - Mise en
correspondance du profil de type 2 avec les technologies
de réseaux
(IEC 61800-7-302:2015)

Elektrische Leistungsantriebssysteme mit einstellbarer
Drehzahl - Teil 7-302: Generisches Interface und Nutzung
von Profilen für Leistungsantriebssysteme (PDS) -
Abbildung von Profil-Typ 2 auf Netzwerktechnologien
(IEC 61800-7-302:2015)

This European Standard was approved by CENELEC on 2015-12-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 22G/312/FDIS, future edition 2 of IEC 61800-7-302, prepared by SC 22G "Adjustable speed electric drive systems incorporating semiconductor power converters" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61800-7-302:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-09-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-12-25

This document supersedes EN 61800-7-302:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61800-7-302:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61158-2:2014	NOTE	Harmonized as EN 61158-2:2014 (not modified).
IEC 61158-3-2:2014	NOTE	Harmonized as EN 61158-3-2:2014 (not modified).
IEC 61499-1:2005	NOTE	Harmonized as EN 61499-1:2005 ¹⁾ (not modified).
IEC 61784-1:2014	NOTE	Harmonized as EN 61784-1:2014 (not modified).
IEC 61784-2:2014	NOTE	Harmonized as EN 61784-2:2014 (not modified).
IEC 61800 Series	NOTE	Harmonized as EN 61800 Series.
IEC 61800-7 Series	NOTE	Harmonized as EN 61800-7 Series.
IEC 61800-7-1:2015	NOTE	Harmonized as EN 61800-7-1:2016 (not modified).
IEC 61800-7-201	NOTE	Harmonized as EN 61800-7-201.
IEC 61800-7-203	NOTE	Harmonized as EN 61800-7-203.
IEC 61800-7-204	NOTE	Harmonized as EN 61800-7-204.
IEC 61800-7-301	NOTE	Harmonized as EN 61800-7-301.
IEC 61800-7-303	NOTE	Harmonized as EN 61800-7-303.
IEC 61800-7-304	NOTE	Harmonized as EN 61800-7-304.
IEC 62026-3	NOTE	Harmonized as EN 62026-3.

¹⁾ Superseded by EN 61499-1:2013 (IEC 61499-1:2012).

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61158-4-2	2014	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	EN 61158-4-2	2014
IEC 61158-5-2	2014	Industrial communication networks - Fieldbus specifications - Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	2014
IEC 61158-6-2	2014	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	EN 61158-6-2	2014
IEC 61588	2009	Precision clock synchronization protocol for networked measurement and control systems	-	-
IEC 61800-7-202	-	Adjustable speed electrical power drive systems - Part 7-202: Generic interface and use of profiles for power drive systems - Profile type 2 specification	EN 61800-7-202	-

CONTENTS

FOREWORD	4
INTRODUCTION	6
0.1 General	6
0.2 Patent declaration	9
1 Scope	11
2 Normative references	11
3 Terms, definitions and abbreviated terms	11
3.1 Terms and definitions	11
3.2 Abbreviated terms	18
4 Principles for mapping CIP Motion™	19
4.1 General principles for mapping CIP Motion™	19
4.2 Mapping CIP Motion™	20
4.3 Data types	20
4.4 I/O connection interface	21
4.4.1 General	21
4.4.2 I/O Connection Formats	21
4.4.3 Fixed I/O Connection Format	22
4.4.4 Variable I/O Connection Format	23
5 Mapping to DeviceNet™	26
5.1 Adaptation of the device model	26
5.2 Use of I/O data formats	27
6 Mapping to ControlNet™	27
6.1 Adaptation of the device model	27
6.2 Use of I/O data formats	29
7 Mapping to EtherNet/IP™	29
7.1 Adaptation of the device model	29
7.2 Use of I/O data formats	30
Bibliography	31
Figure 1 – Structure of IEC 61800-7	9
Figure 2 – Overview of CIP-based networks	19
Figure 3 – Connection Header	21
Figure 4 – Connection Format	21
Figure 5 – Fixed Controller to Device I/O Connection Format (fixed size = 16 bytes)	23
Figure 6 – Fixed Device to Controller I/O Connection Format (fixed size = 16 bytes)	23
Figure 7 – Controller-to-Device I/O Connection Format (variable size)	24
Figure 8 – Device-to-Controller I/O Connection Format (variable size)	25
Figure 9 – Object Model for a CIP Motion device on DeviceNet	26
Figure 10 – Object Model for a CIP Motion device on ControlNet	28
Figure 11 – Object Model for a CIP Motion device on EtherNet/IP	29
Table 1 – Data types	21
Table 2 – Object classes for a CIP Motion device type on DeviceNet	27

Table 3 – Object classes for a CIP Motion device type on ControlNet28

Table 4 – Object classes for a CIP Motion device type on EtherNet/IP30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –**Part 7-302: Generic interface and use of profiles for power drive systems – Mapping of profile type 2 to network technologies**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61800-7-302 has been prepared by subcommittee SC 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee TC 22: Power electronic systems and equipment.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of patent information;
- b) updates to the Connection Format and connection points;
- c) support of an additional object.

The text of this standard is based on the following documents:

FDIS	Report on voting
22G/312/FDIS	22G/327/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61800 series, under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

0.1 General

The IEC 61800 series is intended to provide a common set of specifications for adjustable speed electrical power drive systems.

IEC 61800-7 specifies profiles for Power Drive Systems (PDS) and their mapping to existing communication systems by use of a generic interface model.

IEC 61800-7 describes a generic interface between control systems and power drive systems. This interface can be embedded in the control system. The control system itself can also be located in the drive (sometimes known as "smart drive" or "intelligent drive").

A variety of physical interfaces is available (analogue and digital inputs and outputs, serial and parallel interfaces, fieldbuses and networks). Profiles based on specific physical interfaces are already defined for some application areas (e.g. motion control) and some device classes (e.g. standard drives, positioner). The implementations of the associated drivers and application programmers interfaces are proprietary and vary widely.

IEC 61800-7 defines a set of common drive control functions, parameters, and state machines or description of sequences of operation to be mapped to the drive profiles.

IEC 61800-7 provides a way to access functions and data of a drive that is independent of the used drive profile and communication interface. The objective is a common drive model with generic functions and objects suitable to be mapped on different communication interfaces. This makes it possible to provide common implementations of motion control (or velocity control or drive control applications) in controllers without any specific knowledge of the drive implementation.

There are several reasons to define a generic interface:

For a drive device manufacturer

- less effort to support system integrators;
- less effort to describe drive functions because of common terminology;
- the selection of drives does not depend on availability of specific support.

For a control device manufacturer

- no influence of bus technology;
- easy device integration;
- independent of a drive supplier.

For a system integrator

- less integration effort for devices;
- only one understandable way of modeling;
- independent of bus technology.

Much effort is needed to design a motion control application with several different drives and a specific control system. The tasks to implement the system software and to understand the functional description of the individual components may exhaust the project resources. In some cases, the drives do not share the same physical interface. Some control devices just support a single interface which will not be supported by a specific drive. On the other hand, the functions and data structures are often specified with incompatibilities. This requires the

system integrator to write special interfaces for the application software and this should not be his responsibility.

Some applications need device exchangeability or integration of new devices in an existing configuration. They are faced with different incompatible solutions. The efforts to adapt a solution to a drive profile and to manufacturer specific extensions may be unacceptable. This will reduce the degree of freedom to select a device best suited for this application to the selection of the unit which will be available for a specific physical interface and supported by the controller.

IEC 61800-7-1 is divided into a generic part and several annexes as shown in Figure 1. The drive profiles types for CiA® 402¹, CIP Motion™², PROFIdrive³ and SERCOS®⁴ are mapped to the generic interface in the corresponding annex. The annexes have been submitted by open international network or fieldbus organizations which are responsible for the content of the related annex and use of the related trademarks.

The different profile types 1, 2, 3 and 4 are specified in IEC 61800-7-201, IEC 61800-7-202, IEC 61800-7-203 and IEC 61800-7-204.

This part of IEC 61800-7 specifies how the profile type 2 (CIP Motion™) is mapped to the network technologies DeviceNet™⁵, ControlNet™⁶ and EtherNet/IP™⁷.

IEC 61800-7-301, IEC 61800-7-303 and IEC 61800-7-304 specify how the profile types 1, 3 and 4 are mapped to different network technologies (such as CANopen®⁸,

¹ CiA® 402 is a registered trade mark of CAN in Automation e.V. (CiA). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CiA® 402. Use of the registered trade mark CiA® 402 requires permission of CAN in Automation e.V. (CiA).

² CIP Motion™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark CIP Motion™. Use of the trade mark CIP Motion™ requires permission of ODVA, Inc.

³ PROFIdrive is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIdrive. Use of the trade name PROFIdrive requires permission of PROFIBUS & PROFINET International.

⁴ SERCOS® is a registered trade mark of SERCOS International e.V. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark SERCOS®. Use of the registered trade mark SERCOS® requires permission of the trade mark holder.

⁵ DeviceNet™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark DeviceNet™. Use of the trade mark DeviceNet™ requires permission of ODVA, Inc.

⁶ ControlNet™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark ControlNet™. Use of the trade mark ControlNet™ requires permission of ODVA, Inc.

⁷ EtherNet/IP™ is a trade mark of ODVA, Inc. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark EtherNet/IP™. Use of the trade mark EtherNet/IP™ requires permission of ODVA, Inc.

⁸ CANopen® is a registered trade mark of CAN in Automation e.V. (CiA). This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CANopen®. Use of the registered trade mark CANopen® requires permission of CAN in Automation e.V. (CiA). CANopen® is an acronym for Controller Area Network *open* and is used to refer to EN 50325-4.

CC-Link IE® Field Network⁹, EPA™¹⁰, EtherCAT™¹¹, Ethernet Powerlink™¹², PROFIBUS¹³, PROFINET¹⁴ and SERCOS®).

⁹ CC-Link IE® Field Network is a registered trade mark of Mitsubishi Electric Corporation. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark CC-Link IE® Field Network. Use of the registered trade mark CC-Link IE® Field Network requires permission of Mitsubishi Electric Corporation.


¹⁰ EPA™ is a trade mark of SUPCON Group Co. Ltd. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark EPA™. Use of the trade mark EPA™ requires permission of the trade mark holder.

¹¹ EtherCAT® is a registered trade mark of Beckhoff, Verl. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the registered trade mark EtherCAT®. Use of the registered trade mark EtherCAT® requires permission of the trade mark holder.

¹² Ethernet Powerlink™ is a trade mark of Bernecker & Rainer Industrieelektronik Ges.m.b.H., control of trade mark use is given to the non profit organization EPSG. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade mark holder or any of its products. Compliance to this profile does not require use of the trade mark Ethernet Powerlink™. Use of the trade mark Ethernet Powerlink™ requires permission of the trade mark holder.

¹³ PROFIBUS is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFIBUS. Use of the trade name PROFIBUS requires permission of PROFIBUS & PROFINET International.

¹⁴ PROFINET is a trade name of PROFIBUS & PROFINET International. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this profile does not require use of the trade name PROFINET. Use of the trade name PROFINET requires permission of PROFIBUS & PROFINET International.



IEC

Figure 1 – Structure of IEC 61800-7

0.2 Patent declaration

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the following. This patent is held by its inventors under license to ODVA, Inc:

Publication / Application serial number	Holder	Title
US 7,983,769 EP 1659465	[ODVA]	Time stamped motion control network protocol that enables balanced single cycle timing and utilization of dynamic data structures

IEC takes no position concerning the evidence, validity and scope of this patent right.

ODVA and the holder of this patent right have assured the IEC that ODVA is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of ODVA and the holder of this patent right is registered with IEC. Information may be obtained from:

[ODVA]	ODVA, Inc. 2370 East Stadium Boulevard #1000 Ann Arbor, Michigan 48104 USA Attention: Office of the Executive Director email: odva@odva.org
--------	---

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

ADJUSTABLE SPEED ELECTRICAL POWER DRIVE SYSTEMS –

Part 7-302: Generic interface and use of profiles for power drive systems – Mapping of profile type 2 to network technologies

1 Scope

This part of IEC 61800 specifies the mapping of the profile type 2 (CIP Motion™) specified in IEC 61800-7-202 onto different network technologies.

- DeviceNet™ (CP 2/3), see Clause 5,
- ControlNet™ (CP 2/1), see Clause 6,
- EtherNet/IP™ (CP 2/2), see Clause 7.

The functions specified in this part of IEC 61800-7 are not intended to ensure functional safety. This requires additional measures according to the relevant standards, agreements and laws.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-4-2:2014, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

IEC 61158-5-2:2014, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-6-2:2014, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61588:2009, *Precision clock synchronization protocol for networked measurement and control systems*

IEC 61800-7-202, *Adjustable speed electrical power drive systems – Part 7-202: Generic interface and use of profiles for power drive systems – Profile type 2 specification*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

actual value

value of a variable quantity at a given instant

Note 1 to entry: Actual value is used in this document as input data of the application control program to monitor variables of the PDS (e.g. feedback variables).