



## BSI Standards Publication

# **Sustainability of construction works — Additional environmental impact categories and indicators — Background information and possibilities — Evaluation of the possibility of adding environmental impact categories and related indicators and calculation methods for the assessment of the environmental performance of buildings**

**National foreword**

This Published Document is the UK implementation of CEN/TR 17005:2016.

The UK participation in its preparation was entrusted to Technical Committee B/558, Sustainability of construction works.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 90477 6

ICS 91.010.99

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 November 2016.

**Amendments/corrigenda issued since publication**

---

Date	Text affected
------	---------------

---

## TECHNICAL REPORT

**CEN/TR 17005**

## RAPPORT TECHNIQUE

## TECHNISCHER BERICHT

October 2016

ICS 91.010.99

English Version

**Sustainability of construction works - Additional environmental impact categories and indicators - Background information and possibilities - Evaluation of the possibility of adding environmental impact categories and related indicators and calculation methods for the assessment of the environmental performance of buildings**

Indicateurs complémentaires pour la déclaration de la performance environnementale des produits de construction et pour l'évaluation de la performance environnementale des bâtiments

Nachhaltigkeit von Bauwerken - Hintergrundinformationen zu möglichen, zusätzlichen Wirkungskategorien und Indikatoren für die Erfassung der umweltbezogenen Qualität von Gebäuden

This Technical Report was approved by CEN on 26 August 2016. It has been drawn up by the Technical Committee CEN/TC 350.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

Contents	Page
<b>European foreword .....</b>	<b>5</b>
<b>Introduction .....</b>	<b>7</b>
<b>1 Scope .....</b>	<b>9</b>
<b>2 The need for additional impact categories .....</b>	<b>10</b>
<b>2.1 Environmental relevance .....</b>	<b>10</b>
<b>2.2 Policy relevance .....</b>	<b>13</b>
<b>2.3 Conclusions.....</b>	<b>14</b>
<b>3 Evaluation criteria for additional environmental impact categories for CEN/TC 350 .....</b>	<b>14</b>
<b>3.1 Introduction .....</b>	<b>14</b>
<b>3.1.1 General.....</b>	<b>14</b>
<b>3.1.2 Criteria related to standardization.....</b>	<b>15</b>
<b>3.1.3 Criteria related to the LCIA models and indicators .....</b>	<b>15</b>
<b>3.2 Evaluation framework for additional environmental impact categories for CEN/TC 350.....</b>	<b>16</b>
<b>3.2.1 General.....</b>	<b>16</b>
<b>3.2.2 Environmental relevance – Standardization (step 1) .....</b>	<b>17</b>
<b>3.2.3 Relevance for buildings (step 2a).....</b>	<b>17</b>
<b>3.2.4 Relevance for construction products (step 2b).....</b>	<b>17</b>
<b>3.2.5 Policy relevance (step 3) .....</b>	<b>17</b>
<b>3.2.6 Performance based (step 4a).....</b>	<b>17</b>
<b>3.2.7 Quantifiable (step 4b).....</b>	<b>18</b>
<b>3.2.8 Scientific robustness and certainty (step 5).....</b>	<b>18</b>
<b>3.2.9 Applicability of the life cycle impact assessment method/model (step 6) .....</b>	<b>19</b>
<b>3.2.10 Stakeholder acceptance of the impact assessment model (step 7).....</b>	<b>20</b>
<b>3.3 Compliance criteria of the ILCD handbook .....</b>	<b>20</b>
<b>3.4 Information sources regarding the additional impact categories .....</b>	<b>21</b>
<b>4 The evaluation of additional impact categories.....</b>	<b>21</b>
<b>4.1 General.....</b>	<b>21</b>
<b>4.2 Human toxicity: Cancer and non-cancer effects.....</b>	<b>21</b>
<b>4.2.1 Description .....</b>	<b>21</b>
<b>4.2.2 Relevance of human toxicity (step 1+2+3) .....</b>	<b>25</b>
<b>4.2.3 List of available LCIA methods (step 4) .....</b>	<b>30</b>
<b>4.2.4 Scientific substantiation of available LCIA methods (step 5).....</b>	<b>31</b>
<b>4.2.5 Applicability (step 6) .....</b>	<b>33</b>
<b>4.2.6 Stakeholder acceptance (step 7) .....</b>	<b>36</b>
<b>4.2.7 Conclusions on methodology .....</b>	<b>37</b>
<b>4.2.8 Overall conclusions on human toxicity .....</b>	<b>39</b>
<b>4.3 Ecotoxicity: Terrestrial, freshwater and marine .....</b>	<b>39</b>
<b>4.3.1 Description of impact category .....</b>	<b>39</b>
<b>4.3.2 Relevance of ecotoxicity – standardization (step 1+2+3) .....</b>	<b>42</b>
<b>4.3.3 List of available LCIA methods (step 4) .....</b>	<b>44</b>
<b>4.3.4 Scientific substantiation of available LCIA methods (step 5).....</b>	<b>45</b>
<b>4.3.5 Applicability (step 6) .....</b>	<b>47</b>
<b>4.3.6 Stakeholder acceptance (step 7) .....</b>	<b>50</b>
<b>4.3.7 Conclusions on methodology .....</b>	<b>50</b>

4.3.8	Overall conclusions on ecotoxicity .....	53
4.4	Particulate matter formation .....	53
4.4.1	Description of impact category .....	53
4.4.2	Relevance of particulate matter formation (step 1+2+3) .....	58
4.4.3	List of available LCIA methods (step 4) .....	65
4.4.4	Scientific substantiation of the available LCIA methods (step 5) .....	68
4.4.5	Applicability (step 6) .....	70
4.4.6	Stakeholder acceptance (step 7) .....	72
4.4.7	Conclusions on methodology .....	72
4.4.8	Overall conclusions on particulate matter .....	73
4.5	Ionizing radiation: human health and ecosystem health .....	73
4.5.1	Description .....	73
4.5.2	Relevance of ionizing radiation (step 1+2+3) .....	77
4.5.3	List of available LCIA methods (step 4) .....	83
4.5.4	Scientific substantiation of the available LCIA methods (step 5) .....	84
4.5.5	Applicability (step 6) .....	84
4.5.6	Stakeholder acceptance (step 7) .....	85
4.5.7	Conclusions on methodology .....	86
4.5.8	Overall conclusions on ionizing radiation .....	86
4.6	Land use: Occupation and transformation / Biodiversity .....	87
4.6.1	Description .....	87
4.6.2	Relevance of land use (step 1+2+3) .....	91
4.6.3	List of available LCIA methods (step 4) .....	103
4.6.4	Scientific substantiation of the available LCIA methods (step 5) .....	104
4.6.5	Applicability (step 6) .....	108
4.6.6	Stakeholder acceptance (step 7) .....	111
4.6.7	Conclusions on methodology .....	111
4.6.8	Overall conclusions on land use .....	112
4.7	Water scarcity .....	113
4.7.1	Description .....	113
4.7.2	Relevance of water scarcity (step 1+2+3) .....	120
4.7.3	List of available LCIA methods (step 4) .....	122
4.7.4	Scientific substantiation of the available LCIA methods (step 5) .....	124
4.7.5	Applicability (step 6) .....	126
4.7.6	Stakeholder acceptance (step 7) .....	128
4.7.7	Conclusions on methodology .....	128
4.7.8	Overall conclusions on water scarcity .....	129
5	Overview of intermediate non-LCA indicators .....	129
5.1	General .....	129
5.2	Land use/biodiversity assessed in BREEAM .....	129
5.2.1	General .....	129
5.2.2	Land Use and Biodiversity .....	131
5.3	DGNB .....	133
5.3.1	General .....	133
5.3.2	Land Use and Biodiversity .....	134
5.4	HQE .....	135
Annex A (informative)	Possibilities for uptake in standardization process .....	137
A.1	Introduction .....	137
A.2	Structure of the table .....	137
Annex B (informative)	Recommended methods for life cycle impact assessment within ILCD Handbook .....	143


<b>Annex C (informative) Life cycle impact assessment within the ILCD Handbook .....</b>	<b>146</b>
<b>Annex D (informative) General criteria and sub-criteria for the analysis of characterization models within ILCD Handbook.....</b>	<b>148</b>
<b>Annex E (informative) Description of the general literature sources consulted.....</b>	<b>151</b>
<b>Annex F (informative) Illustration of land use types in LCIA methods .....</b>	<b>152</b>
<b>Bibliography .....</b>	<b>155</b>

## European foreword

This document (CEN/TR 17005:2016) has been prepared by Technical Committee CEN/TC 350 "Sustainability of construction works", the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.



**Figure 1 — Domain of LCA ([14], p. 33)**

NOTE 1 One of the main drivers for using LCA, is the prevention of burden shifting.

NOTE 2 If in future, models become available that combine global environmental impacts with health impacts to the building users due to direct exposure, these might be considered in the context of the CEN/TC 350 framework in future.

Although the EN 15804 standard follows the LCA approach, it also states that additional information on release of dangerous substances to indoor air, soil and water during the use stage shall be provided (EN 15804:2012+A1:2013, 7.4). EN 15804:2012+A1:2013, 7.4.1 stipulates the requirements related to releases to indoor air, and EN 15804:2012+A1:2013, 7.4.2 stipulates the requirements related to releases to soil and water. Such releases are included in EN 15804 as these have a potential direct impact/risk for the inhabitants/users of the building.

Both EN 15804 and EN 15978 contain seven life cycle environmental impact categories. Since their publication, however, a perceived need has arisen to include in these standards a broader set of environmental impacts categories due to the following:

- Additional environmental impact categories are currently part of European recommendations and of national legislation of several Member States.
- Additional environmental indicators are used in current practice (see EN 15643-2:2011, B.2 [3]).
- New research and developments in life cycle impact assessment (LCIA) methods and the characterization of environmental impacts.

This Technical Report (TR) has been developed to provide guidance to the working groups of CEN/TC 350 on the extension of the impact categories in EN 15804 and EN 15978. The TR provides a framework for the evaluation of environmental impact categories and evaluates the impact categories human toxicity and ecotoxicity, particulate matter, land use, biodiversity, water scarcity; and ionizing radiation by implementing the framework developed.

During the preparation of the TR a range of experts, such as developers of impact assessment models, LCA software developers and experts from the EC-JRC were consulted.

NOTE 3 Although this report is primarily referenced to buildings, the indicators and methods reviewed might have equal application in other construction works.

## Introduction

### List of abbreviations:

CDV	Critical Dilution Volume
CF	Characterization Factor
EPBD	Energy Performance of Buildings Directive
EPD	Environmental Product Declaration
ILCD	International Reference Life Cycle Data System
LCA	Life Cycle Assessment
LCI	Life Cycle Inventory
LCIA	Life Cycle Impact Assessment
PCR	Product Category Rules
PEF	Product Environmental Footprint
RA	Risk Assessment
TR	Technical Report
TSP	Total Suspended Particles

The standards EN 15804 [1] and EN 15978 [2] provide a basis for the environmental assessment of buildings using a life cycle assessment approach.

The EN 15804 standard [1] provides core product category rules (PCR) for Type III environmental declarations of any construction product and services. An Environmental Product Declaration (EPD) is a verified document that reports environmental data of products based on life cycle assessment (LCA) and other relevant information and in accordance with the international standard ISO 14025 (*Type III Environmental Declarations*).

The EN 15978 standard [2] specifies the calculation method to assess the environmental performance of a building, based on LCA (i.e. using EPD for construction products and services) and other quantified environmental information (i.e. (1) indicators describing resource use based on input flows of the life cycle inventory (LCI) and (2) indicators describing waste categories and output flows derived from scenarios and LCI), and gives the means for the reporting and communication of the outcome of the assessment.

Life cycle Assessment (LCA) is defined as the “*compilation and evaluation of the inputs, outputs and the potential environmental impacts of a product system throughout its life cycle*”. (ISO 14040).

In LCA, the modelling is typically made at the global level, resulting in global characterization factors. Inherent to the modelling, the (current) environmental impact assessment models within LCA do not cover local impacts/risks due to direct exposure of some persons to a certain emission/hazardous substance. As it is acknowledged that the variation in population density influences the exposure rate and hence also the potential health damage, regional characterization factors (based on regional differences in population density) for some health related impact categories are being developed. The same is true for ecosystems related impact categories.

As is illustrated in Figure 1, LCA (in current practice) covers a great part of the total environmental perspective but is clearly restricted to regional and global impacts to the external environment (i.e. it does not include effects due to indoor exposure of the users of a building). Effects for which there is a low plausibility that they will occur (e.g. risks from nuclear waste) and local effects from the products

on the manufacturers or users are disregarded. Recently, research has started to also address health effects due to indoor emissions on building users with similar approaches as used in LCA [13].

## 1 Scope

This Technical Report (TR) has been developed by CEN/TC 350/WG 1 and WG 3 to provide a clear and structured view on the relevance, robustness and applicability of a predefined set of additional impact categories and related indicators for the assessment of the environmental performance of construction works, construction products and building materials.

The TR describes the evaluation criteria that are used to determine, for these impact categories, the suitability of indicators and calculation method(s) for inclusion in the standards EN 15978 and EN 15804 (or other CEN/TC 350 standards as appropriate) in terms of their:

- a) relevance to:
  - 1) the environment,
  - 2) construction works,
  - 3) construction products, and
  - 4) EU policy;
- b) scientific robustness and certainty; and
- c) applicability of the impact assessment method(s).

The additional impact categories examined in the TR are:

- human toxicity and ecotoxicity;
- particulate matter;
- land use;
- biodiversity;
- water scarcity; and
- ionizing radiation.

Because EN 15978 and EN 15804 are founded on a life cycle approach, the impact categories, indicators and methods reviewed are predominantly based on their potential suitability for application in LCA. In relation to some of the areas of concern, however, where LCA methods might not be sufficiently robust or developed, some non-LCA based indicators and methods are also considered.

Due to the scope of LCA used in the EN 15804 and EN 15978, impacts to users of buildings due to direct exposure to harmful emissions fall outside the scope of this TR. This falls under the scope of CEN/TC 351. Important information related to this aspect found during the development of this TR, is however mentioned in the TR.

Uncertainty is an important issue in LCA. General assessment of the uncertainty related to impact assessment models is considered in the evaluation framework of this TR. However, the TR does not lay down a maximum uncertainty level to be considered acceptable in the context of the CEN standards EN 15804 and EN 15978, nor does it provide exact figures on uncertainties.

Annex A of the TR provides a description of options that may be considered for incorporating selected impact categories/indicator in the standards EN 15978 and EN 15804.