

BS 8468-7:2020



BSI Standards Publication

Respiratory protective devices for use against chemical, biological, radiological and nuclear (CBRN) agents

Part 7: Closed-circuit breathing apparatus — Specification

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2020

Published by BSI Standards Limited 2020

ISBN 978 0 539 05525 2

ICS 13.340.30

The following BSI references relate to the work on this document:

Committee reference PH/4

Draft for comment 19/30398499 DC

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Contents

	Page
Foreword	ii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification	2
5 Requirements	2
5.1 General	2
5.2 Preconditioning	2
5.3 Inward leakage	2
5.4 Chemical agent permeation and penetration	3
<i>Figure 1 — HD agent droplet placement for CCBA facepiece</i>	3
<i>Figure 2 — HD agent droplet placement between facepiece and cylinder thread</i>	4
6 Marking	4
7 Information supplied by the manufacturer	5
Bibliography	6

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 6, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 8468 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 August 2020. It was prepared by Technical Committee PH/4, *Respiratory protection*. A list of organizations represented on this committee can be obtained on request to its committee manager.

Supersession

This part of BS 8468 supersedes [BS 8468-7:2012](#), which is withdrawn.

Relationship with other publications

BS 8468 is published in the following parts:

- Part 1: *Positive pressure, self-contained, open-circuit breathing apparatus – Specification;*
- Part 2: *Negative pressure, air purifying devices with full face mask – Specification;*
- Part 3.1: *Self-contained open-circuit compressed air breathing apparatus incorporating a hood for escape – Specification;*
- Part 3.2: *Air-purifying devices incorporating a hood for escape – Specification;*
- Part 4: *Powered air purifying respirators – Specification;*
- Part 5: *Combined and multi-functional apparatus – Specification;*
- Part 6.1: *Positive-pressure compressed air line equipment – Specification;*
- Part 6.2: *Constant flow compressed air line equipment – Specification;*
- Part 7: *Closed-circuit breathing apparatus – Specification;*
- Part 8: *Test methods.*

This standard can be used in conjunction with [BS 8467](#), which categorizes and specifies requirements and test methods for personal protective ensembles against CBRN agents.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- the test for permeation penetration has been moved to the new BS 8468-8;
- the designations have been changed to CBRN1 and CBRN3 instead of Type 1 CCBA and Type 2 CCBA;
- inward leakage requirement has been modified; and
- the terms and definitions have been updated.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

It has been assumed in the preparation of this part of BS 8468 that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Requirements in this standard are drafted in accordance with *Rules for the structure and drafting of UK standards*, subclause **G.1.1**, which states, “Requirements should be expressed using wording such as: ‘When tested as described in Annex A, the product shall ...’”. This means that only those products that are capable of passing the specified test will be deemed to conform to this standard.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This British Standard specifies requirements for closed-circuit breathing apparatus (CCBA) intended to be used during fire-fighting, rescue, evacuation, escape, hazard containment and decontamination, and similar activities by emergency responders (e.g. fire, ambulance, police, and associated civilian agencies and workers) in areas containing and contaminated by chemical, biological, radiological and nuclear (CBRN) agents.

This British Standard is applicable to type CBRN1 and type CBRN3 devices. Type CBRN1 devices provide resistance to gaseous chemical agent permeation and penetration and protection capability against hazardous particulate matter. Type CBRN3 devices provide an enhanced level of resistance to liquid and gaseous chemical agent permeation and penetration.

This British Standard contains requirements for classification, testing and marking of the device.

NOTE CCBA conforming to this British Standard might be suitable for use in situations other than those involving the specific CBRN agents identified in this standard.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document¹⁾. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 8468-8:2020, *Respiratory protective devices for use against chemical, biological, radiological and nuclear (CBRN) agents – Part 8: Test methods*

BS EN 134, *Respiratory protective devices – Nomenclature of components*

BS EN 136:1998, *Respiratory protective devices – Full face masks – Requirements, testing, marking*

BS EN 145:1998, *Respiratory protective devices – Self-contained closed-circuit breathing apparatus compressed oxygen or compressed oxygen-nitrogen type – Requirements, testing, marking*

BS EN 13274-1:2001, *Respiratory protective devices – Methods of test – Part 1: Determination of inward leakage and total inward leakage*

BS EN 14387, *Respiratory protective devices – Gas filter(s) and combined filter(s) – Requirements, testing, marking*

[BS EN ISO 16972](#), *Respiratory protective devices – Vocabulary and graphical symbols*

3 Terms and definitions

For the purposes of this part of BS 8468, the terms and definitions given in [BS EN ISO 16972](#), BS EN 134 and the following apply.

3.1 chemical agent

toxic chemical that can be disseminated to cause harm

NOTE Chemical agents include chemical warfare agents and toxic industrial chemicals.

3.2 biological agent

micro-organism that is a pathogen and that has the potential to be used intentionally to cause harm

NOTE Human pathogens are relevant to respiratory protective device (RPD) selection.

¹⁾ Documents that are referred to solely in an informative manner are listed in the Bibliography.