BS EN IEC 62485-5:2021



BSI Standards Publication

Safety requirements for secondary batteries and battery installations

Part 5: Safe operation of stationary lithium ion batteries



National foreword

This British Standard is the UK implementation of EN IEC 62485-5:2021. It is identical to IEC 62485-5:2020.

The UK participation in its preparation was entrusted to Technical Committee PEL/21, Secondary cells and batteries.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2021 Published by BSI Standards Limited 2021

ISBN 978 0 580 96220 2

ICS 29.220.20; 29.220.30; 29.220.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2021.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 62485-5

January 2021

ICS 29.220.20; 29.220.30

English Version

Safety requirements for secondary batteries and battery installations - Part 5: Safe operation of stationary lithium ion batteries (IEC 62485-5:2020)

Exigences de sécurité pour les batteries d'accumulateurs et les installations de batteries - Partie 5: Fonctionnement en toute sécurité des batteries ions-lithium stationnaires (IEC 62485-5:2020) Sicherheitsanforderungen an sekundäre Batterien und Batterieanlagen - Teil 5: Sicherer Betrieb von stationären Lithium-Ionen-Batterien (IEC 62485-5:2020)

This European Standard was approved by CENELEC on 2020-12-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

European foreword

The text of document 21/1069/FDIS, future edition 1 of IEC 62485-5, prepared by IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62485-5:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-09-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2023-12-30 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62485-5:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60065	NOTE	Harmonized as EN 60065
IEC 60079-10-1	NOTE	Harmonized as EN 60079-10-1
IEC 60364-1	NOTE	Harmonized as HD 60364-1
IEC 60364-4-42	NOTE	Harmonized as HD 60364-4-42
IEC 60364-5-54	NOTE	Harmonized as HD 60364-5-54
IEC 60364-7-706	NOTE	Harmonized as HD 60364-7-706
IEC 60695-11-20	NOTE	Harmonized as EN 60695-11-20
IEC 60695-11-10	NOTE	Harmonized as EN 60695-11-10
IEC 60900	NOTE	Harmonized as EN IEC 60900
IEC 60950-1	NOTE	Harmonized as EN 60950-1
IEC 60990	NOTE	Harmonized as EN 60990
IEC 61000-4-2	NOTE	Harmonized as EN 61000-4-2
IEC 61000-6-5	NOTE	Harmonized as EN 61000-6-5
ISO 9773	NOTE	Harmonized as EN ISO 9773

– 2 – IEC 62485-5:2020 © IEC 2020

CONTENTS

FC	DREWO	RD	5
IN	TRODU	ICTION	7
1	Scop	e	8
2	Norm	native references	8
3	Term	s and definitions and abbreviated terms	10
	3.1	Terms and definitions	10
	3.2	Abbreviated terms	
4	Prote	ection against electric shock	
	4.1	General	
	4.2	Basic protection	
	4.3	Fault protection	
	4.3.1	•	
	4.3.2	Protection by automatic disconnection of supply	16
	4.3.3		
	4.3.4	Protection by electrical separation	20
	4.4	Protective measure: extra-low voltage provided by SELV, PELV and FELV	20
	4.4.1	General	20
	4.4.2	Protection by SELV or by PELV	20
	4.4.3	Protection by functional extra-low voltage (FELV) without protective separation	20
5	Disc	onnection and separation	
6		ention of short-circuits and protection from other effects of electric current	
0			
	6.1	General	
	6.2 6.3	Short-circuits	
	6.3.1		
	6.3.2		
	6.4	Leakage currents	
7		ision against hazards	
'	7.1	General	
	7.1	Charging modes	-
	7.3	Overcharging or overdischarging under fault conditions	
	7.4	Prevention of electrostatic discharges when working with batteries	
8		sion against hazards posed by chemical substances	
	8.1	General	
	8.2	Initial actions in case of hazardous chemical release	
	8.2.1	General	
	8.2.2		
	8.2.3		
	8.2.4	C C	
	8.2.5		
	8.3	Battery accessories and maintenance tools	
9	Ассо	mmodation, housing	
	9.1	General	25
	9.2	Specific requirements for separate battery rooms	25

A.3.1

A.3.2

A.4

B.1

B.2

IEC 6248	35-5:2020 © IEC 2020 − 3 −	
9.3	Specific requirements for the specially separated areas in rooms	
	accommodating electrical equipment	
9.4	Battery enclosures	
9.5	Working on or near batteries	
9.5.	· · · · · · · · · · · · · · · · · · ·	
9.5.2 9.6	2 Remarks on special work in battery rooms Accommodation of lithium ion batteries in combination with batteries	
9.0	containing aqueous electrolyte (e.g. lead-acid and NiCd batteries) in the same room	27
10 Cha	rge current requirements	
10.1	General	
10.2	Superimposed ripple current	
10.3	Maximum ripple current	27
	tification labels, warning notices and instructions for use, installation and ntenance	28
11.1	Warning labels and notices in rooms	28
11.2	Identification labels or marking on cell, module, battery pack or battery	
	system	
11.3	Instructions for use, installation and maintenance	
	sportation, storage and environmental aspects	
13 Insp	ection and monitoring	29
14 EMC	C for stationary application	29
Annex A	(informative) Charging methods and modes of operation	31
A.1	Parallel operation mode	31
A.1.	1 General	31
A.1.	2 Battery "stand-by" operation mode	31
A.1.	3 Battery "buffer" operation mode	31
A.1.	4 Shallow cycling operation mode	32
A.2	Response mode operation	32
A.3	Charging methods	

Temperature compensation of the charge voltage and limiting of charge

Case 1 – EMC requirements for battery systems depending on each end-

combined with an external line conductor (TN-C system)17

Figure 1 – TN system with separate protective conductor (PE) in the entire system

Figure 2 – TN system with functional earthing and protective earthing (FPE, PEN)

- 4 - IEC 62485-5:2020 © IEC 2020

Figure A.2 – Example of battery charge current interlaced with frequent temporary discharge events due to a load current exceeding the current supply capability	32
Figure A.3 – Response mode operation circuit	32
Figure A.4 – Constant current/constant voltage charge	33
Figure C.1 – An example for operating region of lithium ion cell	35

IEC 62485-5:2020 © IEC 2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY REQUIREMENTS FOR SECONDARY BATTERIES AND BATTERY INSTALLATIONS –

Part 5: Safe operation of stationary lithium ion batteries

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62485-5 has been prepared by IEC technical committee 21: Secondary cells and batteries.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
21/1069/FDIS	21/1076/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

- 6 -

IEC 62485-5:2020 © IEC 2020

A list of all parts in the IEC 62485 series, published under the general title *Safety requirements for secondary batteries and battery installations*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC 62485-5:2020 © IEC 2020

INTRODUCTION

The described safety requirements comprise the protective measures to protect from hazards generated by electricity and chemical substances when using secondary batteries. In addition measures are described to maintain the functional safety of batteries and battery installations.

For electrical safety (protection against electric shock) under Clause 4, this document refers to IEC 60364-4-41. The pilot function of this document is fully observed by indication of cross-reference numbers of the relevant clauses, but interpretation is given where adoption to direct current (DC) circuits is required.

This document comes into force with the date of publication and applies to all new batteries and battery installations. Previous installations are intended to conform to the existing national standards at the time of installation. In the case of the redesign of old installations, this document applies.

Lithium ion cells/batteries used in stationary industrial applications are intended to fulfil safety requirements in accordance with IEC 62619.

IEC 62485-5:2020 © IEC 2020

SAFETY REQUIREMENTS FOR SECONDARY BATTERIES AND BATTERY INSTALLATIONS –

Part 5: Safe operation of stationary lithium ion batteries

1 Scope

This part of IEC 62485 applies to the installation of one or more stationary secondary batteries having a maximum aggregate DC voltage of 1 500 V to any DC part of the power network, and describes the principal measures for protections during normal operation or under expected fault conditions against hazards generated from:

- electricity,
- short-circuits,
- electrolyte,
- gas emission,
- fire,
- explosion.

This document provides requirements on safety aspects associated with the installation, use, inspection, and maintenance and disposal of lithium ion batteries used in stationary applications.

This document covers stationary batteries for industrial applications that are installed in separate closed buildings or housings as well as stationary batteries that are installed in public buildings, offices and private residences. This document also covers the maintenance and disposal of lithium ion batteries used in stationary applications.

Batteries containing lithium metal are not covered by this document.

Examples of the main applications are:

- telecommunications,
- power station operation,
- central emergency lighting and alarm systems,
- uninterruptible power supplies (UPS),
- stationary engine starting,
- photovoltaic systems.

In general, the safety requirements for secondary batteries and battery installations – General safety information and definitions are specified for lead-acid, nickel-cadmium and nickel-metal hybrid batteries in accordance with IEC 62485-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.