

BSI Standards Publication

Radio-frequency connectors

Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock — Characteristic impedance 50 Ω (type 7-16)



National foreword

This British Standard is the UK implementation of EN 61169-4:2022. It is identical to IEC 61169-4:2008. It supersedes DD IEC/PAS 61169-4:2006, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/46, Cables, wires and waveguides, radio frequency connectors and accessories for communication and signalling.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023 Published by BSI Standards Limited 2023

ISBN 978 0 580 56771 1

ICS 29.120.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2023.

Amendments/corrigenda issued since publication

Date Text affected

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 61169-4

November 2022

ICS 29.120.10

Supersedes HD 134.4 S2:1977

English Version

Radio-frequency connectors - Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock - Characteristic impedance 50 Ω (type 7-16) (IEC 61169-4:2008)

Connecteurs pour fréquences radioélectriques - Partie 4: Connecteurs coaxiaux pour fréquences radioélectriques de diamètre intérieur du conducteur extérieur de 16 mm (0,63 in) à verrouillage à vis - Impédance caractéristique 50 Ω (type 7-16) (IEC 61169-4:2008)

Hochfrequenz-Steckverbinder - Teil 4: Koaxiale Hochfrequenzsteckverbinder mit 16 mm (0,63 in) Innendurchmesser des Außenleiters und Schraubverschluss - Wellenwiderstand 50 Ohm (Typ 7-16) (IEC 61169-4:2008)

This European Standard was approved by CENELEC on 2022-10-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 46F/60/FDIS, future edition 1 of IEC 61169-4, prepared by SC 46F "RF and microwave passive components" of IEC/TC 46 "Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61169-4:2022.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2023-07-11 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2025-10-11

This document supersedes HD 134.4 S2:1977 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61169-4:2008 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61169-1	-	Radio-frequency connectors - Part 1: Generic specification - General requirements and measuring methods	-	-
IEC 62037	-	RF connectors, connector cable assemblies and cables - Intermodulation level measurement	-	-

CONTENTS

FΟ	REW)RD		4
1	Scop	e		6
2	Norm	native re	eferences	6
3	Matir	ng face	and gauge information	6
	3.1	Dimen	sions –General connectors – Grade 2	7
		3.1.1	Connector with pin centre contact	7
		3.1.2	Connector with socket centre contact	8
	3.2	Gauge	s for general purpose connectors - Grade 2	9
		3.2.1	Gauges for connector with socket centre contact	9
	3.3	Dimen	sions – standard test connectors – Grade 0	
		3.3.1	Standard test connector with pin centre contact	10
		3.3.2	Standard test connector with socket centre contact	
4	Qual	ity asse	ssment procedures	11
	4.1	Genera	al	11
	4.2	Rating	s and characteristics	11
	4.3	Test S	chedule and Inspection requirements	14
		4.3.1	Acceptance tests	14
		4.3.2	Periodic tests	15
	4.4	Proced	dures	
		4.4.1	Quality conformance inspection	16
		4.4.2	Qualification approval and its maintenance	
5	Instr	uctions	for preparation of detail specifications	17
	5.1		al	
	5.2		ication of the Detail specification	
	5.3		ication of the component	
	5.4		mance	
	5.5		g, ordering information and related matters	
	5.6		ion of tests, test conditions and severities	
	5.7	Blank	detail specification pro-forma for type 7-16 connector	19
Fig	ure 1	– Conne	ector with pin centre contact	7
Fig	ure 2	– Conne	ector with socket centre contact	8
Fig	ure 3	– Gauge	e pin for socket centre contact	9
_		_	e ring for socket outer contact	
_		•	d centre contact	
9		0.0110		
			ctor with pin centre contact.	
			ctor with socket centre contact	
Tal	ole 3 -	- Tolera	nce for the standard connector with pin centre contact	10
Tal	ole 4 -	- Tolera	nce for the standard connector with socket centre contact	10
Tal	ole 5 -	- Slotted	d centre contact	11
Tal	ole 6 -	- Preferi	red climatic categories (see IEC 60068-1):	12
			s and characteristics	

61169-4 © IEC:2008	_ 3 _
01109-4 © 1EC.2000	- 3 -

Table 8 – Acceptance tests	. 14
Table 9 – Periodic tests	. 15

61169-4 © IEC:2008

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO-FREQUENCY CONNECTORS -

Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock – Characteristic impedance 50 Ω (type 7-16)

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-4 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, r.f. connectors, r.f. and microwave passive components and accessories. This standard cancels and replaces IEC/PAS 61169-4 published in 2006. This first edition constitutes a technical revision.

This bilingual version (2014-01) corresponds to the monolingual English version, published in 2008-04.

The text of this standard is based on the following documents:

FDIS	Report on voting	
46F/60/FDIS	46F/71/RVD	

61169-4 © IEC:2008

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61169 series, published under the general title *Radio-frequency* connectors, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

61169-4 © IEC:2008

RADIO-FREQUENCY CONNECTORS -

Part 4: RF coaxial connectors with inner diameter of outer conductor 16 mm (0,63 in) with screw lock – Characteristic impedance 50 Ω (type 7-16)

1 Scope

This part of IEC 61169, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for type 7-16 R.F. coaxial connectors with screw lock.

The connectors are normally used with 50 Ω flexible and semi-rigid r.f. cables for middle power applications in an operating frequency range up to 7,5 GHz.

It describes the interface dimensions for general purpose grade 2 connectors, dimensional details for standard test connectors, grade 0, together with gauging information and the mandatory tests selected from QC 22000 (IEC 61169-1), applicable to all DS relating to type 7-16 connectors.

This specification indicates the recommended performance characteristics to be considered when writing a DS and covers test schedules and inspection requirements.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61169-1, Radio-frequency connectors – Part 1: Generic specification – General requirements and measuring methods

IEC 62037, RF connectors, connector cable assemblies, and cables - Intermodulation level measurement

3 Mating face and gauge information

Metric dimension are original dimensions.

All undimensioned pictorial configurations are for reference purpose only.