

BSI Standards Publication

Bicycle tyres and rims

Part 1: Tyre designations and dimensions



BS ISO 5775-1:2023 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 5775-1:2023. It supersedes BS ISO 5775-1:2014, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AUE/4, Tyres and wheels for motor vehicles.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023 Published by BSI Standards Limited 2023

ISBN 978 0 539 19427 2

ICS 43.150; 83.160.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2023.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 5775-1:2023

INTERNATIONAL STANDARD

ISO 5775-1

Seventh edition 2023-07-28

Bicycle tyres and rims —

Part 1:

Tyre designations and dimensions

Pneumatiques et jantes pour cycles — Partie 1: Désignation et cotes des pneumatiques



BS ISO 5775-1:2023 **ISO 5775-1:2023(E)**



COPYRIGHT PROTECTED DOCUMENT

 $\, @ \,$ ISO 2023, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents Foreword			Page
			iv
1	Scop	e	1
2	Normative references		1
3	Terms, definitions, symbols and abbreviated terms		
3	3.1	Terms and definitions	
	3.2	Symbols and abbreviated terms	
4		cher tyres mounted on straight side or crotchet type rims	
4	4.1	Tyre nomenclature	
	4.2	Tyre size designation and marking	
	7.2	4.2.1 General	
		4.2.2 Nominal size designation	
		4.2.3 Overall size designation	
		4.2.4 Old size marking	
		4.2.5 Other service characteristics	
		4.2.6 Examples	
	4.3	Tyre dimensions	
	110	4.3.1 General	
		4.3.2 Design tyre dimensions	
		4.3.3 Tyre measurement method	
		4.3.4 Dimensional specifications	
	4.4	Recommended rim widths in use	
5	"Bea	ded edge" tyres mounted on hooked bead (HB) rims	11
	5.1	General	
	5.2	Tyre designation	
		5.2.1 General	
		5.2.2 Tyre size designation	13
		5.2.3 Preferred direction of rotation	
		5.2.4 Example	13
	5.3	Tyre dimensions	13
		5.3.1 General	13
		5.3.2 "Design tyre" dimensions	13
		5.3.3 Calculation of maximum tyre dimensions in service	
		5.3.4 Determination of nominal overall diameter code	
		5.3.5 Values	
	5.4	Tyre dimension measurement method	
	5.5	Tyres that can be mounted on both hooked bead (HB) and straight side rims	
		5.5.1 Tyre designation	
		5.5.2 Maximum tyre dimensions in service	15
Ann	ex A (in	formative) Old size marking	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 31, *Tyres, rims and valves*, Subcommittee SC 10, *Cycle, moped, motorcycle tyres and rims*.

This seventh edition cancels and replaces the sixth edition (ISO 5775-1:2014), which has been technically revised.

The main changes are as follows:

- new definitions have been added for clarification in Clause 3:
- the symbols and abbreviated terms have been revised in 3.2;
- new requirements have been added for clarification in <u>Clause 4</u>.

A list of all parts in the ISO 5775 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Bicycle tyres and rims —

Part 1:

Tyre designations and dimensions

1 Scope

This document specifies the designations and dimensions for the following pneumatic bicycle tyres:

- clincher tyres mounted on straight side or crotchet type rims;
- tubeless tyres;
- tubeless-ready tyres;
- tube-type tyres;
- "beaded edge" tyres mounted on hooked bead rims.

This document does not apply to tubular sew-up tyres and non-pneumatic tyres.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4223-1, Definitions of some terms used in the tyre industry — Part 1: Pneumatic tyres

ISO 5775-2:2021, Bicycle tyres and rims — Part 2: Rims

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4223-1, ISO 5775-2 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1.1

clincher tyre

tyre that has beads that lock onto the rim bead seat and/or rim hook when the tyre is inflated

3.1.1.1

tubeless tyre

TL

clincher tyre (3.1.1) that is functional without an inner tube or sealant to maintain inflation pressure