


INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 5-2: Application layer service definition – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-2: Définition des services de la couche application – Éléments de type 2**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 61158-5-2

Edition 5.0 2023-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 5-2: Application layer service definition – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 5-2: Définition des services de la couche application – Éléments de type 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40, 35.100.70, 35.110

ISBN 978-2-8322-7775-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
1.1 General.....	9
1.2 Specifications	10
1.3 Conformance	10
2 Normative references	10
3 Terms, definitions, symbols, abbreviated terms and conventions	12
3.1 ISO/IEC 7498-1 terms.....	13
3.2 ISO/IEC 8822 terms.....	13
3.3 ISO/IEC 9545 terms.....	13
3.4 ISO/IEC 8824-1 terms.....	13
3.5 Type 2 fieldbus data-link layer terms.....	13
3.6 Type 2 fieldbus application-layer specific definitions	14
3.7 Type 2 abbreviated terms and symbols	22
3.8 Conventions.....	23
3.8.1 Overview	23
3.8.2 General conventions.....	23
3.8.3 Conventions for class definitions	24
3.8.4 Conventions for service definitions	25
4 Common concepts.....	26
5 Data type ASE.....	26
5.1 General.....	26
5.2 Formal definition of data type objects.....	26
5.3 FAL defined data types	26
5.3.1 Fixed length types	26
5.3.2 String types	33
5.3.3 Structure types	34
5.4 Data type ASE service specification.....	37
6 Communication model specification.....	37
6.1 Concepts	37
6.1.1 General	37
6.1.2 General concepts	38
6.1.3 Relationships between ASEs	38
6.1.4 Naming and addressing	40
6.1.5 Data types.....	41
6.1.6 Diagnostic connection points	48
6.2 ASEs	49
6.2.1 Object management ASE.....	49
6.2.2 Connection manager ASE.....	175
6.2.3 Connection ASE	193
6.3 ARs	207
6.3.1 Overview	207
6.3.2 UCMM AR formal model	218
6.3.3 Transport AR formal model.....	220
6.3.4 AR ASE services	230

6.4	Summary of FAL classes	237
6.5	Permitted FAL services by AR type	238
	Bibliography.....	240
Figure 1	– Overview of ASEs and object classes.....	40
Figure 2	– Addressing format using MAC, class, instance and attribute IDs	40
Figure 3	– Identity object state transition diagram	67
Figure 4	– Explicit and Implicit Setting interaction	70
Figure 5	– Static Assembly state transition diagram	75
Figure 6	– Dynamic Assembly state transition diagram	76
Figure 7	– Variable Assembly state transition diagram	78
Figure 8	– Typical timing relationships for acknowledged data production.....	89
Figure 9	– Example of a COS system with two acking devices	89
Figure 10	– Message flow in COS connection – one Connection object, one consumer.....	90
Figure 11	– Message flow in COS connection – multiple consumers	90
Figure 12	– Path Reconfiguration in a ring topology	103
Figure 13	– Doubly attached clocks in a PRP network.....	104
Figure 14	– Type 2 Time Synchronization offset clock model	106
Figure 15	– Type 2 Time Synchronization system with offset clock model	106
Figure 16	– Type 2 time synchronization group startup sequence	109
Figure 17	– Parameter object state transition diagram	115
Figure 18	– Example of Find_Next_Object_Instance service	141
Figure 19	– State Transition Diagram for Fragmentation Session.....	172
Figure 20	– Transmission Trigger Timer behavior	201
Figure 21	– Inactivity watchdog timer	202
Figure 22	– Using tools for configuration.....	202
Figure 23	– Production Inhibit Timer behavior	203
Figure 24	– Context of transport services within the connection model.....	210
Figure 25	– Application-to-application view of data transfer	210
Figure 26	– Data flow diagram for a link producer	211
Figure 27	– Data flow diagram for a link consumer.....	212
Figure 28	– Triggers	213
Figure 29	– Binding transport instances to the producer and consumer of a transport connection that does not have a reverse data path	214
Figure 30	– Binding transport instances to the producers and consumers of a transport connection that does have a reverse data path	214
Figure 31	– Binding transport instances to the producer and consumers of a multipoint connection when the transport connection does not have a reverse data path	215
Figure 32	– Binding transport instances to the producers and consumers of a multipoint connection when the transport connection does have reverse data paths.....	215
Table 1	– Valid IANA MIB printer codes for character set selection	36
Table 2	– Common elements	43
Table 3	– ST language elements.....	44
Table 4	– Type conversion operations.....	45

Table 5 – Values of implementation-dependent parameters	47
Table 6 – Extensions to IEC 61131-3:2003	47
Table 7 – Identity object state event matrix	68
Table 8 – Static Assembly state event matrix	76
Table 9 – Static Assembly instance attribute access	76
Table 10 – Dynamic Assembly state event matrix	77
Table 11 – Dynamic Assembly instance attribute access	77
Table 12 – Variable Assembly state event matrix	78
Table 13 – Variable Assembly instance attribute access	78
Table 14 – Message Router object Forward_Open parameters	82
Table 15 – Acknowledge Handler object state event matrix	85
Table 16 – Producing I/O application object state event matrix	87
Table 17 – PTPEnable attribute default values	94
Table 18 – Profile identification	101
Table 19 – Profile default settings and ranges	101
Table 20 – Default PTP clock settings	102
Table 21 – HAND set clock quality management	103
Table 22 – Path Reconfiguration Signalling message	104
Table 23 – Parameter object state event matrix	116
Table 24 – Status codes	118
Table 25 – Get_Attributes_All service parameters	120
Table 26 – Set_Attributes_All service parameters	122
Table 27 – Get_Attribute_List service parameters	124
Table 28 – Set_Attribute_List service parameters	126
Table 29 – Reset service parameters	128
Table 30 – Start service parameters	130
Table 31 – Stop service parameters	131
Table 32 – Create service parameters	133
Table 33 – Delete service parameters	135
Table 34 – Get_Attribute_Single service parameters	136
Table 35 – Set_Attribute_Single service parameters	138
Table 36 – Find_Next_Object_Instance service parameters	140
Table 37 – NOP service parameters	142
Table 38 – Apply_Attributes service parameters	143
Table 39 – Save service parameters	145
Table 40 – Restore service parameters	146
Table 41 – Get_Member service parameters	148
Table 42 – Set_Member service parameters	150
Table 43 – Insert_Member service parameters	151
Table 44 – Remove_Member service parameters	153
Table 45 – Group_Sync service parameters	154
Table 46 – Add_AckData_Path service parameters	156
Table 47 – Remove_AckData_Path service parameters	157

Table 48 – Get_Enum_String service parameters	158
Table 49 – Symbolic_Translation service parameters.....	160
Table 50 – Flash_LEDs service parameters	161
Table 51 – Multiple_Service_Packet service parameters.....	163
Table 52 – Get_Connection_Point_Member_List service parameters	165
Table 53 – Send_Receive_Fragment service parameters.....	167
Table 54 – Fragmentation Session Manager Event/Activity Matrix.....	171
Table 55 – Fragmentation State Event Matrix.....	172
Table 56 – CM_Open service parameters	184
Table 57 – CM_Close service parameters.....	186
Table 58 – CM_Unconnected_Send service parameters	188
Table 59 – CM_Get_Connection_Data service parameters.....	189
Table 60 – CM_Search_Connection_Data service parameters	190
Table 61 – CM_Get_Connection_Data service parameters.....	192
Table 62 – I/O Connection object attribute access	197
Table 63 – Bridged Connection object attribute access	198
Table 64 – Explicit messaging object attribute access.....	199
Table 65 – Connection_Bind service parameters	204
Table 66 – Service_Name service parameters	206
Table 67 – How production trigger, transport class, and CM_RPI determine when data is produced.....	209
Table 68 – Transport classes	220
Table 69 – UCMM_Create service parameters	231
Table 70 – UCMM_Delete service parameters	232
Table 71 – UCMM_Write service parameters	232
Table 72 – UCMM_Abort service parameters	234
Table 73 – TR_Write service parameters	234
Table 74 – TR_Trigger service parameters	235
Table 75 – TR_Packet_arrived service parameters	236
Table 76 – TR_Ack_received service parameters.....	236
Table 77 – TR_Verify service parameters	237
Table 78 – FAL class summary	237
Table 79 – FAL services by AR type	238

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-2: Application layer service definition – Type 2 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61158-5-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of normative and bibliographic references;
- b) new STIME, UTIME and NTIME data types in 5.3.1.5;
- c) updated list of managements objects in 6.1.3;
- d) new attributes and services for the ASE general formal model in 6.2.1.2.1, 6.2.1.3 and 6.5;
- e) clarifications, new attributes and services for the Identity ASE in 6.2.1.2.2;
- f) clarifications, new attributes and other extensions for the Assembly ASE in 6.2.1.2.3;
- g) new attributes and services for the Message Router ASE in 6.2.1.2.4;
- h) addition of missing class attributes for the Acknowledge Handler ASE in 6.2.1.2.5;
- i) clarifications, new attributes and services for the Time Sync ASE in 6.2.1.2.6;
- j) addition of missing class attributes for the Parameter ASE in 6.2.1.2.7;
- k) clarifications of service parameters, status codes and procedures in 6.2.1.3;
- l) addition of a new service for the Message Router ASE in 6.2.1.3;
- m) clarifications and new services for the Connection Manager ASE in 6.2.2;
- n) clarifications and new services for the Connection ASE in 6.2.3;
- o) removal of obsoleted transport options and related services in 6.3.3;
- p) removal of all references to CPF and CPs (material moved to profile documents);
- q) miscellaneous editorial corrections.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1203/FDIS	65C/1244/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This document defines the application service characteristics that fieldbus applications and/or system management can exploit.

Throughout the set of fieldbus standards, the term "service" refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this document is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-2: Application layer service definition – Type 2 elements

1 Scope

1.1 General

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a "window between corresponding application programs."

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 2 fieldbus. The term "time-critical" is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This document defines in an abstract way the externally visible service provided by the Type 2 fieldbus application layer in terms of:

- an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service;
- the primitive actions and events of the service;
- the parameters associated with each primitive action and event, and the form which they take; and
- the interrelationship between these actions and events, and their valid sequences.

The purpose of this document is to define the services provided to:

- the FAL user at the boundary between the user and the application layer of the fieldbus reference model; and
- Systems Management at the boundary between the application layer and Systems Management of the fieldbus reference model.

This document specifies the structure and services of the Type 2 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented application service elements (ASEs) and a layer management entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.