



BSI Standards Publication

## Explosive atmospheres

---

Part 17: Electrical installations inspection and maintenance

## National foreword

This British Standard is the UK implementation of EN IEC 60079-17:2024. It is identical to IEC 60079-17:2023. It supersedes BS EN 60079-17:2014, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EXL/31/3, Codes of practice.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2024  
Published by BSI Standards Limited 2024

ISBN 978 0 539 04386 0

ICS 13.230; 29.260.20

### Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2024.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

EUROPEAN STANDARD

**EN IEC 60079-17**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2024

ICS 29.260.20

Supersedes EN 60079-17:2014

English Version

**Explosive atmospheres - Part 17: Electrical installations  
inspection and maintenance  
(IEC 60079-17:2023)**

Atmosphères explosives - Partie 17 : Inspection et  
maintenance des installations électriques  
(IEC 60079-17:2023)

Explosionsgefährdete Bereiche - Teil 17: Prüfung und  
Instandhaltung elektrischer Anlagen  
(IEC 60079-17:2023)

This European Standard was approved by CENELEC on 2024-01-05. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## European foreword

The text of document 31J/345/FDIS, future edition 6 of IEC 60079-17, prepared by SC 31J "Classification of hazardous areas and installation requirements" of IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60079-17:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-10-05 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-01-05 document have to be withdrawn

This document supersedes EN 60079-17:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

## Endorsement notice

The text of the International Standard IEC 60079-17:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60079-5	NOTE Approved as EN 60079-5
IEC 60079-6	NOTE Approved as EN 60079-6
IEC 60079-7:2015	NOTE Approved as EN 60079-7:2015 (not modified)
IEC 60079-11	NOTE Approved as EN 60079-11
IEC 60079-13	NOTE Approved as EN 60079-13
IEC 60079-18	NOTE Approved as EN 60079-18
IEC 60079-26	NOTE Approved as EN 60079-26
IEC 60079-28	NOTE Approved as EN 60079-28
IEC 60204-1	NOTE Approved as EN 60204-1

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cencenelec.eu](http://www.cencenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	EN IEC 60079-0	-
IEC 60079-10-1	-	Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres	EN IEC 60079-10-1	-
IEC 60079-10-2	-	Explosive atmospheres - Part 10-2: Classification of areas - Explosive dust atmospheres	EN 60079-10-2	-
IEC 60079-14	-	Explosive atmospheres - Part 14: Electrical installations design, selection and erection	EN 60079-14	-
IEC 60079-15	-	Explosive atmospheres - Part 15: Equipment protection by type of protection "n"	EN IEC 60079-15	-
IEC 60079-19	-	Explosive atmospheres - Part 19: Equipment repair, overhaul and reclamation	EN IEC 60079-19	-
IEC 60364-6	-	Low voltage electrical installations - Part 6: Verification	HD 60364-6	-

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	11
4 General requirements .....	12
4.1 Documentation.....	12
4.2 Competence of personnel .....	13
4.3 Integrated systems.....	13
4.4 Inspections .....	13
4.4.1 General .....	13
4.4.2 Grades of inspection.....	15
4.4.3 Types of inspection.....	15
4.5 Periodic inspections .....	16
4.5.1 Personnel .....	16
4.5.2 Fixed installations.....	16
4.5.3 Transportable, personal and portable equipment .....	17
4.6 Continuous supervision by Skilled Personnel .....	17
4.6.1 Concept.....	17
4.6.2 Objectives .....	17
4.6.3 Responsibilities .....	18
4.6.4 Frequency of inspection.....	18
4.6.5 Documents .....	19
4.6.6 Training .....	19
4.7 Maintenance requirements.....	19
4.7.1 Remedial measures and modifications to equipment.....	19
4.7.2 Maintenance of flexible cables.....	20
4.7.3 Withdrawal from service .....	20
4.7.4 Fastenings and tools .....	20
4.8 External influences .....	20
4.9 Isolation of equipment.....	21
4.9.1 Installations other than intrinsically safe circuits .....	21
4.9.2 Live maintenance on Intrinsically safe installations .....	22
4.10 Earthing and equipotential bonding .....	23
4.11 Specific Conditions of Use .....	23
4.12 Movable equipment and its connections .....	23
4.13 Inspection schedules .....	23
4.13.1 General .....	23
4.13.2 Equipment is appropriate to the EPL/Zone requirements of the location.....	23
4.13.3 Equipment group .....	24
4.13.4 Equipment maximum surface temperature .....	24
4.13.5 Equipment circuit identification .....	24
4.13.6 Ex Cable Glands.....	24
4.13.7 Type of cable.....	24
4.13.8 Sealing .....	24
4.13.9 Test and measuring equipment.....	24
4.13.10 Fault loop impedance or earthing resistance.....	24

4.13.11	Insulation resistance .....	25
4.13.12	Overload protection .....	25
4.13.13	Lamps and luminaires .....	25
5	Additional inspection schedule requirements .....	25
5.1	Type of Protection "d" – Flameproof enclosure .....	25
5.2	Type of Protection "e" – Increased safety .....	26
5.2.1	Level of Protection "eb" .....	26
5.2.2	Level of Protection "ec" .....	26
5.3	Type of Protection "i" – Intrinsic safety .....	26
5.3.1	General .....	26
5.3.2	Documentation .....	27
5.3.3	Labelling .....	27
5.3.4	Unauthorized modifications .....	27
5.3.5	Associated apparatus (safety interface) between intrinsically safe and non-intrinsically safe circuits .....	27
5.3.6	Cables .....	27
5.3.7	Cable screens .....	27
5.3.8	Point-to-point connections .....	27
5.3.9	Earth continuity of non-galvanically isolated circuits .....	28
5.3.10	Earth connections to maintain the integrity of the intrinsic safety .....	28
5.3.11	Intrinsically safe circuit earthing or insulation .....	28
5.3.12	Separation between intrinsically safe and non-intrinsically safe circuits .....	28
5.4	Type of Protection "p" and "pD" – Pressurized enclosure .....	28
5.5	Type of Protection "n" .....	29
5.5.1	General .....	29
5.5.2	Restricted breathing enclosures .....	29
5.6	Type of Protection "t" and "tD" – Protection by enclosure .....	29
5.7	Types of Protection "o" (liquid immersion) .....	29
5.8	Types of Protection "m" and "mD" (encapsulation), "op" (optical radiation) and "q" (powder-filling) .....	29
6	Inspection tables .....	29
	Annex A (informative) Typical inspection procedure for periodic inspections .....	36
	Annex B (normative) Knowledge, skills and competencies of Technical Persons with Executive Function and Skilled Personnel .....	37
B.1	General .....	37
B.2	Knowledge and skills .....	37
B.2.1	Technical Persons with Executive Function .....	37
B.2.2	Skilled Personnel (inspection and maintenance) .....	37
B.3	Competencies .....	38
B.3.1	General .....	38
B.3.2	Technical Persons with Executive Function .....	38
B.3.3	Skilled Personnel .....	38
B.4	Assessment .....	38
	Annex C (informative) Fitness-for-purpose assessment .....	39
C.1	Background .....	39
C.2	Need for a fitness-for-purpose assessment .....	39
C.3	Approach .....	39
C.4	Ignition sources .....	39
C.5	Contents of the fitness-for-purpose assessment .....	39

C.5.1	General .....	39
C.5.2	Scope of the assessment report.....	39
C.5.3	Equipment and its application .....	40
C.5.4	Description .....	40
C.5.5	Function of the product including the location .....	40
C.5.6	Specification .....	40
C.5.7	Standards compliance .....	40
C.5.8	Documents .....	41
C.5.9	Product sample.....	41
C.5.10	Equipment label.....	41
C.5.11	Training of personnel .....	41
C.5.12	Elements of the report .....	42
C.5.13	Assessor requirements .....	42
C.5.14	Typical assessment and test report.....	42
Annex D (informative)	Example of motor checks .....	44
Annex E (informative)	Adverse service conditions .....	45
Bibliography.....		46
Figure A.1	– Typical inspection procedure for periodic inspections.....	36
Table 1	– Inspection schedule for Ex "d", Ex "e", Ex "n" and Ex "t/tD" installations.....	30
Table 2	– Inspection schedule for Ex "i" installations.....	32
Table 3	– Inspection schedule for Ex "p" and "pD" installations .....	33
Table 4	– Inspection schedule for Ex "o" installations .....	34
Table C.1	– Title .....	43



# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## EXPLOSIVE ATMOSPHERES –

### Part 17: Electrical installations inspection and maintenance

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60079-17 has been prepared by subcommittee 31J: Classification of hazardous areas and installation requirements, of IEC technical committee 31: Equipment for explosive atmospheres. It is an International Standard.

This sixth edition cancels and replaces the fifth edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

Changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Simplifying description of explosive gas and dust atmospheres in the Scope and uses of these terms throughout document	1	X		
Clarifies the exclusion of ventilated rooms in the Scope	1	X		
Aligns maintenance terms and definitions in 3.7 and 3.8 with IEC 60079.	3	X		
Introducing new clause 4.4.1.2. <b>Manufacturer's documentation</b> for cross referencing in text without repetition	4	X		
Further guidance added into Note 4 regarding factors contributing to the deterioration of Ex Equipment.	4.4.1.1.		X	
Clarifies the change in terminology from previously used <b>Special Condition of Safe Use</b> to current terminology <b>Specific Conditions of Use</b> .	4.11		X	
Further requirements added regarding Type of Protection "o".	5.7			C1
Clarification added regarding use of inspection tables	6		X	
Minor editorial changes and correction made to Tables 1 to 4 but with no change to item numbering or content	Tables 1 to 4	X		
Modified reference in this standard to align all types of inspection with Continuous Supervision terms for example; Skilled Personnel and Technical Persons with Executive Function.	Annex B			C2
A typical assessment and test report is shown in C.5.14.	Annex C	X		
Introducing new items in the Bibliography	Bibliography	X		
NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version.				

## Explanations:

### A Definitions

#### Minor and editorial changes

- clarification
- decrease of technical requirements
- minor technical change
- editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

**Extension**

- addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements from the previous standard.

**Major technical changes**

- addition of technical requirements
- increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that an overhaul or repair of product to the preceding edition will not always be able to fulfil the requirements given in the later edition. For these changes additional information is provided in clause B) below.

NOTE These changes represent current technological knowledge. However, these changes do not normally have an influence on equipment already placed on the market.

**B Information about the background of 'major technical changes'**

- C1 Sub-clause 5.7 and Table 4 has been inserted based on text submitted by MT60079-6 *Explosive atmospheres – Part 6: Equipment protection by liquid immersion "o"*.
- C2 The previous reference to Responsible Person in Annex B usually reflects the roles and the responsibilities of a person rather than the technical knowledge, skills and competencies required to manage the activity of periodic inspection and maintenance of Ex equipment. The term used within the Continuous Supervision clauses of Technical Person With Executive Function provides clarity and harmonises the clauses within the document.

The text of this International Standard is based on the following documents:

Draft	Report on voting
31J/345/FDIS	31J/351/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

This International Standard is intended to be used in conjunction with IEC 60364-6.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

Electrical installations in hazardous areas possess features specially designed to render them suitable for operations in such atmospheres. It is essential for reasons of safety in those areas that, throughout the life of such installations, the integrity of those special features is preserved. This document provides the details for initial inspection and on-going inspections as either:

- a) regular periodic inspections thereafter, or,
- b) continuous supervision

by Skilled Personnel.

Where necessary, maintenance might also be needed.

Correct functional operation of hazardous area installations does not mean, and is not to be interpreted as meaning, that the integrity of the special features referred to above are preserved.

## EXPLOSIVE ATMOSPHERES –

### Part 17: Electrical installations inspection and maintenance

#### 1 Scope

This part of IEC 60079 applies to users and covers only those factors directly related to the inspection and maintenance of electrical installations specifically designed for hazardous areas, where the hazard is caused by explosive atmospheres.

It does not include:

- other fundamental installation and inspection requirements for electrical installations;
- the verification of electrical equipment;
- protection or ventilation of rooms;
- gas detection systems;
- the repair, overhaul and reclamation of explosion protected equipment (see IEC 60079-19).

While this document does not include inspection of safety devices such as used in ventilated rooms (see IEC 60079-13), it does include the requirements for inspection and maintenance of individual items of equipment that will be part of such systems, for example motors or sensors.

This document supplements the requirements for inspection and testing in non-hazardous areas in IEC 60364-6. This document is intended to be applied where there is a risk due to the potential presence of explosive gas or dust mixtures with air or combustible dust layers under normal atmospheric conditions. It does not apply to:

- underground mining areas,
- dusts of explosives,
- pyrophoric substances.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Explosive dust atmospheres*

IEC 60079-14, *Explosive atmospheres – Part 14: Electrical installations design, selection and erection*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*