PD CEN ISO/TS 18234-3:2013



Intelligent transport systems — Traffic and travel information via transport protocol experts group, generation 1 (TPEG1) binary data format

Part 3: Service and network information (TPEG1-SNI)

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



National foreword

This British Standard is the UK implementation of CEN ISO/TS 18234-3:2013. It supersedes DD CEN ISO/TS 18234-3:2006 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Road transport informatics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 75382 4

ICS 03.220.01; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2013.

Amendments issued since publication

Date Text affected

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN ISO/TS 18234-3

February 2013

ICS 35.240.60; 03.220.01

Supersedes CEN ISO/TS 18234-3:2006

English Version

Intelligent transport systems - Traffic and travel information via transport protocol experts group, generation 1 (TPEG1) binary data format - Part 3: Service and network information (TPEG1-SNI) (ISO/TS 18234-3:2013)

Systèmes intelligents de transport - Informations sur le trafic et le tourisme via les données de format binaire du groupe d'experts du protocole de transport, génération 1 (TPEG1) - Partie 3: Informations relatives aux services et au réseau (TPEG1-SNI) (ISO/TS 18234-3:2013)

Intelligente Transportsysteme - Reise- und Verkehrsinformation (TTI) über Datenströme der Transportprotokoll Expertengruppe, Generation1 (TPEG1) binäres Datenformat - Teil 3: Informationsanwendungen für Dienste und Netze (TPEG1-SNI) (ISO/TS 18234-3:2013)

This Technical Specification (CEN/TS) was approved by CEN on 14 January 2013 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

PD CEN ISO/TS 18234-3:2013 **CEN ISO/TS 18234-3:2013 (E)**

Contents	Page
Foreword	3

Foreword

This document (CEN ISO/TS 18234-3:2013) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 18234-3:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Contents Page

Introduction	Forewo	Forewordv				
2 Normative references	Introdu	Introductionvii				
3 Terms and definitions 2 4 Abbreviations 4 5 Application identification 5 6 Conceptual model 5 6.1 Scope 5 6.2 Multiplexed applications and services 6 6.2 Design principle 7 7 Variable content referencing 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream 7 7.3 Concept of allocating services 8 7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time function 12 8.2.2 Operating time 12 8.3 Compound type for geographical coverage 13	1	Scope	1			
4 Abbreviations 4 5 Application identification 55 6 Conceptual model 55 6.1 Scope 56 6.2 Multiplexed applications and services 66 7 Design principle 77 7.1 Variable content referencing 77 7.2 Example of the PEG-SNI application in a TPEG data-stream 77 7.3 Concept of allocating services 8 8 General rules for the TPEG-SNI application 10 8.1 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time function 12 8.2.2 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14	2	Normative references	1			
4 Abbreviations 4 5 Application identification 55 6 Conceptual model 55 6.1 Scope 55 6.2 Multiplexed applications and services 66 7 Design principle 77 7.1 Variable content referencing 77 7.2 Example of the PEG-SNI application in a TPEG data-stream 77 7.3 Concept of allocating services 8 8 Description of SNI Data Types 10 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2.1 Operating time function 12 8.2.1 Operating time function 12 8.2.1 Operating time function 12 8.3 Compound type for geographical coverage 13 9.1 Service information 14 9.1.1	3	Terms and definitions	2			
5 Application identification. 5 6 Conceptual model. 5 6.1 Scope. 5 6.2 Multiplexed applications and services. 6 7 Design principle. 7 7.1 Variable content referencing. 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream. 7 7.3 Concept of allocating services. 8 8 Description of SNI Data Types. 10 8.1 Types for periodic time functions. 11 8.1.1 Masked time. 11 8.1.2 Start time. 11 8.1.3 Time slot. 12 8.2 Operating time function. 12 8.2.1 Operating time function. 12 8.2.1 Operating time function. 12 8.2.1 Operating time function. 12 9.1 Service information. 14 9.1 Service information. 14 9.1.2 Service logo. 14						
6 Conceptual model 5 6.1 Scope 5 6.2 Multiplexed applications and services 6 7 Design principle 7 7.1 Variable content referencing 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream 7 7.3 Concept of allocating services 8 7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 11 8.2.1 Operating time function 12 8.2.2 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service logo 13 9.2 Service logo 14 <tr< td=""><td>•</td><td></td><td></td></tr<>	•					
6.1 Scope .5 6.2 Multiplexed applications and services .6 6.2 Multiplexed applications and services .6 7 Design principle .7 7.1 Variable content referencing .7 7.2 Example of the TPEG-SNI application in a TPEG data-stream .7 7.3 Concept of allocating services .8 7.4 General rules for the TPEG-SNI application .10 8 Description of SNI Data Types .11 8.1 Types for periodic time functions .11 8.1 Types for periodic time functions .11 8.1 Types for periodic time functions .11 8.1 Types for periodic time function .12 8.2 Start time .11 8.1 Types for periodic time function .12 8.2 Operating time .12 8.2 Operating time function .12 8.2 Operating time function .12 8.3 Compound type for geographical coverage .13		••				
6.2 Multiplexed applications and services 6 7 Design principle 7 7.1 Variable content referencing 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream 7 7.3 Concept of allocating services 8 8.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2 Operating time function 12 8.2 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service name and service description 14 9.1.3						
7.1 Variable content referencing 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream 7 7.3 Concept of allocating services 8 7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service logo 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 2 (time schedule) 17 9.2.2 Guide to the Service Table 2 (time sche	-	Multiplexed applications and services	6			
7.1 Variable content referencing 7 7.2 Example of the TPEG-SNI application in a TPEG data-stream 7 7.3 Concept of allocating services 8 7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service logo 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.1 Guide to the	7	Design principle	7			
7.3 Concept of allocating services 8 7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.2.5 Guide to the Service Table 1 (fast tuning) 15 9.2.1 Guide to the Service Table 2 (time schedule) 17 9.2.2 Guide to t		Variable content referencing	7			
7.4 General rules for the TPEG-SNI application 10 8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1 Service information 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 15 9.2.1 Guide to the Service Table 2 (time schedule) 17 9.2.2 Guide to the Service Table 3 (content description) 18 9.2.2 Guide to the Ser						
8 Description of SNI Data Types 11 8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1 Service information 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.1.6 Free text information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.1 Guide to the Service Table 3 (content description) 17 9.2.2 Guide to the Service Table	-					
8.1 Types for periodic time functions 11 8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 15 9.2.1 Guide to the Service Table 2 (time schedule) 17 9.2.2 Guide to the Service Table 3 (content description) 18 9.2.2 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 <		•••				
8.1.1 Masked time 11 8.1.2 Start time 11 8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 15 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference	-					
8.1.3 Time slot 12 8.2 Operating time function 12 8.2.1 Operating time function 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 15 9.2.1 Guide to the Service Table 2 (time schedule) 17 9.2.2 Guide to the Service Table 3 (content description) 18 9.2.2 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20	-	Masked time	11			
8.2 Operating time function 12 8.2.1 Operating time 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service logo 14 9.1.2 Service logo 14 9.1.3 Subscriber information 15 9.1.5 Help information 15 9.1.5 Help information 15 9.2 Component information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3.1 <t< td=""><td></td><td></td><td></td></t<>						
8.2.1 Operating time 12 8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service logo 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Gouide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.5 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information to the components of the same service 21 9.3.1 Linka	_					
8.3 Compound type for geographical coverage 13 9 Description of basic features 14 9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2 Component information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.8 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information to the components of the same service 21 9.3.1 Linkage information to						
9.1 Service information 14 9.1.1 Service name and service description 14 9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2 Component information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information to the components of the same service 21 9.3.1 Linkage information to the components of related services 23 9.4 Service Information Tables 24 9.4.1 Serv	_					
9.1.1 Service name and service description	9	Description of basic features	14			
9.1.2 Service logo 14 9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2 Component information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3.1 Linkage information to the components of the same service 21 9.3.2 Linkage information to the components of related services 23 9.4 Service Information Tables 24 9.4.1 Service Information Table 1 (Number of Messages) 24 10 Coding structure of basic features 25 <	-					
9.1.3 Subscriber information 14 9.1.4 Free text information 15 9.1.5 Help information 15 9.2 Component information 15 9.2.1 Guide to the Service Table 1 (fast tuning) 16 9.2.2 Guide to the Service Table 2 (time schedule) 17 9.2.3 Guide to the Service Table 3 (content description) 18 9.2.4 Guide to the Service Table 4 (geographical coverage) 18 9.2.5 Guide to the Service Table 5 (service component reset) 19 9.2.6 Service Table accelerator 19 9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information 21 9.3.1 Linkage information to the components of the same service 21 9.3.2 Linkage information Tables 24 9.4 Service Information Tables 24 9.4.1 Service Information Table 1 (Number of Messages) 24 10 Coding structure of basic features 25 10.1 Com	•					
9.1.4 Free text information	-					
9.2 Component information						
9.2.1 Guide to the Service Table 1 (fast tuning)						
9.2.2 Guide to the Service Table 2 (time schedule)						
9.2.3 Guide to the Service Table 3 (content description)						
9.2.4 Guide to the Service Table 4 (geographical coverage)						
9.2.6 Service Table accelerator		Guide to the Service Table 4 (geographical coverage)	18			
9.2.7 Guide to the Service Table 6 (Conditional Access Information Reference) 19 9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information 21 9.3.1 Linkage information to the components of the same service 21 9.3.2 Linkage information to the components of related services 23 9.4 Service Information Tables 24 9.4.1 Service Information Table 1 (Number of Messages) 24 10 Coding structure of basic features 25 10.1 Component frame 25						
9.2.8 Guide to the Service Table 7 (Versioning) 20 9.3 Linkage information 21 9.3.1 Linkage information to the components of the same service 21 9.3.2 Linkage information to the components of related services 23 9.4 Service Information Tables 24 9.4.1 Service Information Table 1 (Number of Messages) 24 10 Coding structure of basic features 25 10.1 Component frame 25		Service Table accelerator	19			
9.3 Linkage information						
9.3.2 Linkage information to the components of related services 23 9.4 Service Information Tables 24 9.4.1 Service Information Table 1 (Number of Messages) 24 10 Coding structure of basic features 25 10.1 Component frame 25						
9.4 Service Information Tables						
9.4.1 Service Information Table 1 (Number of Messages)						
10 Coding structure of basic features						
10.1 Component frame		•				
	-					

PD CEN ISO/TS 18234-3:2013 **ISO/TS 18234-3:2013(E)**

10.3	Definition of service information	26
10.3.1	Definition of service name and service description	26
10.3.2	Coding of the service logo	26
10.3.3	Subscriber information	26
10.3.4	Free text information	27
10.3.5	Help information	27
10.4	Definition of the guide to the Service Tables	27
10.4.1	Guide to the Service Table 1 (fast tuning)	27
	Guide to the Service Table 2 (time schedule)	
10.4.3	Guide to the Service Table 3 (content description)	28
	Guide to the Service Table 4 (geographical coverage)	
	Guide to the Service Table 5 (service component reset)	
	Service Table accelerator	
10.4.7	Guide to the Service Table 6 (Conditional Access Information)	29
	Guide to the Service Table 7 (Versioning)	
10.5	Definition of the linkage table to the same service components	
10.6	Definition of the linkage table to related service components	
10.7	Service Information Table 1 (Number of Messages)	
Biblio	graphy	34

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 18234-3 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, Road transport and traffic telematics, in collaboration with ISO Technical Committee TC 204, Intelligent transport systems in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO/TS 18234-3:2006), which has been technically revised.

ISO/TS 18234 consists of the following parts, under the general title *Intelligent transport systems* — *Traffic and Travel Information (TTI)* — *TTI via Transport Protocol Expert Group (TPEG) data-streams*:

- Part 1: Introduction, numbering and versions (TPEG1-INV)
- Part 2: Syntax, Semantics and Framing Structure (SSF)
- Part 3: Service and network information (TPEG1-SNI)
- Part 4: Road Traffic Message (RTM) application
- Part 5: Public Transport Information (PTI) application

PD CEN ISO/TS 18234-3:2013 **ISO/TS 18234-3:2013(E)**

- Part 6: Location referencing applications
- Part 7: Parking Information (TPEG-PKI)¹⁾
- Part 8: Congestion and travel-time application (TPEC1-CTT)²⁾
- Part 9: Traffic event compact (TPEG1-TEC) ³⁾
- Part 10: Conditional access information (TPEG1-CAI)⁴⁾
- Part 11: Location Referencing Container (TPEG1-LRC)

¹⁾ To be published.

²⁾ To be published.

³⁾ To be published.

⁴⁾ To be published.

Introduction

TPEG technology uses a byte-oriented data stream format, which may be carried on almost any digital bearer with an appropriate adaptation layer. TPEG messages are delivered from service providers to end-users and used to transfer information from the database of a service provider to an end-user's equipment.

The brief history of TPEG technology development dates back to the European Broadcasting Union (EBU) Broadcast Management Committee establishing the B/TPEG project group in autumn 1997 with the mandate to develop, as soon as possible, a new protocol for broadcasting traffic and travel-related information in the multimedia environment. TPEG technology, its applications and service features are designed to enable travel-related messages to be coded, decoded, filtered and understood by humans (visually and/or audibly in the user's language) and by agent systems.

One year later in December 1998, the B/TPEG group produced its first EBU specifications. Two documents were released. Part 2 (TPEG-SSF, which became ISO/TS 18234-2) described the Syntax, Semantics and Framing structure, which is used for all TPEG applications. Part 4 (TPEG-RTM, which became ISO/TS 18234-4) described the first application, for Road Traffic Messages.

Subsequently, CEN/TC 278/WG 4, in conjunction with ISO/TC 204/WG 10, established a project group comprising the members of B/TPEG and they have continued the work concurrently since March 1999. Since then two further parts were developed to make the initial complete set of four parts, enabling the implementation of a consistent service. Part 3 (TPEG-SNI, ISO/TS 18234-3) describes the Service and Network Information Application, which should be used by all service implementations to ensure appropriate referencing from one service source to another. Part 1 (TPEG-INV, ISO/TS 18234-1), completes the series, by describing the other parts and their relationship; it also contains the application IDs used within the other parts. Additionally, Part 5, the Public Transport Information Application (TPEG-PTI, ISO/TS 18234-5), was developed.

A major step forward was to develop the so-called TPEG-LOC location referencing method, which enabled both map-based TPEG-decoders and non-map-based ones to deliver either map-based location referencing or human readable text information. The original issue of ISO/TS 18234-6 described the TPEG-LOC application in detail and was used in association with the other parts of ISO/TS 18234 series to provide location referencing.

This update to the first edition of ISO/TS 18234-3 provides additional specifications for the Service and Network Information Application.

During the development of the TPEG technology a number of versions have been documented and various trials implemented using various versions of the specifications. At the time of the publication of this Technical Specification, the original parts are fully inter-workable and no specific dependencies exist.

This Technical Specification has the technical version number TPEG-SNI/3.2/001.

Intelligent transport systems — Traffic and travel information via transport protocol experts group, generation 1 (TPEG1) binary data format —

Part 3:

Service and network information (TPEG1-SNI)

1 Scope

This Technical Specification establishes the method of delivering service and network information within a TPEG service. The TPEG-SNI application is designed to allow the efficient and language independent delivery of information about the availability of the same service on another bearer channel or similar service data from another service provider, directly from service provider to end-users.

The term "application" is used in TPEG specifications to describe specific applications which are at the highest layer of the ISO/OSI protocol stack (ISO/IEC 7498-1). Each TPEG application (e.g. TPEG-RTM) is assigned a unique number that is called the Application IDentification (AID). An AID is defined whenever a new application is developed. The AID is used within the TPEG-Service and Network Information Application (this document) to indicate how to process TPEG content and allows routing of data to an appropriate application decoder.

AID = 0000 is assigned to the TPEG-SNI application described in this Technical Specification.

A number of tables of information are described, which provide comprehensive options for describing services, their timing, content, geographical coverage, etc. In all TPEG streams it is mandatory to deliver to so-called GST. Additionally, it is possible to signal linkage of content between different bearers and services.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 18234-1, Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams — Part 1: Introduction, numbering and versions

ISO/TS 18234-2:2006, Traffic and Travel Information (TTI) — TTI via Transport Protocol Expert Group (TPEG) data-streams — Part 2: Syntax, Semantics and Framing Structure (SSF)

EN 300 401, Radio broadcasting systems; Digital Audio Broadcasting (DAB) to mobile, portable and fixed receivers

RFC 1738, Uniform Resource Locators (URL)⁵⁾

1

⁵⁾ RFC 1738 can be found at http://www.ietf.org/rfc/rfc1738.txt.