

BS EN 62680-2:2013



BSI Standards Publication

Universal serial bus interfaces for data and power

Part 2: Universal serial bus —
Micro-USB cables and connectors
specification, revision 1.01

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 62680-2:2013. It is identical to IEC 62680-2:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/100, Audio, video and multimedia systems and equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014.
Published by BSI Standards Limited 2014

ISBN 978 0 580 79854 2
ICS 33.120; 35.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2014.

Amendments /corrigenda issued since publication

Date	Text affected
-------------	----------------------

**Universal serial bus interfaces for data and power -
Part 2: Universal serial bus -
Micro-USB cables and connectors specification, revision 1.01
(IEC 62680-2:2013)**

Interfaces de bus universel en série pour
les données et l'alimentation électrique -
Partie 2: Bus universel en série -
Spécification des câbles et connecteurs
micro-USB, révision 1.01
(CEI 62680-2:2013)

Schnittstellen des Universellen Seriellen
Busses für Daten und Energie -
Teil 2: Festlegung für USB-Mikro-USB-
Kabel und Steckverbinder
(IEC 62680-2:2013)

This European Standard was approved by CENELEC on 2013-10-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 100/2153/FDIS, future edition 1 of IEC 62680-2, prepared by IEC/TC 100, "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62680-2:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-07-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-10-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62680-2:2013 was approved by CENELEC as a European Standard without any modification.

INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB-IF.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS, "WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.

THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, royalty-free licensing arrangement for compliant products. For more information, please see:

<http://www.usb.org/developers/docs/>

http://www.usb.org/developers/devclass_docs#approved

IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM.”

This series covers the Universal Serial Bus interfaces for data and power and consists of the following parts:

IEC 62680-1, *Universal Serial Bus interfaces for data and power – Part 1: Universal Serial Bus Specification, Revision 2.0*

IEC 62680-2, *Universal Serial Bus interfaces for data and power – Part 2: USB Micro-USB Cables and Connectors Specification, Revision 1.01*

IEC 62680-3, *Universal Serial Bus interfaces for data and power – Part 3: USB Battery Charging Specification, Revision 1.2*

IEC 62680-4, *Universal Serial Bus interfaces for data and power – Part 4: Universal Serial Bus Cables and Connectors Class Document Revision. 2.0*

This part of the IEC 62680 series consists of several distinct parts:

- the main body of the text, which consists of the original specification and all ECN and Errata developed by the USB-IF.

CONTENTS

1	Introduction	10
1.1	General	10
1.2	Objective of the Specification	10
1.3	Intended Audience/Scope	10
1.4	Related Documents	10
2	Acronyms and Terms	10
3	Significant Features	11
3.1	USB 2.0 Specification Compliance	11
3.2	On-The-Go Device	11
3.3	Connectors	11
3.4	Compliant Cable Assemblies	12
3.5	Plug Overmolds	12
4	Cables and Connectors	12
4.1	Introduction	12
4.2	Micro-Connector Mating	12
4.3	Color Coding	13
4.4	Device, Cable and Adapter Delays	13
4.5	Compliant Usage of Connectors and Cables	14
4.5.1	Cables	14
4.5.2	Overmolds	14
4.5.3	Mechanical Interfaces	14
4.5.4	Surface mount standard version drawings	14
4.5.5	DIP-type and Midmount-type receptacles	14
4.5.6	Connector Keying	15
4.5.7	Right Angle Plugs	15
4.5.8	Adapters	15
4.6	Drawings	15
5	Electrical Compliance Requirements	34
5.1	Data Rates Beyond USB 2.0 (480Mb/s -->)	35
5.2	Low Level Contact Resistance	35
5.3	Contact Current Rating	35
5.3.1	Signal Contacts Only (2, 3, and 4)	35
5.3.2	With Power Applied Contacts (1 and 5)	35
6	Mechanical Compliance Requirements	35
6.1	Operating Temperature Range	35
6.1.1	Option I	35
	Option II	35
6.2	Insertion Force	35
6.3	Extraction Force	35
6.4	Plating	35
6.4.1	Option I	36
6.4.2	Option II	36
6.5	Solderability	36
6.6	Peel Strength (Reference Only)	36
6.7	Wrenching Strength (Reference Only)	36
6.8	Lead Co-Planarity	36
6.9	RoHS Compliance	36

6.10 Shell & Latch Materials..... 36

Note: All Engineering Change Notice's (ECN) and Errata documents as of September 01, 2012 that pertain to this core specification follow the last page of the specification starting on page 37.

Universal Serial Bus Micro-USB Cables and Connectors Specification

Revision 1.01
April 4, 2007

Revision History

Revision	Issue Date	Comment
0.6	1/30/2006	Revisions to all sections
0.7	3/24/2006	Added revised Micro-USB drawings to Rev.0.8
0.8	4/19/2006	Editorial changes and additions by Jan Fahlund (Nokia)
0.8b	4/26/2006	Corrections to the 0.8 version (based by comments from contributors)
0.9	6/7/2006	Corrections based on comments from the 0.8b version
1.0RC	8/2/2006	Added lubricant recommendation, LLRC delta change specified
1.01RC	11/10/2006	Editorial changes and addition based on Oct-06 USB-IF CCWG meeting.
1.02RC	12/10/2006	Shell material thickness tolerances changed so that material can be 0.25 mm or 0.3 mm; edited three pictures (Figure 4-10, 4-11 and 4-12).
1.03RC	12/11/2006	Two pictures edited (Figure 4-8 and 4-9). In fig 4-8 max height to be 2.8mm MAX. In fig 4-9 R0.25mm MAX to be R0.30mm MAX.
1.0RC3	12/19/2006	For BoD approval
1.0	1/12/2007	Approved
1.0	1/22/2007	Cosmetic edits for publication
1.01	4/4/2007	Editorial corrections and additions to contributor list. Reinserted shell and plug material requirements as section 6.10. Clarified wording on Plating Recommendations.

Copyright © 2006 USB Implementers Forum, Inc. (USB-IF).
All rights reserved.

A LICENSE IS HEREBY GRANTED TO REPRODUCE THIS SPECIFICATION FOR INTERNAL USE ONLY. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, IS GRANTED OR INTENDED HEREBY.

USB-IF AND THE AUTHORS OF THIS SPECIFICATION EXPRESSLY DISCLAIM ALL LIABILITY FOR INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS, RELATING TO IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. USB-IF AND THE AUTHORS OF THIS SPECIFICATION ALSO DO NOT WARRANT OR REPRESENT THAT SUCH IMPLEMENTATION(S) WILL NOT INFRINGE THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS.

THIS SPECIFICATION IS PROVIDED "AS IS" AND WITH NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE. ALL WARRANTIES ARE EXPRESSLY DISCLAIMED. NO WARRANTY OF MERCHANTABILITY, NO WARRANTY OF NON-INFRINGEMENT, NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, AND NO WARRANTY ARISING OUT OF ANY PROPOSAL, SPECIFICATION, OR SAMPLE.

IN NO EVENT WILL USB-IF OR USB-IF MEMBERS BE LIABLE TO ANOTHER FOR THE COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, LOST PROFITS, LOSS OF USE, LOSS OF DATA OR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, OR SPECIAL DAMAGES, WHETHER UNDER CONTRACT, TORT, WARRANTY, OR OTHERWISE, ARISING IN ANY WAY OUT OF THE USE OF THIS SPECIFICATION, WHETHER OR NOT SUCH PARTY HAD ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

All product names are trademarks, registered trademarks, or service marks of their respective owners.

Contributors

Mark Rodda, (editor) Motorola

Jan Fahllund, (editor) Nokia

Jim Koser, (CCWG Chairman), Foxconn

Ed Beeman, 2010 Tech

Glen Chandler, Advanced-Connectek (Acon)

Charles Wang, Advanced-Connectek (Acon)

Toshinori Sasaki, Across Techno

Minoru Ohara, Allion

Brad Brown, ATL

Christopher Mattson, ATL

Marcus Darrington, ATL

Jaremy Flake, ATL Technology

George Olear, Contech Research

Roy Ting, Elka

Sophia Liu, ETC

Bill Northey, FCI

Tsuneki Watanabe, Foxconn

Jim Zhao, Foxconn

David Ko, Foxconn

Jong Tseng, Foxconn

Jack Lu, Foxlink

Tim Chang, Foxlink

Sathid Inthon, Fujikura

Toshi Mimura, Fujijura

Alan Berkema, Hewlett-Packard

Karl Kwiat, Hirose

Shinya Tono, Hirose

Kazu Ichikawa, Hirose

Ryozo Koyama, Hirose

Yousuke Takeuchi, Hirose

Tsuyoshi Kitagawa, Hosiden

Jim Eilers, Hosiden

Kazuhiro Saito, JAE

Ron Muir, JAE

Mark Saubert, JAE

Yasuhira Miya, JST

Takahiro Diguchi, JST

Yoichi Nakazawa, JST

Kevin Fang, Longwell Electronics

Morgan Jair, Main Super Co.

Tom Kawaguchi, Matsushita Electric Works

Ron Ward, Matsushita Electric Works

Satoshi Yamamoto, Matsushita Electric Works

Yasuhiko Shinohara, Mitsumi

Atsushi Nishio, Mitsumi

Hitoshi Kawamura, Mitsumi

Scott Sommers, Molex

Kevin Delaney, Molex

Kieran Wright, Molex

Padraig McDaid, Molex

Mikko Poikselka, Molex

Sam Liu, Newnex Technology Corp.

Richard Petrie, Nokia

Kai Silvennoinen, Nokia

Panu Ylihaavisto, Nokia

Arthur Zarnowitz, Palm

Douglas Riemer, SMK

Eric Yagi, SMK

Abid Hussain, Summit Microelectronics

Kaz Osada, Tyco

Masaru Ueno, Tyco

Yoshikazu Hirata, Tyco

Mark Paxson, VTM Inc.

1 Introduction

1.1 General

USB has become a popular interface for exchanging data between cell phone and portable devices. Many of these devices have become so small it is impossible to use standard USB components as defined in the USB 2.0 specification. In addition the durability requirements of the Cell Phone and Portable Devices market exceed the specifications of the current interconnects. Since Cell Phones and other small Portable Devices are the largest market potential for USB, this specification is addressing this very large market while meeting all the requirements for electrical performance within the USB 2.0 specification.

1.2 Objective of the Specification

The purpose of this document is to define the requirements and features of a Micro-USB connector that will meet the current and future needs of the Cell Phone and Portable Devices markets, while conforming to the USB 2.0 specification for performance, physical size and shape of the Micro-USB interconnect.

This is not a stand-alone document. Any aspects of USB that are not specifically changed by this specification are governed by the USB 2.0 Specification and USB On-The-Go Supplement.

1.3 Intended Audience/Scope

Cell phone and Portable Devices have become so thin that the current Mini-USB does not fit well within the constraints of future designs. Additional requirements for a more rugged connector that will have durability past 10,000 cycles and still meet the USB 2.0 specification for mechanical and electrical performance was also a consideration. The Mini-USB could not be modified and remain backward compatible to the existing connector as defined in the USB OTG specification.

1.4 Related Documents

USB 2.0

USB OTG Supplement

2 Acronyms and Terms

This chapter lists and defines terms and abbreviations used throughout this specification.

A-Device	A device with a Type-A plug inserted into its receptacle. The A-device supplies power to VBUS and is host at the start of a session. If the A-device is On-The-Go, it may relinquish the role of host to an On-The-Go B-device under certain conditions,
Application	A generic term referring to any software that is running on a device that can control the behavior or actions of the USB port(s) on a device.
B-Device	A device with a Type-B plug inserted into its receptacle. The B-device is a peripheral at the start of a session. If the B-device is OTG, it may be granted the role of host from an OTG A-device.
DIP-type	A connector with contact and shield solder tails that are soldered through the printed circuit board
FS	Full Speed (max 12Mb/s)
Higher than HS	(480Mb/s ---> 5 Gb/s)