

# ETSI TS 122 101 V13.7.0 (2016-03)



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
Service aspects;  
Service principles  
(3GPP TS 22.101 version 13.7.0 Release 13)**



---

Reference

RTS/TSGS-0122101vd70

---

Keywords

LTE

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	8
1 Scope .....	9
2 References .....	9
2.1 Normative references .....	10
2.2 Informative references.....	11
3 Definitions and abbreviations.....	12
3.1 Definitions .....	12
3.2 Abbreviations .....	13
4 General .....	14
4.1 Aims of 3GPP specifications.....	14
4.2 Standardisation of Service Capabilities.....	14
4.2.1 Provision of service capabilities in shared networks .....	14
4.3 Efficient Use of Network Resources .....	14
4.3.1 Network Traffic Patterns .....	14
4.3.2 Mass Simultaneous Registration.....	15
4.3.3 Radio Interface.....	15
4.3.4 Real-time Resource Usage.....	15
4.3.5 Selected IP Traffic Offload (SIPTO) for PS Domain only .....	15
4.3.5.1 Common Requirements for SIPTO in the Mobile Operator Network and SIPTO at the Local Network.....	15
4.3.5.2 Requirements for SIPTO in the Mobile Operator Network .....	16
4.4 Compatibility with Global Standards .....	17
4.5 Void.....	17
4.6 Functionality of Serving Network and Home Environment.....	17
4.7 PLMN Architecture.....	17
4.8 Interworking Between PLMN and Wireless LANs.....	18
4.9 Network Sharing .....	18
4.10 The Evolved Packet System.....	18
4.11 User Data Convergence.....	18
4.11.1 Introduction.....	18
4.11.2 Management of user data.....	19
4.11.3 User Data Modelling.....	19
5 Evolution .....	20
5.1 Support of 2G services .....	20
5.2 Provision and evolution of services.....	20
6 Classification of services.....	21
7 Principles for new service capabilities .....	22
7.1 General .....	22
7.2 Multimedia .....	22
7.2.1 Circuit Switched (CS) multimedia calls.....	22
7.2.2 IP multimedia (IM) sessions .....	23
7.2.3 Multimedia Messaging Service (MMS).....	23
7.2.4 Real-Time Text Conversation.....	24
7.2.5 Packet Switched Streaming Service.....	24
7.3 Service Management Requirements .....	24
7.4 Automatic Device Detection .....	24
8 Service architecture .....	25

9	Quality of Service (QoS).....	26
10	Emergency Calls .....	27
10.1	General requirements .....	27
10.1.1	Identification of emergency numbers .....	28
10.1.2	Domains priority and selection for UE attempts to emergency call.....	29
10.1.2.1	Voice and GTT only.....	29
10.1.2.2	Other media.....	29
10.1.3	Call-Back Requirements .....	29
10.2	Emergency calls in the CS CN Domain .....	29
10.3	Emergency Calls in the PS CN Domain.....	30
10.4	Emergency calls in the IM CN subsystem.....	30
10.4.1	General.....	30
10.4.2	IMS Multimedia Emergency Sessions.....	30
10.4.2.1	General .....	30
10.4.2.2	UE Requirements .....	31
10.4.2.3	Originating Network Requirements .....	32
10.5	Void.....	33
10.6	Location Availability for Emergency Calls.....	33
10.7	Transfer of data during emergency calls .....	33
10.8	Supplementary service interaction during emergency calls .....	34
11	Numbering principles .....	35
11.1	Number portability .....	35
11.1.1	Requirements for CS CN domain .....	35
11.1.2	Requirements for PS CN domain.....	35
11.1.3	Requirements for IM CN subsystem.....	35
11.2	Evolution path .....	35
11.3	Void.....	36
11.4	Void.....	36
11.5	Void.....	36
11.6	Private numbering .....	36
11.7	Numbering schemes .....	36
11.7.1	Multiple numbering scheme .....	36
11.7.2	Single numbering scheme.....	36
11.7.3	Additional numbers.....	36
11.8	Optimal routing .....	36
11a	Identification Requirements .....	37
11a.1	Subscriber Identification .....	37
11a.2	Terminal Identification.....	37
11a.3	Home Environment / Serving Network Identification.....	37
11a.4	Serving Environment / Mobile Virtual Network Identification.....	37
12	Human Factors and user procedures .....	38
13	UICC, USIM and Terminal .....	39
13.1	The USIM/ISIM and User Profiles.....	39
13.1.1	The USIM .....	39
13.1.2	User Profiles .....	39
13.1.3	UICC usage in GERAN only Terminals.....	40
13.1.4	Multiple USIMs per UICC .....	40
13.1.5	The ISIM.....	40
13.2	The UICC .....	40
13.2.1	The UICC and Applications other than the USIM or ISIM .....	40
13.2.1a	UICC applications and IMS.....	41
13.2.2	Fast Access and Retrieval of Data from UICC .....	41
13.3	Terminals and Multiple UICCs .....	41
14	Types of features of UEs .....	42
15	Relationship between subscription and service delivery.....	43
15.1	Subscription.....	43
15.2	Other concepts associated with services.....	44

15.3	Requirements concerning service delivery .....	44
15.3.1	Mobile Originated Voice calls .....	45
15.3.2	Mobile Terminated Voice calls .....	45
16	Charging principles .....	46
17	Roaming .....	47
17.1	Assumptions .....	47
17.2	Principle .....	47
17.3	Requirements .....	47
18	Handover Requirements .....	49
19	Network Selection .....	50
20	Security .....	51
21	Voice Call Continuity .....	52
21.1	General .....	52
21.2	Support of Supplementary Services .....	52
21.2.1	Line Identification Services .....	52
21.2.2	All Call Forwardings .....	52
21.2.3	Call Waiting .....	53
21.2.4	Call Hold .....	53
21.2.5	Multiparty .....	53
21.2.6	All Call Barrings .....	53
21.2.7	Void .....	53
21.2.8	Void .....	53
21.2.9	All other Supplementary Services .....	53
21.3	Quality of Service .....	53
21.4	Security .....	53
21.5	Emergency calls .....	53
21.6	Charging .....	54
21.7	VCC Activation .....	54
22	IMS Centralized Services .....	55
22.1	General .....	55
22.2	Service Consistency .....	55
22.3	Service Continuity .....	55
22.4	IMS Services .....	55
22.5	Roaming Support .....	56
23	CS IP interconnection requirements .....	57
23.1	Introduction .....	57
23.2	IP interconnect .....	57
23.3	MSC server interconnect .....	57
24	Service Alignment & Migration .....	58
24.1	Introduction .....	58
24.2	Alignment of supplementary services settings .....	58
25	System optimisation for communication with specific characteristics .....	60
25.1	Void .....	60
25.2	Numbering Resource Efficiency .....	60
25.3	Network provided destination for uplink data .....	60
25.4	PS only subscriptions .....	60
26	Single Sign-On (SSO) Service .....	61
26.1	Requirements .....	61
26.1.1	Requirements for the UE .....	61
26.1.2	Requirements for a 3GPP SSO Service .....	61
27	User plane congestion management .....	62
27.1	Introduction .....	62
27.2	General .....	62
27.3	Prioritizing traffic .....	62

27.4	Reducing traffic .....	62
27.5	Limiting traffic .....	63
28	RAN Sharing Enhancements .....	63
28.1	General .....	63
28.2	Specific E-UTRAN Sharing requirements .....	63
28.2.1	Allocation of Shared E-UTRAN resources .....	63
28.2.2	OA&M Access to the Shared E-UTRAN .....	64
28.2.3	Generation and retrieval of usage and accounting information .....	64
28.2.4	MDT Collection .....	64
28.2.5	PWS support of Shared E-UTRAN .....	65
28.2.6	Support for load balancing .....	65
28.2.7	Dynamic capacity negotiation .....	65
28.3	Specific GERAN & UTRAN Sharing Requirements .....	65
28.3.1	Allocation of Shared GERAN or UTRAN Resources .....	65
28.3.2	OA&M Access to the Shared GERAN or UTRAN .....	66
28.3.3	Generation and retrieval of usage and accounting information .....	66
28.3.4	MDT Collection .....	67
28.3.5	PWS support of Shared GERAN or UTRAN .....	67
28.3.6	Support for load balancing .....	67
28.3.7	Dynamic capacity negotiation .....	67
29	Service exposure with 3 <sup>rd</sup> party service providers .....	68
29.1	General .....	68
29.2	Exposed Services and capabilities .....	68
30	Flexible Mobile Service Steering .....	70
30.1	Introduction .....	70
30.2	General Requirements .....	70
<b>Annex A (normative): Description of optional user equipment features .....</b>		<b>71</b>
A.1	Display of called number .....	71
A.2	Indication of call progress signals .....	71
A.3	Country/PLMN indication .....	71
A.4	Service Provider Name indication .....	71
A.4a	Core Network Operator Name indication .....	72
A.5	Keypad .....	72
A.6	Short message indication and acknowledgement .....	72
A.7	Short message overflow indication .....	72
A.8	International access function .....	72
A.9	Service Indicator (SI) .....	73
A.10	Dual Tone Multi Frequency (DTMF) .....	73
A.11	On/Off switch .....	73
A.12	Sub-Address .....	73
A.13	Short Message Service Cell Broadcast .....	73
A.14	Short Message Service Cell Broadcast DRX .....	73
A.15	Support of the extended Short message cell broadcast channel .....	73
A.16	Network Identity and Timezone .....	74
A.17	Network's indication of alerting in the UE .....	74
A.18	Network initiated Mobile Originated (MO) connection .....	75
A.19	Abbreviated dialling .....	75
A.20	Barring of Dialed Numbers .....	76
A.21	DTMF control digits separator .....	77
A.22	Selection of directory number in messages .....	77
A.23	Last Numbers Dialed (LND) .....	77
A.24	Service Dialling Numbers .....	77
A.25	Fixed number dialling .....	77
A.26	Message Waiting Indication .....	78
A.27	Requirements for the transfer of eCall Minimum Set of Data (MSD) .....	78
A.28	Requirements for "In Case of Emergency" (ICE) information .....	79
<b>Annex B (informative): Additional number use case .....</b>		<b>82</b>

**Annex C (informative):**    **Change history** .....83  
History .....92



---

# Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

# 1 Scope

This Technical Specification (TS) describes the Service Principles for PLMNs specified by 3GPP. Principles and requirements for interworking with WLAN are covered in TS 22.234 [35].

3GPP specifications provide integrated personal communications services. The system will support different applications ranging from narrow-band to wide-band communications capability with integrated personal and terminal mobility to meet the user and service requirements of the 21<sup>st</sup> century.

3GPP specifications allow the realisation of a new generation of mobile communications technology for a world in which personal communications services should allow person-to-person calling, independent of location, the terminal used, the means of transmission (wired or wireless) and the choice of technology. Personal communication services should be based on a combination of fixed and wireless/mobile services to form a seamless end-to-end service for the user.

3GPP specifications should be in compliance with the following objectives:

- a) to provide a single integrated system in which the user can access services in an easy to use and uniform way in all environments;
- b) to allow differentiation between service offerings of various serving networks and home environments;
- c) to provide a wide range of telecommunications services including those provided by fixed networks and requiring user bit rates of up to 100 Mbit/s as well as services special to mobile communications. These services should be supported in residential, public and office environments and in areas of diverse population densities. These services are provided with a quality comparable with that provided by fixed networks such as ISDN and fixed broadband Internet access;
- d) to provide services via hand held, portable, vehicular mounted, movable and fixed terminals (including those which normally operate connected to fixed networks), in all environments (in different service environments - residential, private domestic and different radio environments) provided that the terminal has the necessary capabilities;
- e) to provide support of roaming users by enabling users to access services provided by their home environment in the same way even when roaming.
- f) to provide audio, data, video and particularly multimedia services;
- g) to provide for the flexible introduction of telecommunication services;
- h) to provide within the residential environment the capability to enable a pedestrian user to access all services normally provided by fixed networks;
- i) to provide within the office environment the capability to enable a pedestrian user to access all services normally provided by PBXs and LANs;
- j) to provide a substitute for fixed networks in areas of diverse population densities, under conditions approved by the appropriate national or regional regulatory authority.
- k) to provide support for interfaces which allow the use of terminals normally connected to fixed networks.

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.