

BSI Standards Publication

Reciprocating internal combustion engines

- Exhaust emission measurement

Part 4: Steady-state and transient test cycles for different engine applications



BS ISO 8178-4:2020 BRITISH STANDARD

National foreword

This British Standard is the UK implementation of ISO 8178-4:2020. It supersedes BS ISO 8178-4:2017, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/14/-/3, RIC Engines - Performance and emissions.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020 Published by BSI Standards Limited 2020

ISBN 978 0 539 06172 7

ICS 13.040.50; 27.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2020.

Amendments/corrigenda issued since publication

Date Text affected

BS ISO 8178-4:2020

INTERNATIONAL STANDARD

ISO 8178-4

Fourth edition 2020-06

Reciprocating internal combustion engines — Exhaust emission measurement —

Part 4:

Steady-state and transient test cycles for different engine applications

Moteurs alternatifs à combustion interne — Mesurage des émissions de gaz d'échappement —

Partie 4: Cycles d'essai à l'état stable et transitoires pour différentes applications des moteurs



BS ISO 8178-4:2020 **ISO 8178-4:2020(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents							
Fore	eword		vi				
Intr	oductio	on	vii				
1	Scop	e	1				
2	-	native references					
3							
	Terms and definitions						
4		bols and abbreviated terms General symbols					
	4.1 4.2	Symbols and abbreviated terms for fuel composition					
	4.3	Symbols and abbreviated terms for chemical components					
	4.4	Abbreviated terms					
5	Test	conditions	15				
	5.1	Engine test conditions					
		5.1.1 Laboratory test conditions					
	= 0	5.1.2 Test validity					
	5.2	Engine power					
		5.2.1 Auxiliaries to be fitted					
		5.2.3 Determination of auxiliary power					
		5.2.4 Engine cycle work					
	5.3	Engine intake air					
		5.3.1 General					
		5.3.2 Intake air restriction					
	5.4	5.3.3 Engines with charge air cooling					
	5.4	Engine exhaust system 5.4.1 General					
		5.4.2 Exhaust restriction					
		5.4.3 Engine with exhaust after-treatment system					
	5.5	Specific test conditions					
		5.5.1 Engine with exhaust after-treatment system					
	5 (5.5.2 Crankcase emissions					
	5.6 5.7	Cooling systemLubricating oil					
,		-					
6		fuels					
7		cycles					
	7.1 7.2	General					
	7.2	7.2.1 Maximum test speed (MTS)					
		7.2.2 Rated speed					
		7.2.3 Intermediate speed					
		7.2.4 Idle speed					
	7.0	7.2.5 Test speed for constant-speed engines					
	7.3	Torque and power					
		7.3.1 Torque					
	7.4	Engine mapping					
		7.4.1 Engine mapping for transient cycles					
		7.4.2 Engine mapping for variable-speed steady-state cycles	30				
		7.4.3 Engine mapping for constant-speed engines					
	7.5	Steady-state test cycles					
		7.5.1 Discrete mode test cycles					
		7.5.2 Ramped-modal test cycles	33 33				

	7.6	Transient cycles	37
		7.6.1 General	
		7.6.2 Non-road transient cycle (NRTC)	
		7.6.3 Large spark-ignition non-road transient cycle	38
	7.7	Test cycle generation	38
		7.7.1 Generation of steady-state discrete-mode or RMC test cycles	
		7.7.2 Generation of NRTC and LSI-NRTC	39
8	Test	run	41
	8.1	General test sequence	
	8.2	Instrument validation for test	44
		8.2.1 Validation of proportional flow control for batch sampling and minimum dilution ratio for PM batch sampling	44
		8.2.2 Gas analyser range validation, drift validation and drift correction	45
		8.2.3 PM sampling media (e.g. filters) preconditioning and tare weighing	
	8.3	Sample system decontamination and preconditioning	47
		8.3.1 Verification of HC contamination	48
	8.4	Pre-test procedures	
		8.4.1 Preparation of the sampling filters	
		8.4.2 General requirements for preconditioning the sampling system and the engin	
		8.4.3 Engine cool down (NRTC)	
		8.4.4 Preparation of measurement equipment for sampling	
		8.4.5 Calibration of gas analysers	
		8.4.6 Adjustment of the dilution system	
	8.5	Engine starting and restarting	
		8.5.1 Engine start	
		8.5.2 Engine stalling	
	8.6	Test cycle running procedure	52
		8.6.1 Test sequence for discrete steady-state test cycles	52
		8.6.2 Ramped-modal test cycles	
	0.7	8.6.3 Transient test cycle (NRTC and LSI-NRTC)	
	8.7	Post-test procedures	
		8.7.1 Verification of proportional sampling	5/
		8.7.2 Post-test PM conditioning and weighing	5/
		8.7.3 Analysis of gaseous batch sampling	58 50
9		evaluation and calculation	
	9.1	Gaseous emissions	
		9.1.1 General	
		9.1.2 Sampling for gaseous emissions	
		9.1.3 Data evaluation	
		9.1.4 Calculation of mass emission	
		9.1.5 Dry/wet correction	
		9.1.6 NO _x correction for humidity and temperature	
		9.1.7 Cycle work and specific emissions	
	9.2	9.1.8 NH ₃ data evaluation Particulate mass emission	
	9.2	9.2.1 General	
		9.2.2 Particulate sampling	
		9.2.3 Data evaluation	
		9.2.4 Calculation of mass emission	
		9.2.5 Effective weighting factor (steady-state discrete cycles only)	
	9.3	Adjustment for emission controls that are regenerated on an infrequent (periodic)	00
	7.0	basis	ጸበ
	9.4	Particle number emission	
	7.1	9.4.1 Time alignment	
		9.4.2 Determination of particle numbers for transient and ramped-modal	0 1
		cycles (RMC) with a partial flow dilution or raw gas sampling system	81
		-, (, par viai 110.1 annavior or rain gao bamping by been imminimum	

		9.4.3	cycles (RMC) with a full flow dilution system	82		
		9.4.4	Determination of particle numbers for discrete-mode cycles with partial	02		
		,,,,,	flow dilution or raw gas sampling system	83		
		9.4.5	Determination of particle numbers for discrete-mode cycles with a full			
			flow dilution system	85		
		9.4.6	Test result	85		
		9.4.7	Determination of particle number background	87		
	9.5		requirements for dual-fuel engines	87		
			Emission test procedure requirements for dual-fuel engines	87		
		9.5.2	Determination of molar component ratios and u_{gas} values for dual-fuel engi	nes91		
10	Engine	e contro	l area	93		
	10.1					
	10.2	Control	area for engines tested to cycles C1, C2, E1 and H	93		
	10.3	Control	area for engines tested to cycles D1, D2, E2, G1, G2 and G3	95		
	10.4	Control	area for engines tested to test cycle I	95		
	10.5					
		10.5.3	Control area for engines tested to the F cycle	100		
Annex	A (nor	mative) \$	Steady-state discrete-mode test-cycles	102		
Annex B (normative) Steady-state ramped-modal test cycles (RMCs)107						
Annex	9.4.4 Determination of particle numbers for discrete-mode cycles with partial flow dilution or raw gas sampling system 83 9.4.5 Determination of particle numbers for discrete-mode cycles with a full flow dilution system 85 9.4.6 Test result 85 9.4.7 Determination of particle number background 87 9.5 Specific requirements for dual-fuel engines 87 9.5.1 Emission test procedure requirements for dual-fuel engines 87 9.5.2 Determination of molar component ratios and $u_{\rm gas}$ values for dual-fuel engines 91 Engine control area 93 10.1 General remarks 93 10.2 Control area for engines tested to cycles C1, C2, E1 and H 93 10.3 Control area for engines tested to test cycle I 95 10.4 Control area for engines tested to test cycle I 95 10.5 Control area for engines tested to E3 and E5 test cycle 96 10.5.1 Control area for Cl marine engines 96 10.5.2 Control area for engines tested to the E4 test cycle 99 10.5.3 Control area for engines tested to the E4 test cycle 99 10.5.4 Control area for engines tested to the F cycle 100 A (normative) Steady-state discrete-mode test-cycles (RMCs) 107 C (normative) Transient test cycles 113 D (informative) Calculation of the exhaust gas mass flow and/or of the combustion air mass flow 171 E (informative) Example programme for calculation of exhaust mass flows 192 F (informative) Installation requirements for equipment and auxiliaries 197 H (normative) Molar based emission calculations 199					
Annex						
	air ma	ss flow		171		
Annex	E (info	rmative)	Example programme for calculation of exhaust mass flows	192		
cycles (RMC) with a full flow dilution system 9.4.4 Determination of particle numbers for discrete-mode cycles with partial flow dilution or raw gas sampling system 9.4.5 Determination of particle numbers for discrete-mode cycles with a full flow dilution system. 9.4.6 Test result 9.4.7 Determination of particle number background 9.5 Specific requirements for dual-fuel engines 9.5.1 Emission test procedure requirements for dual-fuel engines 9.5.2 Determination of molar component ratios and ugas values for dual-fuel engin 10.1 General remarks 10.2 Control area for engines tested to cycles C1, C2, E1 and H 10.3 Control area for engines tested to cycles D1, D2, E2, G1, G2 and G3 10.4 Control area for engines tested to test cycle I 10.5 Control area for engines tested to E3 and E5 test cycle 10.5.1 Control area for engines tested to the E4 test cycle 10.5.2 Control area for engines tested to the F cycle Annex A (normative) Steady-state discrete-mode test-cycles (RMCs) Annex B (normative) Transient test cycles Annex D (informative) Calculation of the exhaust gas mass flow and/or of the combustion	194					
Annex	G (nor	mative) I	nstallation requirements for equipment and auxiliaries	197		
Annex	H (nor	mative) l	Molar based emission calculations	199		
Bibliog	bliography					

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 70, *Reciprocating internal combustion engines*, Subcommittee SC 8, *Exhaust gas emission measurement*.

This fourth edition cancels and replaces the third edition (ISO 8178-4:2017), which has been technically revised.

The main changes compared to the previous edition are as follows:

- amendment of the information regarding the determination of the background concentration;
- revision of particle number emission evaluation;
- addition of electrical equipment in the auxiliary table;

A list of all the parts in the ISO 8178 series, can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In comparison with engines for on-road applications, engines for non-road use are made in a much wider range of power output and configuration and are used in a great number of different applications.

The objective of this document is to rationalize the test procedures for non-road engines in order to simplify and make more cost effective the drafting of legislation, the development of engine specifications and the certification of engines to control gaseous and particulate emissions.

This document embraces three concepts in order to achieve the objectives.

The first principle is to group applications with similar engine operating characteristics in order to reduce the number of test cycles to a minimum, but ensure that the test cycles are representative of actual engine operation.

The second principle is to express the emissions results on the basis of brake power as defined in ISO 8178-1. This ensures that alternative engine applications do not result in a multiplicity of tests.

The third principle is the incorporation of an engine family concept in which engines with similar emission characteristics and of similar design may be represented by the highest emitting engine within the group.

Reciprocating internal combustion engines — Exhaust emission measurement —

Part 4:

Steady-state and transient test cycles for different engine applications

1 Scope

This document specifies the test cycles, the test procedures and the evaluation of gaseous and particulate exhaust emissions from reciprocating internal combustion (RIC) engines coupled to a dynamometer. With certain restrictions, this document can also be used for measurements at site. The tests are carried out under steady-state and transient operation using test cycles which are representative of given applications.

This document is applicable to RIC engines for mobile, transportable and stationary use, excluding engines for on-road transport of passengers and goods. It can be applied to engines for non-road use, e.g. for earth-moving machines, generating sets and for other applications. For engines used in machinery covered by additional requirements (e.g. occupational health and safety regulations, regulations for power plants), additional test conditions and special evaluation methods can apply.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8178-1:2020, Reciprocating internal combustion engines — Exhaust emission measurement — Part 1: Test-bed measurement of gaseous and particulate exhaust emissions

ISO 8178-5, Reciprocating internal combustion engines — Exhaust emission measurement — Part 5: Test fuels

ASTM E29–06b, Standard Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1

adjustment factors

additive (upward adjustment factor and downward adjustment factor) or multiplicative factors to be used for engines equipped with emission controls, that are regenerated on an infrequent (periodic) basis