



BSI Standards Publication

Environmental testing

Part 3-4: Supporting documentation and guidance — Damp heat tests

National foreword

This British Standard is the UK implementation of EN IEC 60068-3-4:2023. It is identical to IEC 60068-3-4:2023. It supersedes BS EN 60068-3-4:2002, which will be withdrawn on 3 August 2026.

The UK participation in its preparation was entrusted to Technical Committee GEL/104, Environmental conditions, classification and testing.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 18960 5

ICS 19.040; 19.080; 29.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

**Environmental testing - Part 3-4: Supporting documentation and
guidance - Damp heat tests
(IEC 60068-3-4:2023)**

Essais d'environnement - Partie 3-4: Documentation
d'accompagnement et recommandations - Essais de
chaleur humide
(IEC 60068-3-4:2023)

Umgebungseinflüsse - Teil 3-4: Unterstützende
Dokumentation und Leitfaden - Prüfungen Feuchte Wärme
(IEC 60068-3-4:2023)

This European Standard was approved by CENELEC on 2023-08-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 104/985/FDIS, future edition 2 of IEC 60068-3-4, prepared by IEC/TC 104 "Environmental conditions, classification and methods of test" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60068-3-4:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2024-05-03 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2026-08-03 document have to be withdrawn

This document supersedes EN 60068-3-4:2002 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60068-3-4:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-1	NOTE	Approved as EN 60068-1
IEC 60068-2-1	NOTE	Approved as EN 60068-2-1
IEC 60068-2-10	NOTE	Approved as EN 60068-2-10
IEC 60068-2-14	NOTE	Approved as EN 60068-2-14
IEC 60068-2-17	NOTE	Approved as EN 60068-2-17
IEC 60068-2-30	NOTE	Approved as EN 60068-2-30
IEC 60068-2-38	NOTE	Approved as EN IEC 60068-2-38
IEC 60068-2-39	NOTE	Approved as EN 60068-2-39
IEC 60068-2-66	NOTE	Approved as EN 60068-2-66
IEC 60068-2-67	NOTE	Approved as EN 60068-2-67
IEC 60068-2-78	NOTE	Approved as EN 60068-2-78
IEC 60721-2-1	NOTE	Approved as EN 60721-2-1

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Procedures for the production and control of humidity	7
4.1 General.....	7
4.2 Injection of water (spraying).....	7
4.3 Injection of water vapour (steam).....	7
4.4 Saturation type	8
4.5 Surface evaporation.....	8
4.6 Aqueous solutions.....	8
4.7 Dehumidification	8
4.8 Control of humidity.....	8
5 Physical appearance of the effects of humidity	8
5.1 General.....	8
5.2 Condensation.....	9
5.3 Adsorption	9
5.4 Absorption	9
5.5 Diffusion	9
6 Acceleration of tests	10
6.1 General.....	10
6.2 Acceleration factor	10
7 Comparison of steady-state and cyclic tests	10
7.1 Test C: Damp heat, steady-state.....	10
7.2 Test Db: Damp heat, cyclic test.....	11
7.3 Sequences of tests and composite tests	11
8 Influence of test environment on specimens	11
8.1 Change of physical characteristics	11
8.2 Change of electrical characteristics.....	12
8.2.1 With surface moisture	12
8.2.2 With penetrated moisture	12
8.3 Corrosion	12
Annex A (informative) Humidity effects diagram	13
A.1 General.....	13
A.2 Explanatory notes	13
A.2.1 Water penetration	13
A.2.2 Examples of effects	14
Bibliography.....	17
Figure A.1 – Physical processes involved in humidity testing	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –**Part 3-4: Supporting documentation and guidance – Damp heat tests****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with can participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication can be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60068-3-4 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test. It is an International Standard.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the requirements for distilled and deionized water have been revised;
- b) recommendations for the cleaning procedure of test chambers have been included;
- c) humidification systems (ultrasonic humidifiers and atomizers) have been added;
- d) the description of water penetration mechanisms has been refined.

The text of this International Standard is based on the following documents:

Draft	Report on voting
104/985/FDIS	104/1001/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Temperature and relative humidity (RH) of the air, in varying combinations, are climatic factors which act upon a product during storage, transportation and operation.

Meteorological measurements made over many years have shown that a relative humidity > 95 % combined with a temperature > 30 °C does not occur in free-air conditions over long periods, except in regions with extreme climates. In dwelling rooms and workshops temperatures of > 30 °C can occur but in most cases are combined with a lower relative humidity than in the open air.

Special conditions exist in certain wet rooms, for example in the chemical industry, metallurgical plants, mines, electroplating plants and laundries, where the temperature can reach 45 °C combined with a relative humidity up to saturation over long periods.

Certain equipment placed under particular conditions can be subjected to a relative humidity of more than 95 % at higher temperatures. This can happen when the equipment is placed in enclosures, such as vehicles, tents or aircraft cockpits, since this can result in intense heating through solar radiation while, because of inadequate ventilation, any humidity that can be developed will be retained permanently within the interior.

In rooms having several heat sources, temperatures and relative humidity can vary in different parts of the room.

To take these climatic factors over the lifetime of the product into account, environmental testing includes the practice of accelerated testing (see Clause 6).

Atmospheric pollution can intensify the effects of a damp climate on products. Attention is drawn to this fact because of its general importance, although pollutants are not contained in the atmospheres used for damp heat testing. If the effects of pollutants, for example corrosion and mould growth, are to be investigated, a suitable test from the IEC 60068-2 series should be used.

ENVIRONMENTAL TESTING –

Part 3-4: Supporting documentation and guidance – Damp heat tests

1 Scope

This part of IEC 60068 provides the necessary information and the basic principles of the effect of humidity in the context of environmental testing to assist in preparing relevant specifications, such as standards for components or equipment. Furthermore, information is provided on operating climatic test chambers.

The object of this document is to present supporting documentation and guidance for a range of damp heat tests which, when specified by the relevant specification, can be applied to demonstrate the performance of equipment for which damp heat testing is required with the main aim of achieving qualification. This information and basic principles are intended to help selecting appropriate tests and test severities for specific products and, in some cases, specific types of application.

The object of damp heat tests is to determine the ability of products to withstand the stresses occurring in a high relative humidity environment, with or without condensation, and with special regard to variations of electrical and mechanical characteristics. Damp heat tests can also be utilized to check the resistance of a specimen to some forms of corrosion attack.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

NOTE A more detailed explanation of some phenomena is available in A.2.1.

3.1 condensation

precipitation of water vapour on a surface when the surface temperature is lower than the dew point temperature of the ambient air whereby water is transformed from vapour to the liquid state of aggregation

3.2 adsorption

adherence of water vapour molecules to a surface when the surface temperature is higher than the dew point temperature

3.3 absorption

accumulation of water molecules within a material