INTERNATIONAL STANDARD

ISO 4665

Third edition
2016-01-15

Rubber, vulcanized or thermoplastic — Resistance to weathering

Caoutchouc vulcanisé ou thermoplastique — Résistance aux intempéries

Reference number
ISO 4665:2016(E)

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 2, *Testing and analysis*.

This third edition cancels and replaces the second edition (ISO 4665:2006), which has been technically revised with the following changes:

— normative references have been updated, small editorial changes made for clarification and compression set added to mechanical properties that could be measured.

Introduction

A number of different exposure techniques can be used to provide information on the effects of environmental stresses such as light, heat, and water on rubbers. Each of these has its own particular application and relevance. Explanation of, and guidance on, methods for exposure to natural and artificial weathering is given in ISO 877-1 and ISO 4892-1. Particular guidance on exposure to determine resistance to ozone is given in ISO 1431-1. The methods for exposure to weathering standardized for plastic materials are essentially suitable for rubbers, and hence this International Standard refers to the relevant ISO standards for plastics for the apparatus and procedures.

It is desirable that the procedures for the determination of changes in properties are the same whatever exposure is used and that the results should be expressed in a uniform manner. Such procedures are specified in this International Standard.

Exposure to weathering alters the properties of the material, particularly in the surface layer. The test method used to determine changes in properties should be selected after consideration of the properties of the material which are important in its proposed application and taking into account the fact that degradation might be concentrated at the surface layer. The methods chosen ought to be capable of measuring change in properties with sufficient precision within the ranges which are important in practice, so as to provide significant criteria of change.

Rubber, vulcanized or thermoplastic — Resistance to weathering

1 Scope

This International Standard specifies methods for the exposure of vulcanized or thermoplastic rubbers to natural or artificial weathering and methods for the determination of changes in colour, appearance, and physical properties resulting from exposure.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 105-A02, *Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour*

ISO 877-1:2009, *Plastics — Methods of exposure to solar radiation — Part 1: General guidance*

ISO 877-2:2009, *Plastics — Methods of exposure to solar radiation — Part 2: Direct weathering and exposure behind window glass*

ISO 877-3:2009, *Plastics — Methods of exposure to solar radiation — Part 3: Intensified weathering using concentrated solar radiation*

ISO 1431-1, *Rubber, vulcanized or thermoplastic — Resistance to ozone cracking — Part 1: Static and dynamic strain testing*

ISO 4892-1, *Plastics — Methods of exposure to laboratory light sources — Part 1: General guidance*

ISO 4892-2, *Plastics — Methods of exposure to laboratory light sources — Part 2: Xenon-arc lamps*

ISO 4892-3, *Plastics — Methods of exposure to laboratory light sources — Part 3: Fluorescent UV lamps*

ISO 4892-4, *Plastics — Methods of exposure to laboratory light sources — Part 4: Open-flame carbon-arc lamps*

ISO 18314-1, *Analytical colorimetry — Part 1: Practical colour measurement*

ISO 23529, *Rubber — General procedures for preparing and conditioning test pieces for physical test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 877 and ISO 4892 and the following apply.

3.1
control
material exposed alongside the test material for comparison

Note 1 to entry: The control, for example, may be a material of similar or related composition to the test material or a material having a known response to the exposure conditions.