

# IEEE Standard for Method for Modeling Spectrum Consumption

IEEE Communications Society

Sponsored by the  
Dynamic Spectrum Access Networks Standards Committee

# **IEEE Standard for Method for Modeling Spectrum Consumption**

Sponsor

**Dynamic Spectrum Access Networks Standards Committee  
of the  
IEEE Communications Society**

Approved 6 December 2017

**IEEE-SA Standards Board**

**Abstract:** A vendor-independent generalized method for modeling spectrum consumption of any type of use of radio frequency spectrum and the attendant computations for arbitrating the compatibility among models are defined in this standard. The methods of modeling are chosen to support the development of tractable algorithms for determining the compatibility between models and for performing various spectrum management tasks that operate on a plurality of models. The modeling methods are exclusively focused on capturing spectrum use but are defined in a schema that can be joined with other schemata related to spectrum management.

**Keywords:** DSA, dynamic spectrum access, IEEE 1900.5.2<sup>TM</sup>, SCM, spectrum consumption model

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 26 June 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-4813-0 STD23076  
Print: ISBN 978-1-5044-4814-7 STDPD23076

*IEEE prohibits discrimination, harassment, and bullying.*  
*For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.*  
*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

## **Important Notices and Disclaimers Concerning IEEE Standards Documents**

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

### **Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents**

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; noninfringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

### **Translations**

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

## **Official statements**

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

## **Comments on standards**

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854 USA

## **Laws and regulations**

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so

## **Copyrights**

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## **Photocopies**

Subject to payment of the appropriate fee, IEEE will grant users a limited, nonexclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, noncommercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## **Updating of IEEE Standards documents**

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. A current IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

## **Errata**

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## **Patents**

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or nondiscriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## Participants

At the time this standard was submitted to the IEEE-SA Standards Board for approval, the Policy Language and Architectures for Managing Cognitive Radio for Dynamic Spectrum Access Applications Working Group had the following membership:

**Matthew Sherman, Chair**  
**Darcy Swain-Walsh, Vice Chair**  
**C. Caicedo Bastidas, Secretary**  
**John Stine, Editor**

David Chester  
Colby Harper  
Nilesh Khamberkar

Mieczyslaw Kokar  
Yuriy Posherstnik  
Venkatesha Prasad

Tony Rennier  
Sam Schmitz  
Reinhard Schrage

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Iwan Adhicandra  
Thomas Alexander  
Stefan Aust  
H. Stephen Berger  
Harry Bims  
Nancy Bravin  
C. Caicedo Bastidas  
William Carney  
Juan Carreon  
Yesenia Cevallos  
Minho Cheong  
David Chester  
Keith Chow  
Charles Cook  
Todor Cooklev  
Yezid Donoso  
Richard Edgar  
Robert Fish  
Avraham Freedman  
Alexander Gelman  
James Gilb  
Tim Godfrey  
Randall Groves  
Michael Gundlach  
Colby Harper  
William Hayes  
Marco Hernandez

Werner Hoelzl  
Tetsushi Ikegami  
Noriyuki Ikeuchi  
Atsushi Ito  
Raj Jain  
Adri Jovin  
Toru Kabe  
Stuart Kerr  
Nilesh Khamberkar  
Chad Kiger  
Adrian Kliks  
Mieczyslaw Kokar  
Bruce Kraemer  
Paul Lambert  
Kin Hong Lee  
Arthur H. Light  
Michael Lynch  
Syam Madanapalli  
Roger Marks  
Jeffery Masters  
Edward McCall  
Michael McInnis  
Apurva Mody  
Michael Newman  
Satoshi Oyama  
Arumugam Paventhan

Clinton Powell  
Venkatesha Prasad  
James Reilly  
Maximilian Riegel  
Benjamin Rolfe  
M. K. Sajeev  
Bartien Sayogo  
Sam Schmitz  
Reinhard Schrage  
Stephen Schwarm  
Matthew Sherman  
Ju-Hyung Son  
Thomas Starai  
John Stine  
Walter Struppler  
Mark Sturza  
Darcy Swain-Walsh  
Steven Tilden  
Tuna Tugcu  
Mark-Rene Uchida  
Lorenzo Vangelista  
John Vergis  
Khurram Waheed  
Lisa Ward  
Hung-Yu Wei  
Andreas Wolf  
Oren Yuen

When the IEEE-SA Standards Board approved this standard on 6 December 2017, it had the following membership:

**Jean-Philippe Faure** *Chair*  
**Gary Hoffman**, *Vice Chair*  
**John D. Kulick**, *Past Chair*  
**Konstantinos Karachalios**, *Secretary*

Chuck Adams  
Masayuki Ariyoshi  
Ted Burse  
Stephen Dukes  
Doug Edwards  
J. Travis Griffith  
Michael Janezic

Thomas Kochy  
Joseph L. Koepfinger\*  
Kevin Lu  
Daleep Mohla  
Damir Novosel  
Ronald C. Petersen  
Annette D. Reilly

Robby Robson  
Dorothy Stanley  
Adrian Stephens  
Mehmet Ulema  
Phil Wennblom  
Howard Wolfman  
Yu Yuan

\*Member Emeritus

## **Introduction**

This introduction is not part of IEEE Std 1900.5.2-2017, IEEE Standard for Method for Modeling Spectrum Consumption.

This document is the first complete standard to define a generalized method for modeling spectrum consumption of any type of use of radio frequency spectrum and the attendant computations for arbitrating the compatibility among models. The methods of modeling are chosen to support the development of tractable algorithms for determining the compatibility between models and for performing various spectrum management tasks that operate on a plurality of models. The modeling methods are exclusively focused on capturing spectrum use to support the determination of compatibility as opposed to being a data standard that seeks to support a particular business process of spectrum management. This standard defines the data requirement for spectrum consumption models. The data elements and their meaning are the critical parts of the modeling and may be expressed by any data schema if content and context are preserved.

## Contents

1. Overview .....	13
1.1 Scope .....	13
1.2 Purpose .....	13
2. Normative references.....	14
3. Definitions, acronyms, and abbreviations .....	14
3.1 Word usage.....	14
3.2 Definitions .....	14
3.3 Acronyms and abbreviations .....	15
3.4 Symbols .....	16
4. Data conventions .....	19
5. Purpose and use of SCMs.....	19
5.1 General .....	19
5.2 Capturing spectrum use of RF devices .....	20
5.3 Capturing spectrum use of RF systems.....	20
5.4 Model-based spectrum management (MBSM).....	20
5.4.1 General.....	20
5.4.2 Loose coupling spectrum management.....	20
5.4.3 Independent modeling of RF systems .....	22
5.4.4 Common methods for arbitrating compatibility of models .....	22
5.5 Radio spectrum use policy.....	22
6. Spectrum-dependent devices, systems, and sets.....	23
6.1 General .....	23
6.2 Spectrum-dependent devices .....	23
6.2.1 General.....	23
6.2.2 Transmitter models .....	23
6.2.3 Receiver models.....	24
6.3 System models .....	24
6.4 SCM sets.....	24
6.5 SCM messages and data .....	24
7. Special data structures .....	26
7.1 General .....	26
7.2 Specifying confidence .....	26
7.3 Specifying values by direction.....	27
7.4 Spectral masks .....	29
8. Modeling constructs .....	29
8.1 General .....	29
8.2 Reference Power.....	30
8.2.1 General.....	30
8.2.2 Purpose and use.....	30
8.2.3 Data elements and their meaning .....	30
8.2.4 Modeling requirement.....	31
8.3 Spectrum mask .....	31
8.3.1 Purpose and use.....	31
8.3.2 Data elements and their meaning .....	32
8.3.3 Modeling requirement.....	35

8.4 Underlay mask .....	35
8.4.1 Purpose and use.....	35
8.4.2 Data elements and their meaning .....	37
8.4.3 Modeling requirement.....	42
8.5 Power map .....	43
8.5.1 Purpose and use.....	43
8.5.2 Data elements and their meaning .....	44
8.5.3 Modeling requirement.....	46
8.6 Propagation map .....	47
8.6.1 Purpose and use.....	47
8.6.2 Data elements and their meaning .....	49
8.6.3 Modeling requirement.....	51
8.7 Intermodulation (IM) mask.....	52
8.7.1 Purpose and use.....	52
8.7.2 Data elements and their meaning .....	52
8.7.3 Modeling requirements .....	53
8.8 Platform .....	55
8.8.1 Purpose and use.....	55
8.8.2 Data elements and their meaning .....	55
8.8.3 Modeling requirement.....	56
8.9 Location.....	56
8.9.1 Purpose and use.....	56
8.9.2 Data elements and their meaning .....	56
8.9.3 Modeling requirement.....	61
8.10 Schedule .....	62
8.10.1 Purpose and use.....	62
8.10.2 Data elements and their meaning .....	62
8.10.3 Modeling requirement.....	63
8.11 Minimum PSFD.....	63
8.11.1 Purpose and use.....	63
8.11.2 Data elements and their meaning .....	63
8.11.3 Modeling requirement.....	63
8.12 Protocol or policy .....	64
8.12.1 Purpose and use.....	64
8.12.2 Data elements and their meaning .....	64
8.12.3 Modeling requirement.....	65
9. Modeling requirements.....	66
9.1 Transmitters .....	66
9.1.1 Model objective .....	66
9.1.2 Data model and modeling requirements .....	66
9.2 Receivers .....	67
9.2.1 Model objective .....	67
9.2.2 Data model and modeling requirements .....	67
9.3 Systems.....	69
9.3.1 System model objectives.....	69
9.3.2 Data model and modeling requirements .....	69
9.4 Sets .....	70
9.4.1 Set objectives .....	70
9.4.2 Consumption sets.....	70
9.4.3 Authorization sets .....	70
9.4.4 Constraint sets.....	70
9.4.5 Data model and modeling requirements .....	71
10. Method used to compute compatibility .....	72
10.1 General .....	72

10.2 Time overlap.....	73
10.3 Spectrum overlap .....	73
10.4 Link budget computations using models .....	73
10.4.1 General.....	73
10.4.2 Transmitter model link budgets .....	74
10.4.3 Receiver model link budgets.....	75
10.4.4 Choosing a pathloss model .....	77
10.5 Power margin between a spectrum mask and an underlay mask .....	77
10.5.1 General.....	77
10.5.2 Methods of computing power margin .....	78
10.5.3 Selecting the appropriate underlay mask .....	86
10.6 Assessing image frequency and IM effects .....	87
10.6.1 General.....	87
10.6.2 Power margin with receiver IM masks that indicate susceptibility to image frequencies.....	87
10.6.3 Power margin with a transmitter IM mask.....	88
10.6.4 Power margin with a receiver IM mask .....	90
10.7 Meeting protocol or policy criteria .....	90
10.8 Criteria for planar approximations.....	90
10.9 Constraining points.....	91
10.10 Assessing aggregate compatibility.....	92
10.10.1 General.....	92
10.10.2 Aggregate interference .....	92
10.10.3 Aggregate interference with transmitter IM.....	97
10.10.4 Aggregate interference at receivers with receiver IM .....	97
10.11 Interference from surfaces and volumes with multiple transmitters .....	98
 11. Assessing compatibility.....	98
11.1 General .....	98
11.2 Model precedence.....	98
11.3 Assessment process .....	98
11.3.1 General.....	98
11.3.2 Compatibility with an authorization set .....	99
11.3.3 Compatibility with constraint or consumption set .....	101
11.4 Using Confidence .....	102
11.4.1 General.....	102
11.4.2 Confidence attributes .....	102
11.4.3 Probability of model states.....	104
11.4.4 Assessment of compatibility of SCM that use confidence in their constructs .....	105
 12. Extended algorithms.....	107
12.1 General .....	107
12.2 Determining maximum secondary transmitter power.....	107
12.3 Adjusting location to achieve compatibility .....	107
12.4 Assigning channels to achieve compatibility.....	107
12.5 Managing time of channel use .....	108
12.6 Visualizing spectrum availability in space .....	108
12.7 Measuring spectrum consumption .....	108
 Annex A (informative) Bibliography .....	109
 Annex B (informative) The World Geodetic System of 1984 (WGS 84) ellipsoid datum.....	110
 Annex C (informative) Rotation matrices .....	112
C.1 General.....	112
C.2 Coordinate rotations.....	112

C.2.1 Rotation of Earth surface coordinates (propagation maps coordinates) relative to the Earth-centric coordinates .....	112
C.2.2 The rotation of travel direction coordinates relative to Earth surface coordinates .....	113
C.2.3 Rotation of platform coordinate systems relative to the direction of travel.....	113
C.2.4 The rotation of power map coordinates relative to platform coordinates.....	113
C.3 Directional computations .....	114
C.3.1 Convert Earth's surface directions to platform power map directions .....	114
C.3.2 Convert platform power map directions to Earth's surface directions .....	115
Annex D (informative) Coordinate conversions.....	116
Annex E (informative) Location modeling exemplars .....	118
E.1 General .....	118
E.2 Converting non-convex areas of operation to convex areas .....	118
E.3 Subdividing the area of operations based on time.....	118
E.4 Subdividing the area of operation based on propagation conditions.....	121
E.5 Differentiating antenna pointing based on time .....	122
E.6 Combinatorial assessments of multiple location-associated constructs .....	124
Annex F (informative) Computation exemplars .....	125
F.1 Modeling .....	125
F.1.1 Scaling an underlay mask to specify the total power of allowed interference .....	125
F.1.2 Create a power map for a scanned antenna.....	126
F.1.3 Create height-rated propagation maps .....	126
F.2 Compatibility assessment .....	127
F.2.1 Determine power margin for underlay masks using the total power method.....	127
F.2.2 Determine power margin using the maximum power spectral density method .....	129
F.2.3 Determine compatibility with multiple interferers in the case of an underlay mask specified for total power computations .....	130
F.2.4 Determine compatibility with multiple interferers for bandwidth-rated underlay masks .....	131
F.2.5 Determine compatibility with duty-cycle-rated underlay masks .....	133
F.2.6 Determine compatibility of frequency-hop systems with BTP-rated underlay masks.....	135
F.2.7 Determine power flux density for a direction .....	137
F.2.8 Determine power flux density from a transmitter .....	137
F.2.9 Determine the PSFD at a distance from a transmitter .....	138
F.2.10 Determine the distance-based pathloss to a receiving antenna using height-rated propagation maps .....	139
F.2.11 Translate an underlay mask for image frequencies.....	139
F.2.12 Determine the IM interference broadcast by a transmitter.....	140
F.2.13 Determine IM interference created within a receiver .....	141
F.2.14 Determine the range of receiver protection given a minimum PSFD and a reference receiver underlay mask .....	143
F.2.15 Computing the interference from a location with a density of transmitters .....	143
F.2.16 Example listen before talk policy .....	147
F.2.17 Example spectrum sharing access protocol .....	147
F.2.18 Converting power flux density to a field strength.....	149
F.3 Using confidence .....	150
F.3.1 Computing average power level .....	150
F.3.2 Create confidence-rated propagation maps.....	150

# **IEEE Standard for Method for Modeling Spectrum Consumption**

## **1. Overview**

### **1.1 Scope**

This standard defines a generalized method for modeling spectrum consumption of any type of use of radio frequency (RF) spectrum and the attendant computations for arbitrating the compatibility among models. The methods of modeling are chosen to support the development of tractable algorithms for determining the compatibility between models and for performing various spectrum management tasks that operate on a plurality of models. The modeling methods are exclusively focused on capturing spectrum use to support the determination of compatibility as opposed to being a data standard that seeks to support a particular business process of spectrum management. However, such externally defined spectrum management data standards can beneficially leverage the spectrum consumption modeling defined in this standard.

This standard defines the data requirement for spectrum consumption models (SCMs). The data elements and their meaning are the critical parts of the modeling and may be expressed by any data schema if content and context are preserved.

### **1.2 Purpose**

This standard defines an analytical framework of necessary modeling constructs that can be used to express the boundaries of spectrum consumption by any transmitting or receiving device. These constructs can be combined into a machine readable data exchange schema for the purpose of transferring these SCMs between automated systems. This standard can serve as a loose coupler for the spectrum management enterprise by providing all spectrum communities of interest with a common way to express spectrum consumption. Further, the standard describes algorithms that can rapidly evaluate compatibility among SCMs and enables the creation of algorithms that can quickly perform spectrum management tasks such as finding reuse opportunities or optimizing spectrum assignments to increase spectrum utilization. To achieve this goal, the SCMs must be sufficient in that the algorithms can perform these functions using the models alone without dependence on external information.

The effectiveness of these approaches depends on the quality of the models. The quality of the models depends on the quality of the data on system performance used to build the models and the willingness of the modelers to reveal the true use and vulnerability of the systems to interference. Specifying the required data quality and the accuracy of the models is beyond the scope of the standard.