


**Universal Mobile Telecommunications System (UMTS);
Open Service Access (OSA)
Application Programming Interface (API);
Part 4: Call control - Service Capability Feature (SCF)
(3GPP TS 29.198-04 version 4.11.0 Release 4)**



Reference

RTS/TSGN-0529198-04v4b0

Keywords

UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2004.
All rights reserved.

DECT™, PLUGTESTS™ and UMTS™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Contents

Intellectual Property Rights	2
Foreword.....	2
Foreword.....	7
Introduction	7
1 Scope	9
2 References	9
3 Definitions and abbreviations.....	10
3.1 Definitions.....	10
3.2 Abbreviations	10
4 Call Control SCF.....	10
4.1 Call Model Description	10
4.2 General requirements on support of methods.....	11
5 The Service Interface Specifications.....	11
5.1 Interface Specification Format	11
5.1.1 Interface Class	11
5.1.2 Method descriptions.....	12
5.1.3 Parameter descriptions.....	12
5.1.4 State Model.....	12
5.2 Base Interface	12
5.2.1 Interface Class IpInterface	12
5.3 Service Interfaces	12
5.3.1 Overview	12
5.4 Generic Service Interface	12
5.4.1 Interface Class IpService	12
6 Generic Call Control Service	14
6.1 Sequence Diagrams	14
6.1.1 Additional Callbacks.....	14
6.1.2 Alarm Call	15
6.1.3 Application Initiated Call.....	17
6.1.4 Call Barring 1	19
6.1.5 Number Translation 1	21
6.1.6 Number Translation 1 (with callbacks).....	23
6.1.7 Number Translation 2	25
6.1.8 Number Translation 3	27
6.1.9 Number Translation 4	29
6.1.10 Number Translation 5	31
6.1.11 Prepaid	32
6.1.12 Pre-Paid with Advice of Charge (AoC)	34
6.2 Class Diagrams.....	37
6.3 Generic Call Control Service Interface Classes.....	38
6.3.1 Interface Class IpCallControlManager	39
6.3.2 Interface Class IpAppCallControlManager	43
6.3.3 Interface Class IpCall.....	45
6.3.4 Interface Class IpAppCall.....	50
6.4 Generic Call Control Service State Transition Diagrams.....	54
6.4.1 State Transition Diagrams for IpCallControlManager.....	54
6.4.1.1 Active State	55
6.4.1.2 Notification terminated State	55
6.4.2 State Transition Diagrams for IpCall.....	55
6.4.2.1 Network Released State	56
6.4.2.2 Finished State.....	56

6.4.2.3	Application Released State	57
6.4.2.4	Active State	57
6.4.2.5	Party in Call State	57
6.4.2.6	Parties in Call State	57
6.5	Generic Call Control Service Properties	58
6.5.1	List of Service Properties.....	58
6.5.2	Service Property values for the CAMEL Service Environment.....	59
6.6	Generic Call Control Data Definitions	60
6.6.1	Generic Call Control Event Notification Data Definitions	60
6.6.1.1	TpCallEventName.....	60
6.6.1.2	TpCallNotificationType	61
6.6.1.3	TpCallEventCriteria	61
6.6.1.4	TpCallEventInfo.....	61
6.6.2	Generic Call Control Data Definitions.....	61
6.6.2.1	IpCall.....	61
6.6.2.2	IpCallRef.....	61
6.6.2.3	IpAppCall.....	62
6.6.2.4	IpAppCallRef	62
6.6.2.5	TpCallIdentifier.....	62
6.6.2.6	IpAppCallControlManager	62
6.6.2.7	IpAppCallControlManagerRef	62
6.6.2.8	IpCallControlManager	62
6.6.2.9	IpCallControlManagerRef.....	62
6.6.2.10	TpCallAppInfo	62
6.6.2.11	TpCallAppInfoType	63
6.6.2.12	TpCallAppInfoSet	63
6.6.2.13	TpCallEndedReport	63
6.6.2.14	TpCallFault	63
6.6.2.15	TpCallInfoReport	64
6.6.2.16	TpCallReleaseCause	64
6.6.2.17	TpCallReport	65
6.6.2.18	TpCallAdditionalReportInfo	65
6.6.2.19	TpCallReportRequest	65
6.6.2.20	TpCallAdditionalReportCriteria	66
6.6.2.21	TpCallReportRequestSet	66
6.6.2.22	TpCallReportType	66
6.6.2.23	TpCallTreatment	67
6.6.2.24	TpCallEventCriteriaResultSet	67
6.6.2.25	TpCallEventCriteriaResult	67
7	MultiParty Call Control Service	67
7.1	Sequence Diagrams	67
7.1.1	Application initiated call setup	67
7.1.2	Call Barring 2	69
7.1.3	Call forwarding on Busy Service	70
7.1.4	Call Information Collect Service	72
7.1.5	Complex Card Service	75
7.1.6	Hotline Service	78
7.1.7	Use of the Redirected event	81
7.2	Class Diagrams	82
7.3	MultiParty Call Control Service Interface Classes	83
7.3.1	Interface Class IpMultiPartyCallControlManager	83
7.3.2	Interface Class IpAppMultiPartyCallControlManager	87
7.3.3	Interface Class IpMultiPartyCall	90
7.3.4	Interface Class IpAppMultiPartyCall.....	95
7.3.5	Interface Class IpCallLeg	97
7.3.6	Interface Class IpAppCallLeg.....	103
7.4	MultiParty Call Control Service State Transition Diagrams	108
7.4.1	State Transition Diagrams for IpMultiPartyCallControlManager.....	108
7.4.1.1	Active State	108
7.4.1.2	Interrupted State	108
7.4.1.3	Overview of allowed methods.....	108

7.4.2	State Transition Diagrams for IpMultiPartyCall.....	109
7.4.2.1	IDLE State.....	109
7.4.2.2	ACTIVE State	110
7.4.2.3	RELEASED State	110
7.4.2.4	Overview of allowed methods.....	110
7.4.3	State Transition Diagrams for IpCallLeg.....	110
7.4.3.1	Originating Call Leg	111
7.4.3.1.1	Initiating State	112
7.4.3.1.2	Analysing State.....	113
7.4.3.1.3	Active State	114
7.4.3.1.4	Releasing State	116
7.4.3.1.5	Overview of allowed methods, Originating Call Leg STD	117
7.4.3.2	Terminating Call Leg	118
7.4.3.2.1	Idle (terminating) State.....	119
7.4.3.2.2	Active (terminating) State	120
7.4.3.2.3	Releasing (terminating) State	122
7.4.3.2.4	Overview of allowed methods and trigger events, Terminating Call Leg STD.....	124
7.5	Multi-Party Call Control Service Properties	125
7.5.1	List of Service Properties.....	125
7.5.2	Service Property values for the CAMEL Service Environment.....	125
7.6	Multi-Party Call Control Data Definitions	127
7.6.1	Event Notification Data Definitions	127
7.6.2	Multi-Party Call Control Data Definitions.....	127
7.6.2.1	IpCallLeg	127
7.6.2.2	IpCallLegRef.....	127
7.6.2.3	IpAppCallLeg.....	127
7.6.2.4	IpAppCallLegRef.....	127
7.6.2.5	IpMultiPartyCall	127
7.6.2.6	IpMultiPartyCallRef.....	127
7.6.2.7	IpAppMultiPartyCall.....	127
7.6.2.8	IpAppMultiPartyCallRef.....	128
7.6.2.9	IpMultiPartyCallControlManager	128
7.6.2.10	IpMultiPartyCallControlManagerRef	128
7.6.2.11	IpAppMultiPartyCallControlManager	128
7.6.2.12	IpAppMultiPartyCallControlManagerRef.....	128
7.6.2.13	TpAppCallLegRefSet.....	128
7.6.2.14	TpMultiPartyCallIdentifier	128
7.6.2.15	TpAppMultiPartyCallBack	128
7.6.2.16	TpAppMultiPartyCallBackRefType	129
7.6.2.17	TpAppCallLegCallBack.....	129
7.6.2.18	TpMultiPartyCallIdentifierSet	129
7.6.2.19	TpCallAppInfo	129
7.6.2.20	TpCallAppInfoType	130
7.6.2.21	TpCallAppInfoSet	130
7.6.2.22	TpCallEventRequest	130
7.6.2.23	TpCallEventRequestSet	130
7.6.2.24	TpCallEventType	131
7.6.2.25	TpAdditionalCallEventCriteria	133
7.6.2.26	TpCallEventInfo.....	133
7.6.2.27	TpCallAdditionalEventInfo.....	134
7.6.2.28	TpCallNotificationRequest	134
7.6.2.29	TpCallNotificationScope.....	134
7.6.2.30	TpCallNotificationInfo.....	135
7.6.2.31	TpCallNotificationReportScope.....	135
7.6.2.32	TpNotificationRequested	135
7.6.2.33	TpNotificationRequestedSet	135
7.6.2.34	TpReleaseCause	135
7.6.2.35	TpReleaseCauseSet	135
7.6.2.36	TpCallLegIdentifier	136
7.6.2.37	TpCallLegIdentifierSet	136
7.6.2.38	TpCallLegAttachMechanism	136
7.6.2.39	TpCallLegConnectionProperties.....	136

7.6.2.40	TpCallLegInfoReport.....	136
7.6.2.41	TpCallLegInfoType.....	137
7.6.2.42	TpCallLegSuperviseTreatment.....	137
8	Common Call Control Data Types	137
8.1	TpCallAlertingMechanism.....	137
8.2	TpCallBearerService	138
8.3	TpCallChargePlan	138
8.4	TpCallPartyToChargeAdditionalInfo.....	138
8.5	TpCallPartyToChargeType	139
8.6	TpCallChargeOrderCategory	139
8.7	TpCallEndedReport.....	139
8.8	TpCallError	139
8.9	TpCallAdditionalErrorInfo.....	140
8.10	TpCallErrorType	140
8.11	TpCallInfoReport	140
8.12	TpCallInfoType	141
8.13	TpCallLoadControlMechanism.....	141
8.14	TpCallLoadControlIntervalRate.....	141
8.15	TpCallLoadControlMechanismType.....	141
8.16	TpCallMonitorMode	142
8.17	TpCallNetworkAccessType	142
8.18	TpCallPartyCategory	142
8.19	TpCallServiceCode	143
8.20	TpCallServiceCodeSet	143
8.21	TpCallServiceCodeType	143
8.22	TpCallSuperviseReport	143
8.23	TpCallSuperviseTreatment.....	144
8.24	TpCallTeleService.....	144
8.25	TpCallTreatment	145
8.26	TpCallTreatmentType	145
8.27	TpCallAdditionalTreatmentInfo.....	145
8.28	TpMediaType	145
Annex A (normative):	OMG IDL Description of Call Control SCF	146
Annex B (informative):	Change history	147
History		148

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 4 of a multi-part TS covering the 3rd Generation Partnership Project: Technical Specification Group Core Network; Open Service Access (OSA); Application Programming Interface (API), as identified below. The **API specification** (3GPP TS 29.198) is structured in the following Parts:

Part 1:	Overview	
Part 2:	Common Data Definitions	
Part 3:	Framework	
Part 4:	Call Control SCF	
Part 5:	User Interaction SCF	
Part 6:	Mobility SCF	
Part 7:	Terminal Capabilities SCF	
Part 8:	Data Session Control SCF	
Part 9:	Generic Messaging SCF	(not part of 3GPP Release 4)
Part 10:	Connectivity Manager SCF	(not part of 3GPP Release 4)
Part 11:	Account Management SCF	
Part 12:	Charging SCF	

The **Mapping specification of the OSA APIs and network protocols** (3GPP TR 29.998) is also structured as above. A mapping to network protocols is however not applicable for all Parts, but the numbering of Parts is kept. Also in case a Part is not supported in a Release, the numbering of the parts is maintained.

Table: Overview of the OSA APIs & Protocol Mappings 29.198 & 29.998-family

OSA API specifications 29.198-family		OSA API Mapping - 29.998-family	
29.198-1	Part 1: Overview	29.998-1	Part 1: Overview
29.198-2	Part 2: Common Data Definitions	29.998-2	<i>Not Applicable</i>
29.198-3	Part 3: Framework	29.998-3	<i>Not Applicable</i>
29.198-4	Part 4: Call Control SCF	29.998-4-1	Subpart 1: Generic Call Control – CAP mapping
		29.998-4-2	
29.198-5	Part 5: User Interaction SCF	29.998-5-1	Subpart 1: User Interaction – CAP mapping
		29.998-5-2	
		29.998-5-3	
		29.998-5-4	Subpart 4: User Interaction – SMS mapping
29.198-6	Part 6: Mobility SCF	29.998-6	User Status and User Location – MAP mapping
29.198-7	Part 7: Terminal Capabilities SCF	29.998-7	<i>Not Applicable</i>
29.198-8	Part 8: Data Session Control SCF	29.998-8	Data Session Control – CAP mapping
29.198-9	Part 9: Generic Messaging SCF	29.998-9	<i>Not Applicable</i>
29.198-10	Part 10: Connectivity Manager SCF	29.998-10	<i>Not Applicable</i>

29.198-11	Part 11: Account Management SCF	29.998-11	<i>Not Applicable</i>
29.198-12	Part 12: Charging SCF	29.998-12	<i>Not Applicable</i>

1 Scope

The present document is Part 4 of the Stage 3 specification for an Application Programming Interface (API) for Open Service Access (OSA).

The OSA specifications define an architecture that enables application developers to make use of network functionality through an open standardised interface, i.e. the OSA APIs. The concepts and the functional architecture for the OSA are contained in 3GPP TS 23.127 [3]. The requirements for OSA are contained in 3GPP TS 22.127 [2].

The present document specifies the Call Control Service Capability Feature (SCF) aspects of the interface. All aspects of the Call Control SCF are defined here, these being:

- Sequence Diagrams
- Class Diagrams
- Interface specification plus detailed method descriptions
- State Transition diagrams
- Data definitions
- IDL Description of the interfaces

The process by which this task is accomplished is through the use of object modelling techniques described by the Unified Modelling Language (UML).

This specification has been defined jointly between 3GPP TSG CN WG5, ETSI TISPAN and The Parlay Group, in co-operation with a number of JAIN™ Community member companies.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TS 29.198-1 "Open Service Access; Application Programming Interface; Part 1: Overview".
- [2] 3GPP TS 22.127: "Service Requirement for the Open Services Access (OSA); Stage 1".
- [3] 3GPP TS 23.127: "Virtual Home Environment (VHE) / Open Service Access (OSA)".
- [4] 3GPP TS 22.002: "Circuit Bearer Services Supported by a PLMN".
- [5] ISO 4217 (1995): "Codes for the representation of currencies and funds".
- [6] 3GPP TS 24.002: "GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration".
- [7] 3GPP TS 22.003: "Circuit Teleservices supported by a Public Land Mobile Network (PLMN)".