

ETSI TS 129 212 V13.8.0 (2017-01)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Policy and Charging Control (PCC);
Reference points
(3GPP TS 29.212 version 13.8.0 Release 13)**



Reference

RTS/TSGC-0329212vd80

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	14
1 Scope	15
2 References	15
3 Definitions and abbreviations.....	17
3.1 Definitions	17
3.2 Abbreviations	19
4 Gx reference point	19
4.1 Overview	19
4.2 Gx Reference model.....	20
4.3 PCC Rules	20
4.3.1 PCC Rule Definition.....	20
4.3.2 Operations on PCC Rules	22
4.3a IP flow mobility routing rules	22
4.3a.0 General.....	22
4.3a.1 Functional entities.....	22
4.3a.2 IP flow mobility routing rule definition.....	23
4.3a.3 Operations on Routing rules	23
4.3a.4 PCC procedures for IP flow mobility routing rule over Gx reference point	24
4.3a.4.1 Provisioning of IP flow mobility routing rules.....	24
4.3b Void.....	24
4.3c NBIFOM routing rules	24
4.3c.1 General.....	24
4.3c.2 NBIFOM routing rule definition.....	24
4.3c.3 Operations on NBIFOM Routing rules.....	25
4.4 Functional elements.....	25
4.4.1 PCRF	25
4.4.2 PCEF.....	26
4.5 PCC procedures over Gx reference point	27
4.5.1 Request for PCC rules.....	27
4.5.2 Provisioning of PCC rules	30
4.5.2.0 Overview	30
4.5.2.1 Selecting a PCC rule for Uplink IP packets	33
4.5.2.2 Selecting a PCC rule and IP CAN Bearer for Downlink IP packets	33
4.5.2.3 Gate function.....	34
4.5.2.4 Policy enforcement for "Authorized QoS" per PCC Rule.....	34
4.5.2.5 Usage Monitoring Control	34
4.5.2.6 Redirect function.....	34
4.5.2.7 Support for DSCP marking of downlink packets at the TDF.....	35
4.5.2.8 Traffic Steering Control support	35
4.5.3 Provisioning of Event Triggers.....	35
4.5.4 Provisioning of charging related information for the IP-CAN session	36
4.5.4.1 Provisioning of Charging Addresses.....	36
4.5.4.2 Provisioning of Default Charging Method.....	36
4.5.4.3 Void.....	36
4.5.4.4 Provisioning of Access Network Charging Identifier	36
4.5.5 Provisioning and Policy Enforcement of Authorized QoS	37
4.5.5.0 Overview	37
4.5.5.0a Provisioning of authorized QoS per IP CAN bearer	38
4.5.5.1 Policy enforcement for authorized QoS per IP CAN bearer	38
4.5.5.2 Policy provisioning for authorized QoS per service data flow.....	38

4.5.5.3	Policy enforcement for authorized QoS per service data flow	38
4.5.5.4	Coordination of authorized QoS scopes in mixed mode	39
4.5.5.5	Provisioning of authorized QoS per QCI	39
4.5.5.6	Policy enforcement for authorized QoS per QCI	39
4.5.5.7	Provisioning of authorized QoS per APN	39
4.5.5.8	Policy enforcement for authorized QoS per APN	40
4.5.5.9	Provisioning of authorized QoS for the Default EPS Bearer	41
4.5.5.10	Policy enforcement for authorized QoS of the Default EPS Bearer	41
4.5.5.11	Policy provisioning and enforcement of authorized QoS for service data flows that share resources	41
4.5.6	Indication of IP-CAN Bearer Termination Implications	42
4.5.7	Indication of IP-CAN Session Termination	42
4.5.8	Request of IP-CAN Bearer Termination	43
4.5.9	Request of IP-CAN Session Termination	44
4.5.10	Bearer Control Mode Selection	44
4.5.11	Provisioning of Event Report Indication	44
4.5.12	PCC Rule Error Handling	45
4.5.13	Time of the day procedures	46
4.5.14	Trace activation/deactivation	47
4.5.15	IMS Emergency Session Support	47
4.5.15.1	Functional Entities	47
4.5.15.2	PCC procedures for Emergency services over Gx reference point	47
4.5.15.2.1	Request for PCC Rules for Emergency services	47
4.5.15.2.2	Provisioning of PCC Rules for Emergency services	47
4.5.15.2.2.1	Provisioning of PCC Rules at Gx session establishment	47
4.5.15.2.2.2	Provisioning of PCC Rules for Emergency Services	48
4.5.15.2.3	Removal of PCC Rules for Emergency Services	48
4.5.15.2.4	Removal of PCC Rules at Gx session termination	49
4.5.16	Requesting Usage Monitoring Control	49
4.5.17	Reporting Accumulated Usage	50
4.5.17.0	General	50
4.5.17.1	Usage Threshold Reached	51
4.5.17.2	PCC Rule Removal	51
4.5.17.3	Usage Monitoring Disabled	52
4.5.17.4	IP-CAN Session Termination	52
4.5.17.5	PCRF Requested Usage Report	52
4.5.17.6	Report in case of Monitoring Time provided	52
4.5.18	IMS Restoration Support	53
4.5.18a	P-CSCF Restoration Enhancement Support	53
4.5.19	Multimedia Priority Support	53
4.5.19.1	PCC Procedures for Multimedia Priority services over Gx reference point	53
4.5.19.1.1	Provisioning of PCC Rules for Multimedia Priority Services	53
4.5.19.1.2	Invocation/Revocation of Priority EPS Bearer Services	54
4.5.19.1.3	Invocation/Revocation of IMS Multimedia Priority Services	55
4.5.20	Sponsored Data Connectivity	55
4.5.21	PCRF Failure and Restoration	56
4.5.22	Reporting Access Network Information	56
4.5.23	Application Detection Information	57
4.5.24	Group Communication Service Support	57
4.5.25	NBIFOM Support	58
4.5.25.1	General	58
4.5.25.1.1	PCRF procedures	58
4.5.25.1.2	PCEF procedures	58
4.5.25.2	NBIFOM impacts on PCC procedures over Gx	59
4.5.25.2.1	IP-CAN session establishment	59
4.5.25.2.2	Addition of an access	60
4.5.25.2.3	Removal of an access	60
4.5.25.2.3.1	UE/PCEF-initiated removal of an access	60
4.5.25.2.3.2	PCRF-initiated removal of an access	61
4.5.25.2.4	Network-initiated IP flow mobility within a PDN connection (Network-initiated NBIFOM mode)	61
4.5.25.2.5	UE-initiated IP flow mobility within a PDN connection (UE-initiated NBIFOM mode)	61

4.5.25.2.6	UE Requested IP Flow Mapping (Network-initiated NBIFOM mode).....	63
4.5.25.2.7	An access becomes not available/available again.....	64
4.5.25.2.8	Access Network Information Reporting.....	65
4.5.25.2.9	Usage monitoring control.....	65
4.5.25.2.10	UE resource request for a multi-access IP-CAN session.....	65
4.5.26	Detection and handling of late arriving requests.....	65
4.5.26.1	General.....	65
4.5.26.2	Detection and handling of requests which collide with an existing session context.....	66
4.5.26.3	Detection and handling of requests which have timed out at the originating entity.....	66
4.5.27	Resource reservation for services sharing priority.....	66
4.6	Void.....	67
4a	Gxx reference points.....	67
4a.1	Overview.....	67
4a.2	Gxx Reference model.....	67
4a.3	Quality of Service Control Rules.....	68
4a.3.1	Quality of Service Control Rule Definition.....	68
4a.3.2	Operations on QoS Rules.....	69
4a.4	Functional elements.....	69
4a.4.1	PCRF.....	69
4a.4.2	BBERF.....	70
4a.5	PCC procedures over Gxx reference points.....	70
4a.5.1	Gateway control and QoS Rules Request.....	70
4a.5.2	Gateway control and QoS Rules Provision.....	71
4a.5.2.1	Overview.....	71
4a.5.2.2	Support for DSCP marking of downlink packets at the TDF.....	73
4a.5.3	Gateway Control Session Termination.....	73
4a.5.4	Request of Gateway Control Session Termination.....	73
4a.5.5	QoS Control Rule error handling.....	74
4a.5.6	Gateway Control session to Gx session linking.....	74
4a.5.7	Multiple BBF support.....	75
4a.5.7.1	General.....	75
4a.5.7.2	Handling of two BBFs associated with the same IP-CAN session during handover.....	75
4a.5.7.3	Handling of multiple BBFs with flow mobility within IP-CAN session.....	76
4a.5.8	Provisioning of Event Triggers.....	77
4a.5.9	Bearer Control Mode Selection.....	78
4a.5.10	Provisioning and Policy Enforcement of Authorized QoS.....	78
4a.5.10.1	Provisioning of authorized QoS for the Default EPS Bearer.....	78
4a.5.10.2	Policy enforcement for authorized QoS of the Default EPS Bearer.....	78
4a.5.10.3	Provisioning of authorized QoS per APN.....	78
4a.5.10.4	Policy provisioning for authorized QoS per service data flow.....	79
4a.5.10.5	Policy enforcement for authorized QoS per service data flow.....	79
4a.5.10.6	Policy provisioning and enforcement of authorized QoS for service data flows that share resources.....	79
4a.5.11	Trace activation/deactivation.....	80
4a.5.12	IMS Emergency Session Support.....	80
4a.5.12.1	PCC procedures for Emergency services over Gxx reference point.....	80
4a.5.12.1.1	Gateway control and QoS Rules request for Emergency services.....	80
4a.5.12.1.2	Provisioning of QoS Rules for Emergency services.....	80
4a.5.12.1.2.1	Provisioning of QoS Rules at Gxx session establishment.....	80
4a.5.12.1.2.2	Provisioning of QoS Rules for Emergency services.....	80
4a.5.12.2	Gateway Control Session to Gx session linking.....	81
4a.5.12.3	Removal of QoS Rules for Emergency Services.....	81
4a.5.12.4	Termination of Gateway Control session for Emergency Services.....	81
4a.5.13	Time of the day procedures.....	81
4a.5.14	Multimedia Priority Support.....	82
4a.5.14.1	PCC Procedures for Multimedia Priority services over Gxx reference point.....	82
4a.5.14.1.1	Provisioning of QoS Rules for Multimedia Priority Services.....	82
4a.5.14.1.2	Invocation/Revocation of Priority EPS Bearer Services.....	83
4a.5.14.1.3	Invocation/Revocation of IMS Multimedia Priority Services.....	83
4a.5.15	PCRF Failure and Restoration.....	83
4a.5.16	Reporting Access Network Information.....	83

4a.5.17	Resource reservation for services sharing priority	84
4b	Sd reference point	85
4b.1	Overview	85
4b.2	Sd Reference model	85
4b.3	Application Detection and Control Rules	86
4b.3.1	Functional entities	86
4b.3.2	Application Detection and Control Rule Definition	86
4b.3.3	Operations on ADC Rules	88
4b.4	Functional elements	88
4b.4.1	PCRF	88
4b.4.2	TDF	89
4b.5	ADC procedures over Sd reference point for solicited application reporting	90
4b.5.1	Provisioning of ADC rules	90
4b.5.1.1	General	90
4b.5.1.2	Gate function	91
4b.5.1.3	Bandwidth limitation function	91
4b.5.1.4	Redirect function	91
4b.5.1.5	Usage Monitoring Control	92
4b.5.1.6	Marking of downlink packets	92
4b.5.2	Request for ADC rules	92
4b.5.3	Provisioning of Event Triggers	92
4b.5.4	Request of TDF Session Termination	93
4b.5.5	ADC Rule Error Handling	93
4b.5.6	Requesting Usage Monitoring Control	93
4b.5.7	Reporting Accumulated Usage	95
4b.5.7.1	General	95
4b.5.7.2	Usage Threshold Reached	96
4b.5.7.3	ADC Rule Removal	96
4b.5.7.4	Usage Monitoring Disabled	96
4b.5.7.5	TDF Session Termination	97
4b.5.7.6	PCRF Requested Usage Report	97
4b.5.7.7	Report in case of Monitoring Time provided	97
4b.5.8	Provisioning of Event Report Indication	97
4b.5.9	Application Detection Information	98
4b.5.10	Time of the day procedures	98
4b.5.11	PCRF Failure and Restoration	99
4b.5.12	Bandwidth limitation function	99
4b.5.13	Provisioning of charging related information for the TDF session	100
4b.5.13.1	Provisioning of Charging Addresses	100
4b.5.13.2	Provisioning of Default Charging Method	100
4b.5.13.3	Provisioning of Charging Characteristics	100
4b.5.14	Downlink packet marking by the TDF	100
4b.5.15	Traffic steering control support	101
4b.5a	ADC procedures over Sd reference point for unsolicited application reporting	102
4b.5a.1	Provisioning of ADC rules	102
4b.5a.1.1	General	102
4b.5a.2	Application Detection Information	102
4b.5a.3	Request of TDF Session Termination	102
4b.5a.4	TDF session to Gx session linking	102
4c	St reference point	103
4c.1	Overview	103
4c.2	St Reference model	103
4c.3	Functional elements	103
4c.3.1	PCRF	103
4c.3.2	TSSF	104
4c.4	Procedures over St reference point	104
4c.4.1	Traffic Steering Control Information Provisioning	104
4c.4.2	St Session Termination	105
4c.4.3	ADC Rule Error Handling	105
4c.4.4	IPv4 Address Provisioning	106

5	Gx protocol.....	106
5.1	Protocol support	106
5.2	Initialization, maintenance and termination of connection and session.....	106
5.3	Gx specific AVPs	107
5.3.0	General.....	107
5.3.1	Bearer-Usage AVP (3GPP-GPRS and 3GPP-EPS access types).....	112
5.3.2	Charging-Rule-Install AVP (All access types)	112
5.3.3	Charging-Rule-Remove AVP (All access types)	113
5.3.4	Charging-Rule-Definition AVP (All access types).....	113
5.3.5	Charging-Rule-Base-Name AVP (All access types).....	114
5.3.6	Charging-Rule-Name AVP (All access types).....	114
5.3.7	Event-Trigger AVP (All access types).....	115
5.3.8	Metering-Method AVP (All access types).....	122
5.3.9	Offline AVP (All access types).....	122
5.3.10	Online AVP (All access types)	123
5.3.11	Precedence AVP (All access types).....	123
5.3.12	Reporting-Level AVP (All access types).....	124
5.3.13	TFT-Filter AVP (3GPP-GPRS access type only)	124
5.3.14	TFT-Packet-Filter-Information AVP (3GPP-GPRS access type only).....	125
5.3.15	ToS-Traffic-Class AVP (All access types)	125
5.3.16	QoS-Information AVP (All access types).....	125
5.3.17	QoS-Class-Identifier AVP (All access types)	126
5.3.18	Charging-Rule-Report AVP (All access types)	128
5.3.19	PCC-Rule-Status AVP (All access types).....	128
5.3.20	Bearer-Identifier AVP (Applicable access type 3GPP-GPRS)	129
5.3.21	Bearer-Operation AVP (Applicable access type 3GPP-GPRS).....	129
5.3.22	Access-Network-Charging-Identifier-Gx AVP (All access types)	129
5.3.23	Bearer-Control-Mode AVP.....	130
5.3.24	Network-Request-Support AVP	130
5.3.25	Guaranteed-Bitrate-DL AVP	130
5.3.26	Guaranteed-Bitrate-UL AVP	130
5.3.27	IP-CAN-Type AVP (All access types)	130
5.3.28	QoS-Negotiation AVP (3GPP-GPRS Access Type only).....	131
5.3.29	QoS-Upgrade AVP (3GPP-GPRS Access Type only).....	132
5.3.30	Event-Report-Indication AVP (All access types)	132
5.3.31	RAT-Type AVP.....	133
5.3.32	Allocation-Retention-Priority AVP (All access types)	134
5.3.33	CoA-IP-Address AVP (All access types)	134
5.3.34	Tunnel-Header-Filter AVP (All access types)	134
5.3.35	Tunnel-Header-Length AVP (All access types)	135
5.3.36	Tunnel-Information AVP (All access types)	135
5.3.37	CoA-Information AVP (All access types)	135
5.3.38	Rule-Failure-Code AVP (All access types)	135
5.3.39	APN-Aggregate-Max-Bitrate-DL AVP	138
5.3.40	APN-Aggregate-Max-Bitrate-UL AVP	138
5.3.41	Revalidation-Time (ALL Access Types)	138
5.3.42	Rule-Activation-Time (ALL Access Types).....	138
5.3.43	Rule-Deactivation-Time (ALL Access Types)	138
5.3.44	Session-Release-Cause (All access types)	138
5.3.45	Priority-Level AVP (All access types).....	139
5.3.46	Pre-emption-Capability AVP.....	139
5.3.47	Pre-emption-Vulnerability AVP	140
5.3.48	Default-EPS-Bearer-QoS AVP.....	140
5.3.49	AN-GW-Address AVP (All access types)	140
5.3.50	Resource-Allocation-Notification AVP (All access types).....	140
5.3.51	Security-Parameter-Index AVP (All access types).....	141
5.3.52	Flow-Label AVP (All access types)	141
5.3.53	Flow-Information AVP (All access types).....	141
5.3.54	Packet-Filter-Content AVP	141
5.3.55	Packet-Filter-Identifier AVP.....	142
5.3.56	Packet-Filter-Information AVP	142
5.3.57	Packet-Filter-Operation AVP.....	143

5.3.58	PDN-Connection-ID AVP	143
5.3.59	Monitoring-Key AVP	143
5.3.60	Usage-Monitoring-Information AVP.....	143
5.3.61	Usage-Monitoring-Level AVP.....	144
5.3.62	Usage-Monitoring-Report AVP.....	144
5.3.63	Usage-Monitoring-Support AVP	144
5.3.64	CSG-Information-Reporting AVP	145
5.3.65	Flow-Direction AVP	145
5.3.66	Packet-Filter-Usage AVP (All access types)	145
5.3.67	Charging-Correlation-Indicator AVP (All access types)	146
5.3.68	Routing-Rule-Install AVP	146
5.3.69	Routing-Rule-Remove AVP	146
5.3.70	Routing-Rule-Definition AVP	146
5.3.71	Routing-Rule-Identifier AVP.....	147
5.3.72	Routing-Filter AVP.....	147
5.3.73	Routing-IP-Address AVP	147
5.3.74	Void	147
5.3.75	Void	147
5.3.76	Void	147
5.3.77	TDF-Application-Identifier AVP.....	147
5.3.78	TDF-Information AVP	148
5.3.79	TDF-Destination-Realm AVP	148
5.3.80	TDF-Destination-Host AVP	148
5.3.81	TDF-IP-Address AVP.....	148
5.3.82	Redirect-Information AVP	148
5.3.83	Redirect-Support AVP.....	148
5.3.84	PS-to-CS-Session-Continuity AVP (3GPP-EPS access type only)	149
5.3.85	Void	149
5.3.86	Void	149
5.3.87	Void	149
5.3.88	Void	149
5.3.89	Void	149
5.3.90	Void	149
5.3.91	Application-Detection-Information AVP	149
5.3.92	TDF-Application-Instance-Identifier AVP	150
5.3.93	Void	150
5.3.94	Void	150
5.3.95	HeNB-Local-IP-Address AVP (3GPP-EPS access type only)	150
5.3.96	UE-Local-IP-Address AVP (Non-3GPP-EPS access type only)	150
5.3.97	UDP-Source-Port AVP (3GPP-EPS and Non-3GPP-EPS access types)	150
5.3.98	Mute-Notification AVP	150
5.3.99	Monitoring-Time AVP	151
5.3.100	AN-GW-Status AVP (3GPP-EPS access type).....	151
5.3.101	User-Location-Info-Time AVP.....	151
5.3.102	Credit-Management-Status AVP	151
5.3.103	Default-QoS-Information AVP (FBA access type)	151
5.3.104	Default-QoS-Name AVP (FBA access type).....	152
5.3.105	Conditional-APN-Aggregate-Max-Bitrate (All access types)	152
5.3.106	RAN-NAS-Release-Cause AVP (3GPP-EPS and Non-3GPP-EPS access type).....	152
5.3.107	Presence-Reporting-Area-Elements-List AVP (3GPP-EPS access type)	153
5.3.108	Presence-Reporting-Area-Identifier AVP (3GPP-EPS access type).....	153
5.3.109	Presence-Reporting-Area-Information AVP (3GPP-EPS access type).....	153
5.3.110	Presence-Reporting-Area-Status AVP (3GPP-EPS access type).....	153
5.3.111	NetLoc-Access-Support AVP.....	153
5.3.112	Fixed-User-Location-Info AVP (FBA access type).....	154
5.3.113	PCSCF-Restoration-Indication AVP	154
5.3.114	IP-CAN-Session-Charging-Scope AVP	154
5.3.115	Monitoring-Flags AVP	154
5.3.116	NBIFOM-Support AVP	154
5.3.117	NBIFOM-Mode AVP	155
5.3.118	Routing-Rule-Report AVP	155
5.3.119	Routing-Rule-Failure-Code AVP	155

5.3.120	Default-Access AVP	156
5.3.121	Access-Availability-Change-Reason AVP	156
5.3.122	RAN-Rule-Support AVP	156
5.3.123	Traffic-Steering-Policy-Identifier-DL AVP	156
5.3.124	Traffic-Steering-Policy-Identifier-UL AVP	156
5.3.125	Resource-Release-Notification AVP (All access types)	157
5.3.126	Removal-Of-Access AVP	157
5.3.127	Execution-Time AVP (ALL Access Types)	157
5.3.128	Conditional-Policy-Information AVP	157
5.3.129	TCP-Source-Port AVP (Non-3GPP-EPS access type)	157
5.4	Gx re-used AVPs	158
5.4.0	General	158
5.4.1	Use of the Supported-Features AVP on the Gx reference point	163
5.4.2	Flow-Description AVP	166
5.5	Gx specific Experimental-Result-Code AVP values	167
5.5.1	General	167
5.5.2	Success	167
5.5.3	Permanent Failures	167
5.5.4	Transient Failures	168
5.6	Gx Messages	169
5.6.1	Gx Application	169
5.6.2	CC-Request (CCR) Command	169
5.6.3	CC-Answer (CCA) Command	170
5.6.4	Re-Auth-Request (RAR) Command	171
5.6.5	Re-Auth-Answer (RAA) Command	172
5a	Gxx protocols	172
5a.1	Protocol support	172
5a.2	Initialization, maintenance and termination of connection and session	173
5a.3	Gxx specific AVPs	173
5a.3.0	General	173
5a.3.1	QoS-Rule-Install AVP (All access types)	173
5a.3.2	QoS-Rule-Remove AVP (All access types)	174
5a.3.3	QoS-Rule-Definition AVP (All access types)	174
5a.3.4	QoS-Rule-Name AVP (All access types)	175
5a.3.5	QoS-Rule-Report AVP (All access types)	175
5a.3.6	Session-Linking-Indicator AVP (All access types)	175
5a.3.7	QoS-Rule-Base-Name AVP (All access types)	176
5a.4	Gxx re-used AVPs	176
5a.4.0	General	176
5a.4.1	Use of the Supported-Features AVP on the Gxx reference point	180
5a.5	Gxx specific Experimental-Result-Code AVP values	182
5a.6	Gxx Messages	182
5a.6.1	Gxx Application	182
5a.6.2	CC-Request (CCR) Command	182
5a.6.3	CC-Answer (CCA) Command	183
5a.6.4	Re-Auth-Request (RAR) Command	183
5a.6.5	Re-Auth-Answer (RAA) Command	184
5b	Sd protocol	184
5b.1	Protocol support	184
5b.2	Initialization, maintenance and termination of connection and session	185
5b.3	Sd specific AVPs	185
5b.3.0	General	185
5b.3.1	ADC-Rule-Install AVP	185
5b.3.2	ADC-Rule-Remove AVP	186
5b.3.3	ADC-Rule-Definition AVP	186
5b.3.4	ADC-Rule-Base-Name AVP	187
5b.3.5	ADC-Rule-Name AVP	187
5b.3.6	ADC-Rule-Report AVP	187
5b.3.7	Void	187
5b.4	Sd re-used AVPs	187

5b.4.0	General.....	187
5b.4.1	Use of the Supported-Features AVP on the Sd reference point.....	195
5b.5	Sd specific Experimental-Result-Code AVP values.....	196
5b.5.1	General.....	196
5b.5.2	Success.....	196
5b.5.3	Permanent Failures	196
5b.5.4	Transient Failures	196
5b.6	Sd Messages	197
5b.6.1	Sd Application	197
5b.6.2	TDF-Session-Request (TSR) Command.....	197
5b.6.3	TDF-Session-Answer (TSA) Command.....	198
5b.6.4	CC-Request (CCR) Command.....	198
5b.6.5	CC-Answer (CCA) Command.....	199
5b.6.6	Re-Auth-Request (RAR) Command	199
5b.6.7	Re-Auth-Answer (RAA) Command	200
5c	St Diameter protocol	200
5c.1	St Application.....	200
5c.2	Initialization, maintenance and termination of connection and session.....	200
5c.3	St specific AVPs.....	201
5c.3.1	General.....	201
5c.3.2	Request-Type AVP	201
5c.4	St re-used AVPs	201
5c.4.1	General.....	201
5c.4.2	Use of the Supported-Features AVP on the St reference point.....	203
5c.5	St specific Experimental-Result-Code AVP values	204
5c.5.1	General.....	204
5c.5.2	Success.....	204
5c.5.3	Permanent Failures	204
5c.5.4	Transient Failures	204
5c.6	St Messages	205
5c.6.1	General.....	205
5c.6.2	TDF-Session-Request (TSR) Command.....	205
5c.6.3	TDF-Session-Answer (TSA) Command.....	205
5c.6.4	Session-Termination-Request (STR) command	206
5c.6.5	Session-Termination-Answer (STA) command.....	206
5c.6.6	TSSF-Notification-Request (TNR) Command	207
5c.6.7	TSSF-Notification-Answer (TNA) Command.....	207
Annex A (normative): Access specific aspects (GPRS).....		208
A.1	Scope.....	208
A.2	Reference model.....	208
A.2	Functional elements.....	208
A.2.1	PCRF	208
A.3	PCC procedures.....	208
A.3.1	Request for PCC rules	208
A.3.2	Provisioning of PCC rules	209
A.3.2.1	PCC rule request for services not known to PCRF.....	210
A.3.2.2	Selecting a PCC rule and IP CAN Bearer for Downlink IP packets.....	210
A.3.3	Provisioning and Policy Enforcement of Authorized QoS	210
A.3.3.0	Overview	210
A.3.3.1	Provisioning of authorized QoS per IP CAN bearer.....	210
A.3.3.2	Policy enforcement for authorized QoS per IP CAN bearer.....	212
A.3.3.2a	Policy provisioning for authorized QoS per service data flow	212
A.3.3.3	Policy enforcement for authorized QoS per service data flow.....	212
A.3.3.3a	Coordination of authorized QoS scopes in mixed mode.....	212
A.3.3.3b	Provisioning of authorized QoS per QCI.....	213
A.3.3.4	Policy enforcement for authorized QoS per QCI.....	213
A.3.3.5	Void	213
A.3.3.6	Provisioning of authorized QoS per APN.....	213

A.3.4	Indication of IP-CAN Bearer Termination Implications	213
A.3.5	Indication of IP-CAN Session Termination	213
A.3.6	Request of IP-CAN Bearer Termination	214
A.3.7	Request of IP-CAN Session Termination.....	214
A.3.8	Bearer Control Mode Selection	214
A.3.9	Bearer Binding Mechanism	215
A.3.10	Void.....	215
A.3.11	PCC Rule Error Handling.....	215
A.3.12	IMS Emergency Session Support.....	215
A.3.12.1	Request of PCC Rules for an Emergency services	215
A.3.12.2	Provisioning of PCC Rules for an Emergency services.....	215
A.3.13	Removal of PCC Rules for Emergency Services	216
A.3.14	Removal of PCC Rules at Gx session termination	216
A.3.15	IMS Restoration Support.....	216
A.3.16	Provisioning of CSG information reporting indication	216
A.3.17	Packet-Filter-Usage AVP	216
A.3.18	Precedence handling	217
A.3.19	Reporting Access Network Information.....	217
A.3.20	User CSG Information Reporting.....	217
A.4	QoS mapping.....	217
A.4.1	GPRS QCI to UMTS QoS parameter mapping	217
A.4.2	GPRS ARP to UMTS ARP parameter mapping.....	218
Annex B (normative): Access specific aspects, 3GPP (GERAN/UTRAN/E-UTRAN) EPS		219
B.1	Scope	219
B.2	Functional Elements.....	219
B.2.1	PCRF	219
B.2.2	PCEF	219
B.2.3	BBERF	219
B.3	PCC procedures.....	219
B.3.1	Request for PCC and/or QoS rules	219
B.3.2	Provisioning of PCC and/or QoS rules.....	221
B.3.3	Provisioning and Policy Enforcement of Authorized QoS	221
B.3.3.1	Provisioning of authorized QoS per APN.....	221
B.3.3.2	Policy enforcement for authorized QoS per APN.....	221
B.3.3.3	QoS handling for interoperation with Gn/Gp SGSN	221
B.3.3.4	Void	224
B.3.3.5	Policy provisioning for authorized QoS per service data flow	224
B.3.3.6	Policy enforcement for authorized QoS of the Default EPS Bearer	225
B.3.4	Packet-Filter-Information AVP	225
B.3.5	Bearer Control Mode Selection	225
B.3.6	Trace activation/deactivation at P-GW.....	225
B.3.7	IMS Restoration Support.....	225
B.3.8	Provisioning of CSG information reporting indication	225
B.3.9	Packet-Filter-Usage AVP	225
B.3.10	User CSG Information Reporting.....	226
B.3.10.1	GTP-based S5/S8.....	226
B.3.10.2	PMIP-based S5/S8.....	226
B.3.11	Request of IP-CAN Bearer Termination	226
B.3.12	CS to PS handover.....	226
B.3.13	Precedence handling.....	227
B.3.14	S-GW Restoration Support.....	227
B.3.15	Reporting Access Network Information.....	228
B.3.16	Presence Reporting Area Information reporting.....	228
Annex C (Informative): Mapping table for type of access networks.....		230
Annex D (normative): Access specific aspects (EPC-based Non-3GPP)		231
D.1	Scope	231

D.2	EPC-based eHRPD Access	231
D.2.1	General	231
D.2.2	Gxa procedures.....	231
D.2.2.1	Request for QoS rules	231
D.2.2.2	Provisioning of QoS rules.....	232
D.2.2.2.1	QoS rule request for services not known to PCRF.....	232
D.2.2.3	Provisioning and Policy Enforcement of Authorized QoS	232
D.2.2.3.1	Provisioning of authorized QoS	232
D.2.2.3.2	Policy enforcement for authorized QoS	232
D.2.3	Bearer Control Mode selection.....	232
D.2.4	QoS Mapping	233
D.2.4.1	QCI to eHRPD QoS parameter mapping	233
D.3	EPC-based Trusted WLAN Access with S2a.....	233
D.4	EPC-based Untrusted WLAN Access	233
Annex E (normative): Access specific aspects, Fixed Broadband Access interworking with EPC		235
E.1	Scope	235
E.2	Definitions and abbreviations.....	235
E.2.1	Definitions	235
E.2.2	Abbreviations	235
E.3	Reference points and Reference model	235
E.3.0	General	235
E.3.1	Gx Reference Point	236
E.3.2	Gxx Reference Point	236
E.3.3	S15 Reference Point	236
E.3.3a	Sd Reference Point	236
E.3.4	Reference Model	236
E.4	Functional Elements	239
E.4.1	PCRF	239
E.4.2	PCEF	240
E.4.3	BBERF	240
E.4.4	HNB GW	240
E.5	PCC procedures.....	240
E.5.1	PCC procedures over Gx reference point	240
E.5.2	PCC procedures over Gxx reference point	241
E.5.2.1	Gateway Control Session Establishment	241
E.5.2.2	Gateway Control Session Modification	241
E.5.2.3	Gateway Control Session Termination	241
E.5.2.4	Request of Gateway Control Session Termination	241
E.5.3	S15 Procedures.....	241
E.5.3.1	S15 Session Establishment	241
E.5.3.2	S15 Session Modification	242
E.5.3.2.1	S15 Session Modification initiated by the HNB GW.....	242
E.5.3.2.2	S15 Session Modification initiated by the PCRF.....	242
E.5.3.3	S15 Session Termination	242
E.5.4	ADC procedures over Sd reference point for solicited application reporting.....	242
E.5.4.1	TDF session establishment	242
E.5.5	ADC procedures over Sd reference point for unsolicited application reporting.....	243
E.5.5.1	General.....	243
E.5.5.2	TDF session to S9a* session linking	243
E.6	S15 Protocol	243
E.6.1	Protocol support	243
E.6.2	Initialization, maintenance and termination of connection and session.....	244
E.6.3	S15 specific AVPs.....	244
E.6.3.1	General.....	244
E.6.3.2	CS-Service-QoS-Request-Identifier	245

E.6.3.3	CS-Service-QoS-Request-Operation	245
E.6.3.4	CS-Service-Resource-Result-Operation	245
E.6.3.5	CS-Service-Resource-Failure-Cause	245
E.6.3.6	CS-Service-Resource-Report.....	245
E.6.4	S15 re- used AVPs	246
E.6.4.1	General.....	246
E.6.4.2	Use of the Supported-Features AVP on the S15 reference point.....	246
E.6.5	S15 specific Experimental-Result-Code AVP values.....	247
E.6.5.1	General.....	247
E.6.5.2	Success.....	247
E.6.5.3	Permanent Failures	247
E.6.5.4	Transient Failures	247
E.6.6	S15 Messages	247
E.6.6.1	S15 Application	247
E.6.6.2	CC-Request (CCR) Command.....	248
E.6.6.3	CC-Answer (CCA) Command.....	248
E.6.6.4	Re-Auth-Request (RAR) Command	248
E.6.6.5	Re-Auth-Answer (RAA) Command	249
Annex F (informative):	Disabling/re-enabling Usage Monitoring for a PCC/ADC rule	250
Annex G (normative):	Access specific aspects, Fixed Broadband Access network convergence	251
G.1	Scope	251
G.2	Definitions and abbreviations.....	251
G.2.1	Definitions	251
G.2.2	Abbreviations	251
G.3	Reference points and Reference model	252
G.3.1	Reference architecture	252
G.3.1.1	General.....	252
G.3.1.2	Reference architecture	252
G.3.2	Gx Reference Point	253
G.3.3	Sd Reference Point	253
G.4	Functional Elements.....	254
G.4.1	PCRF	254
G.4.2	PCEF(IP Edge).....	254
G.4.3	TDF	254
G.5	PCC procedures.....	254
G.5.1	Concept Adaptations for Fixed Broadband Access Network Convergence	254
G.5.1.1	General.....	254
G.5.1.2	IP-CAN session	255
G.5.1.3	IP-CAN bearer	255
G.5.1.4	PCC rule	255
G.5.1.5	ADC rule.....	255
G.5.1.6	Subscriber Identifier	255
G.5.1.7	Default QoS control.....	256
G.5.2	IP-CAN Session Establishment.....	256
G.5.3	IP-CAN Session Termination.....	257
G.5.4	IP-CAN Session Modification.....	257
G.5.4.1	PCEF-Initiated IP-CAN Session Modification	257
G.5.4.2	PCRF-Initiated IP-CAN Session Modification.....	258
Annex H (informative):	Policy Control for Remote UEs behind a ProSe UE-to-network relay UE.....	259
Annex I (informative):	Change history	260
History		264

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- Y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document provides the stage 3 specification of the Gx, Gxx and Sd reference points for the present release. The present document also provides the Diameter variant of St reference point for the present release. The functional requirements and the stage 2 specifications of the Gx, Gxx, Sd and St reference points are contained in 3GPP TS 23.203 [7]. The Gx reference point lies between the Policy and Charging Rule Function and the Policy and Charging Enforcement Function. The Gxx reference point lies between the Policy and Charging Rule Function and the Bearer Binding and Event Reporting Function. The Sd reference point lies between the Policy and Charging Rule Function and the Traffic Detection Function. The St reference point lies between the Policy and Charging Rule Function and the Traffic Steering Support Function.

Whenever it is possible the present document specifies the requirements for the protocol by reference to specifications produced by the IETF within the scope of Diameter. Where this is not possible, extensions to Diameter are defined within the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 29.210: "Charging Rule Provisioning over Gx Interface".
- [3] Void.
- [4] Void.
- [5] IETF RFC 3588: "Diameter Base Protocol".
- [6] Void.
- [7] 3GPP TS 23.203: "Policy Control and Charging architecture".
- [8] 3GPP TS 29.213: "Policy and charging control signalling flows and Quality of Service (QoS) parameter mapping".
- [9] IETF RFC 4006: "Diameter Credit Control Application".
- [10] 3GPP TS 29.214: "Policy and Charging Control over Rx reference point".
- [11] 3GPP TS 29.061: "Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN)".
- [12] IETF RFC 4005: "Diameter Network Access Server Application".
- [13] 3GPP TS 24.008: "Mobile radio interface Layer 3 specification".
- [14] 3GPP TS 29.229: "Cx and Dx interfaces based on Diameter protocol; Protocol details".
- [15] IETF RFC 3162: "Radius and Ipv6".