

ETSI TS 131 124 V14.0.1 (2017-06)



**Universal Mobile Telecommunications System (UMTS);
LTE;
Mobile Equipment (ME) conformance test specification;
Universal Subscriber Identity Module Application Toolkit
(USAT) conformance test specification
(3GPP TS 31.124 version 14.0.1 Release 14)**



Reference

RTS/TSGC-0631124vE01

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	12
3 Definitions and abbreviations.....	14
3.1 Mobile station definition and configurations.....	14
3.2 Applicability.....	14
3.2.1 Applicability of the present document.....	14
3.2.2 Applicability of the individual tests.....	14
3.2.3 Applicability to terminal equipment	14
3.2.4 Definitions	14
3.2.4.1 Format of the table of optional features	14
3.2.4.2 Format of the applicability table	15
3.2.4.3 Status and notations.....	15
3.3 Table of optional features.....	16
3.4 Applicability table	25
3.5 Conventions for mathematical notations	141
3.5.1 Mathematical signs	141
4 Test equipment	141
5 Testing methodology in general	141
5.1 Testing of optional functions and procedures.....	141
5.2 Test interfaces and facilities	141
5.3 Information to be provided by the apparatus supplier	141
6 Implicit testing.....	142
7 Measurement uncertainty	142
8 Format of tests.....	142
9 Generic call set up procedures.....	145
10 - 26Not used.....	145
27 Testing of the UICC/ME interface	145
27.1 - 27.21 Void.....	145
27.22 USIM Application Toolkit	145
27.22.1A General Test purpose	145
27.22.2A Definition of default values for USIM Application Toolkit testing	146
27.22.2B Definition of default values for LTE related USIM Application Toolkit testing.....	150
27.22.2B.1 Definition of E-UTRAN/EPC UICC.....	150
27.22.2B.2 Definition of E-UTRAN parameters	151
27.22.2C Definition of E-UTRAN/EPC ISIM-UICC.....	152
27.22.2C.1 Applications on the E-UTRAN/EPC ISIM-UICC	152
27.22.2C.2 Default USIM values of E-UTRAN/EPC ISIM-UICC	152
27.22.2C.3 Default ISIM values of E-UTRAN/EPC ISIM-UICC.....	152
27.22.2C.3.1 EF _{AD} (Administrative Data)	152
27.22.2C.3.2 EF _{IST} (ISIM Service Table).....	152
27.22.2C.3.3 EF _{IMPI} (IMS private user identity).....	152
27.22.2C.3.4 EF _{DOMAIN} (Home Network Domain Name).....	153
27.22.2C.3.5 EF _{IMPU} (IMS public user identity)	153
27.22.2C.3.6 EF _{P-CSCF} (P-CSCF ADDRESS)	154
27.22.2C.3.7 EF _{SMS} (Short Message Service)	154

27.22.2C.3.8	EF _{SMSR} (Short message status reports)	154
27.22.2C.3.9	EF _{SMSF} (Short message service parameters)	154
27.22.2C.3.10	EF _{SMS} (SMS Status)	155
27.22.2C.4	Default values at DF_TELECOM	155
27.22.2C.4.1	EF _{PSISMSC} (Public Service Identity of the SM-SC)	155
27.22.1	Initialization of USIM Application Toolkit Enabled UICC by USIM Application Toolkit Enabled	
	ME (Profile Download)	155
27.22.1.1	Definition and applicability	155
27.22.1.2	Conformance requirement	155
27.22.1.3	Test purpose	156
27.22.1.4	Method of test	156
27.22.1.4.1	Initial conditions	156
27.22.1.4.2	Procedure	156
27.22.1.5	Test requirement	156
27.22.2	Contents of the TERMINAL PROFILE command	156
27.22.2.1	Definition and applicability	156
27.22.2.2	Conformance requirement	157
27.22.2.3	Test purpose	157
27.22.2.4	Method of test	157
27.22.2.4.1	Initial conditions	157
27.22.2.4.2	Procedure	157
27.22.2.5	Test requirement	157
27.22.3	Servicing of proactive UICC commands	157
27.22.3.1	Definition and applicability	157
27.22.3.2	Conformance requirement	157
27.22.3.3	Test purpose	158
27.22.3.4	Method of test	158
27.22.3.4.1	Initial conditions	158
27.22.3.4.2	Procedure	158
27.22.3.5	Test requirement	158
27.22.4	Proactive UICC commands	158
27.22.4.1	DISPLAY TEXT	158
27.22.4.1.1	DISPLAY TEXT (Normal)	158
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user")	159
27.22.4.1.3	DISPLAY TEXT (Display of extension text)	160
27.22.4.1.4	DISPLAY TEXT (Sustained text)	161
27.22.4.1.5	DISPLAY TEXT (Display of icons)	163
27.22.4.1.6	DISPLAY TEXT (UCS2 display in Cyrillic)	164
27.22.4.1.7	DISPLAY TEXT (Variable Time out)	164
27.22.4.1.8	DISPLAY TEXT (Support of Text Attribute)	165
27.22.4.1.9	DISPLAY TEXT (UCS2 display in Chinese)	172
27.22.4.1.10	DISPLAY TEXT (UCS2 display in Katakana)	173
27.22.4.2	GET INKEY	173
27.22.4.2.1	GET INKEY(normal)	173
27.22.4.2.2	GET INKEY (No response from User)	174
27.22.4.2.3	GET INKEY (UCS2 display in Cyrillic)	175
27.22.4.2.4	GET INKEY (UCS2 entry in Cyrillic)	176
27.22.4.2.5	GET INKEY ("Yes/No" Response)	177
27.22.4.2.6	GET INKEY (display of Icon)	177
27.22.4.2.7	GET INKEY (Help Information)	179
27.22.4.2.8	GET INKEY (Variable Time out)	179
27.22.4.2.9	GET INKEY (Support of Text Attribute)	180
27.22.4.2.10	GET INKEY (UCS2 display in Chinese)	187
27.22.4.2.11	GET INKEY (UCS2 entry in Chinese)	187
27.22.4.2.12	GET INKEY (UCS2 display in Katakana)	188
27.22.4.2.13	GET INKEY (UCS2 entry in Katakana)	189
27.22.4.3	GET INPUT	190
27.22.4.3.1	GET INPUT (normal)	190
27.22.4.3.2	GET INPUT (No response from User)	191
27.22.4.3.3	GET INPUT (UCS2 display in Cyrillic)	192
27.22.4.3.4	GET INPUT (UCS2 entry in Cyrillic)	192
27.22.4.3.5	GET INPUT (default text)	193

27.22.4.3.6	GET INPUT (display of Icon)	194
27.22.4.3.7	GET INPUT (Help Information)	195
27.22.4.3.8	GET INPUT (Support of Text Attribute)	196
27.22.4.3.9	GET INPUT (UCS2 display in Chinese).....	202
27.22.4.3.10	GET INPUT (UCS2 entry in Chinese)	203
27.22.4.3.11	GET INPUT (UCS2 display in Katakana).....	204
27.22.4.3.12	GET INPUT (UCS2 entry in Katakana).....	205
27.22.4.4	MORE TIME	205
27.22.4.4.2	Conformance requirement	205
27.22.4.4.3	Test purpose	206
27.22.4.4.4	Method of test.....	206
27.22.4.4.5	Test requirement	206
27.22.4.5	PLAY TONE.....	206
27.22.4.5.1	PLAY TONE (Normal)	206
27.22.4.5.2	PLAY TONE (UCS2 display in Cyrillic).....	212
27.22.4.5.3	PLAY TONE (display of Icon)	213
27.22.4.5.4	PLAY TONE (Support of Text Attribute).....	214
27.22.4.5.5	PLAY TONE (UCS2 display in Chinese)	221
27.22.4.5.6	PLAY TONE (UCS2 display in Katakana).....	222
27.22.4.6	POLL INTERVAL.....	222
27.22.4.6.1	Definition and applicability	222
27.22.4.6.2	Conformance requirement	222
27.22.4.6.3	Test purpose	223
27.22.4.6.4	Method of test.....	223
27.22.4.7	REFRESH	223
27.22.4.7.1	REFRESH (normal).....	223
27.22.4.7.2	REFRESH (IMSI changing procedure).....	233
27.22.4.7.3	REFRESH (Steering of roaming)	245
27.22.4.7.4	REFRESH (AID).....	263
27.22.4.7.5	REFRESH (IMSI changing procedure, E-UTRAN).....	266
27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION	271
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION.....	271
27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION.....	272
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION	273
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION.....	274
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION.....	275
27.22.4.8.6	SET UP MENU (support of Text Attribute) and ENVELOPE MENU SELECTION	276
27.22.4.8.7	SET UP MENU (UCS2 display in Cyrillic) and ENVELOPE MENU SELECTION.....	283
27.22.4.8.8	SET UP MENU (UCS2 display in Chinese) and ENVELOPE MENU SELECTION	284
27.22.4.8.9	SET UP MENU (UCS2 display in Katakana) and ENVELOPE MENU SELECTION.....	285
27.22.4.9	SELECT ITEM	286
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM).....	286
27.22.4.9.2	SELECT ITEM (next action support).....	287
27.22.4.9.3	SELECT ITEM (default item support)	288
27.22.4.9.4	SELECT ITEM (help request support).....	288
27.22.4.9.5	SELECT ITEM (icons support).....	289
27.22.4.9.6	SELECT ITEM (presentation style)	290
27.22.4.9.7	SELECT ITEM (soft keys support).....	291
27.22.4.9.8	SELECT ITEM (Support of "No response from user").....	291
27.22.4.9.9	SELECT ITEM (Support of Text Attribute).....	292
27.22.4.9.10	SELECT ITEM (UCS2 display in Cyrillic).....	298
27.22.4.9.11	SELECT ITEM (UCS2 display in Chinese)	299
27.22.4.9.12	SELECT ITEM (UCS2 display in Katakana).....	300
27.22.4.10	SEND SHORT MESSAGE.....	301
27.22.4.10.1	SEND SHORT MESSAGE (normal)	301
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 display in Cyrillic)	302
27.22.4.10.3	SEND SHORT MESSAGE (icon support).....	308
27.22.4.10.4	SEND SHORT MESSAGE (Support of Text Attribute).....	314
27.22.4.10.5	SEND SHORT MESSAGE (UCS2 display in Chinese)	352
27.22.4.10.6	SEND SHORT MESSAGE (UCS2 display in Katakana)	357
27.22.4.10.7	SEND SHORT MESSAGE (IMS)	363
27.22.4.10.8	SEND SHORT MESSAGE (over SGs in E-UTRAN)	375

27.22.4.11	SEND SS	376
27.22.4.11.1	SEND SS (normal)	376
27.22.4.11.2	SEND SS (Icon support).....	388
27.22.4.11.3	SEND SS (UCS2 display in Cyrillic)	394
27.22.4.11.4	SEND SS (support of Text Attribute).....	396
27.22.4.11.5	SEND SS (UCS2 display in Chinese)	430
27.22.4.11.6	SEND SS (UCS2 display in Katakana)	432
27.22.4.12	SEND USSD	434
27.22.4.12.1	SEND USSD (normal)	434
27.22.4.12.2	SEND USSD (Icon support).....	444
27.22.4.12.3	SEND USSD (UCS2 display in Cyrillic)	450
27.22.4.12.4	SEND USSD (support of Text Attribute).....	452
27.22.4.12.5	SEND USSD (UCS2 display in Chinese).....	486
27.22.4.12.6	SEND USSD (UCS2 display in Katakana).....	488
27.22.4.13	SET UP CALL	491
27.22.4.13.1	SET UP CALL (normal).....	491
27.22.4.13.2	SET UP CALL (second alpha identifier).....	503
27.22.4.13.3	SET UP CALL (display of icons).....	505
27.22.4.13.4	SET UP CALL (support of Text Attribute).....	514
27.22.4.13.5	SET UP CALL (UCS2 Display in <i>Cyrillic</i>)	556
27.22.4.13.6	SET UP CALL (UCS2 Display in Chinese).....	559
27.22.4.13.7	SET UP CALL (UCS2 Display in Katakana).....	562
27.22.4.14	POLLING OFF	565
27.22.4.14.1	Definition and applicability	565
27.22.4.14.2	Conformance requirement	565
27.22.4.14.3	Test purpose	565
27.22.4.14.4	Method of test.....	565
27.22.4.14.5	Test requirement	568
27.22.4.15	PROVIDE LOCAL INFORMATION	568
27.22.4.15.1	Definition and applicability	568
27.22.4.15.2	Conformance requirement	568
27.22.4.15.3	Test purpose	568
27.22.4.15.4	Method of tests	569
27.22.4.15.5	Test requirement	587
27.22.4.16	SET UP EVENT LIST	587
27.22.4.16.1	SET UP EVENT LIST (normal)	587
27.22.4.17	PERFORM CARD APDU	596
27.22.4.17.1	PERFORM CARD APDU (normal).....	596
27.22.4.17.2	PERFORM CARD APDU (detachable card reader)	597
27.22.4.18	POWER OFF CARD	598
27.22.4.18.1	POWER OFF CARD (normal).....	598
27.22.4.18.2	POWER OFF CARD (detachable card reader)	599
27.22.4.19	POWER ON CARD	600
27.22.4.19.1	POWER ON CARD (normal)	600
27.22.4.19.2	POWER ON CARD (detachable card reader).....	601
27.22.4.20	GET READER STATUS	601
27.22.4.20.1	GET READER STATUS (normal)	601
27.22.4.20.2	GET CARD READER STATUS (detachable card reader).....	602
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION	603
27.22.4.21.1	TIMER MANAGEMENT (normal).....	603
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal)	604
27.22.4.22	SET UP IDLE MODE TEXT.....	605
27.22.4.22.1	SET UP IDLE MODE TEXT (normal)	605
27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support)	610
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	611
27.22.4.22.4	SET UP IDLE MODE TEXT (support of Text Attribute)	612
27.22.4.22.5	SET UP IDLE MODE TEXT (UCS2 display in Chinese)	618
27.22.4.22.6	SET UP IDLE MODE TEXT (UCS2 display in Katakana)	619
27.22.4.23	RUN AT COMMAND.....	620
27.22.4.23.1	RUN AT COMMAND (normal)	620
27.22.4.23.2	RUN AT COMMAND (Icon support)	622
27.22.4.23.3	RUN AT COMMAND (support of Text Attribute).....	629

27.22.4.23.4	RUN AT COMMAND (UCS2 display in Cyrillic)	663
27.22.4.23.5	RUN AT COMMAND (UCS2 display in Chinese)	663
27.22.4.23.6	RUN AT COMMAND (UCS2 display in Katakana)	664
27.22.4.24	SEND DTMF	665
27.22.4.24.1	SEND DTMF (Normal).....	665
27.22.4.24.2	SEND DTMF (Display of icons).....	670
27.22.4.24.3	SEND DTMF (UCS2 display in Cyrillic)	675
27.22.4.24.4	SEND DTMF (support of Text Attribute)	677
27.22.4.24.5	SEND DTMF (UCS2 Display in Chinese)	725
27.22.4.24.6	SEND DTMF (UCS2 Display in Katakana).....	727
27.22.4.25	LANGUAGE NOTIFICATION	728
27.22.4.25.1	Definition and applicability	728
27.22.4.25.2	Conformance Requirement.....	728
27.22.4.25.3	Test purpose	728
27.22.4.25.4	Method of Test	729
27.22.4.25.5	Test requirement	729
27.22.4.26	LAUNCH BROWSER.....	729
27.22.4.26.1	LAUNCH BROWSER (No session already launched)	729
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	736
27.22.4.26.3	LAUNCH BROWSER (UCS2 display in Cyrillic)	740
27.22.4.26.4	LAUNCH BROWSER (icons support)	743
27.22.4.26.5	LAUNCH BROWSER (support of Text Attribute).....	748
27.22.4.26.6	LAUNCH BROWSER (UCS2 Display in Chinese).....	790
27.22.4.26.7	LAUNCH BROWSER (UCS2 Display in Katakana)	792
27.22.4.27	OPEN CHANNEL	794
27.22.4.27.1	Void.....	794
27.22.4.27.2	Open Channel (related to GPRS).....	794
27.22.4.27.3	Open Channel (default bearer)	811
27.22.4.27.3.1	Open Channel (default bearer, E-UTRAN)	811
27.22.4.27.3.2	Open Channel (Default bearer, GERAN/UTRAN)	811
27.22.4.27.4	Open Channel (Local Bearer).....	814
27.22.4.27.5	Open Channel (GPRS, support of Text Attribute).....	814
27.22.4.27.6	Open Channel (related to E-UTRAN)	874
27.22.4.27.7	Open Channel (UICC Access to IMS).....	886
27.22.4.28	CLOSE CHANNEL	891
27.22.4.28.1	CLOSE CHANNEL(normal)	891
27.22.4.28.2	CLOSE CHANNEL (support of Text Attribute)	897
27.22.4.28.3	CLOSE CHANNEL(E-UTRAN/EPC).....	940
27.22.4.29	RECEIVE DATA.....	944
27.22.4.29.1	RECEIVE DATA (NORMAL)	944
27.22.4.29.1.5	Test requirement	962
27.22.4.29.2	RECEIVE DATA (support of Text Attribute).....	962
27.22.4.30	SEND DATA	1000
27.22.4.30.1	SEND DATA (normal).....	1000
27.22.4.30.2	SEND DATA (support of Text Attribute)	1015
27.22.4.30.3	SEND DATA (E-UTRAN)	1046
27.22.4.31	GET CHANNEL STATUS	1055
27.22.4.31.1	Definition and applicability	1055
27.22.4.31.2	Conformance requirements.....	1055
27.22.4.31.3	Test purpose	1055
27.22.4.31.4	Method of test.....	1055
27.22.4.31.5	Test requirement	1070
27.22.5	Data Download to UICC.....	1070
27.22.5.1	SMS-PP Data Download.....	1070
27.22.5.1.1	Definition and applicability	1070
27.22.5.1.2	Conformance requirement	1070
27.22.5.1.3	Test purpose	1070
27.22.5.1.4	Method of Test	1071
27.22.5.1.5	Test requirement	1072
27.22.5.2	Cell Broadcast Data Download	1072
27.22.5.2.1	Definition and applicability	1072
27.22.5.2.2	Conformance requirement	1072

27.22.5.2.3	Test purpose	1072
27.22.5.2.4	Method of Test	1072
27.22.5.2.5	Test requirement	1077
27.22.5.3	SMS-PP Data Download over IMS	1077
27.22.5.3.1	Definition and applicability	1077
27.22.5.3.2	Conformance requirement	1077
27.22.5.3.3	Test purpose	1078
27.22.5.3.4	Method of Test	1078
27.22.5.3.5	Test requirement	1087
27.22.5.4	SMS-PP Data Download over SGs in E-UTRAN	1087
27.22.5.4.1	Definition and applicability	1087
27.22.5.4.2	Conformance requirement	1087
27.22.5.4.3	Test purpose	1087
27.22.5.4.4	Method of Test	1088
27.22.5.4.5	Test requirement	1088
27.22.6	CALL CONTROL BY USIM	1088
27.22.6.1	Procedure for Mobile Originated calls	1088
27.22.6.1.1	Definition and applicability	1088
27.22.6.1.2	Conformance requirement	1088
27.22.6.1.3	Test purpose	1088
27.22.6.1.4	Method of tests	1089
27.22.6.1.5	Test requirement	1109
27.22.6.2	Procedure for Supplementary (SS) Services	1109
27.22.6.2.1	Definition and applicability	1109
27.22.6.2.2	Conformance requirement	1110
27.22.6.2.3	Test purpose	1110
27.22.6.2.4	Method of tests	1110
27.22.6.2.5	Test requirement	1117
27.22.6.3	Interaction with Fixed Dialling Number (FDN)	1117
27.22.6.3.1	Definition and applicability	1117
27.22.6.3.2	Conformance requirement	1117
27.22.6.3.3	Test purpose	1117
27.22.6.3.4	Method of tests	1118
27.22.6.3.5	Test requirement	1124
27.22.6.4	Support of Barred Dialling Number (BDN) service	1124
27.22.6.4.1	Definition and applicability	1124
27.22.6.4.2	Conformance requirement	1124
27.22.6.4.3	Test purpose	1125
27.22.6.4.4	Method of tests	1125
27.22.6.4.5	Test requirement	1135
27.22.6.5	Barred Dialling Number (BDN) service handling for terminals not supporting BDN	1136
27.22.6.5.1	Definition and applicability	1136
27.22.6.5.2	Conformance requirement	1136
27.22.6.5.3	Test purpose	1136
27.22.6.5.4	Method of tests	1136
27.22.7	EVENT DOWNLOAD	1137
27.22.7.1	MT Call Event	1137
27.22.7.1.1	MT Call Event (normal)	1137
27.22.7.2	Call Connected Event	1139
27.22.7.2.1	Call Connected Event (MT and MO call)	1139
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL)	1146
27.22.7.3	Call Disconnected Event	1149
27.22.7.3.1	Call Disconnected Event	1149
27.22.7.4	Location Status Event	1153
27.22.7.4.1	Location Status Event (normal)	1153
27.22.7.5	User Activity Event	1160
27.22.7.5.1	User Activity Event (normal)	1160
27.22.7.6	Idle screen available event	1160
27.22.7.6.1	Idle Screen Available (normal)	1160
27.22.7.7	Card reader status event	1161
27.22.7.7.1	Card Reader Status (normal)	1161
27.22.7.7.2	Card Reader Status(detachable card reader)	1162

27.22.7.8	Language selection event	1162
27.22.7.8.1	Language selection event (normal).....	1162
27.22.7.9	Browser termination event	1163
27.22.7.9.1	Browser termination (normal)	1163
27.22.7.10	Data available event	1165
27.22.7.10.1	Definition and applicability	1165
27.22.7.10.2	Conformance requirements.....	1165
27.22.7.10.3	Test purpose	1165
27.22.7.10.4	Method of test.....	1165
27.22.7.11	Channel Status event	1169
27.22.7.11.1	Definition and applicability	1169
27.22.7.11.2	Conformance requirements.....	1169
27.22.7.11.3	Test purpose	1169
27.22.7.11.4	Method of test.....	1169
27.22.7.12	Access Technology Change event.....	1173
27.22.7.13	Display parameter changed event	1175
27.22.7.14	Local Connection event.....	1175
27.22.7.15	Network search mode change event.....	1175
27.22.7.15.1	Definition and applicability	1175
27.22.7.15.2	Conformance requirements.....	1175
27.22.7.15.3	Test purpose	1175
27.22.7.15.4	Method of test.....	1176
27.22.7.16	Browsing status event	1177
27.22.7.17	Network Rejection Event	1177
27.22.7.18	CSG Cell Selection event.....	1181
27.22.7.18.1	CSG Cell Selection (normal).....	1181
27.22.7.19	IMS registration event.....	1187
27.22.7.20	Incoming IMS data event	1187
27.22.7.20.1	Incoming IMS data (normal)	1187
27.22.8	MO SHORT MESSAGE CONTROL BY USIM	1192
27.22.8.1	Definition and applicability.....	1192
27.22.8.2	Conformance requirement.....	1192
27.22.8.3	Test purpose	1192
27.22.8.4	Method of tests.....	1193
27.22.8.4.1	Initial conditions.....	1193
27.22.8.4.2	Procedure.....	1194
27.22.8.5	Test requirement	1202
27.22.9	Handling of command number	1202
27.22.9.1	Definition and applicability.....	1202
27.22.9.2	Conformance requirement.....	1202
27.22.9.3	Test purpose	1202
27.22.9.4	Method of tests.....	1203
27.22.9.4.1	Initial conditions	1203
27.22.9.4.2	Procedure.....	1203
27.22.9.5	Test requirement	1203
Annex A (normative):	Details of Test-SIM (TestSIM).....	1204
Annex B (normative):	Details of terminal profile support	1206
Annex C (informative):	Change history	1220
History		1227

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

The present document describes the technical characteristics and methods of test for testing the USIM Application Toolkit implemented in 3rd Generation Mobile Equipments (ME) or Mobile Station (MS) for the LTE-Advanced, LTE, 3G and 2G digital cellular communications systems within the 3GPP digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETSI ETS 300 406 [20].

The present document is valid for ME implemented according to 3GPP Release 99, or Release 4, or any later Release.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the 3GPP-series of technical specifications. The present document neither replaces any of the other 3GPP technical specifications or 3GPP related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the UMTS. The present document lists the requirements, and provides the methods of test for testing the USIM Application Toolkit implemented in a ME for conformance to the 3GPP standard.

For a full description of the system, reference should be made to all the 3GPP technical specifications or 3GPP related ETSIs, ETSs or ENs. Clause 2 provides a complete list of the 3GPP technical specifications, 3GPP related ETSI's EtSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other 3GPP technical specification or 3GPP related ETSI, ETS, EN, or 3GPP TS, then the other 3GPP technical specification or 3GPP related ETSI ETS, EN or 3GPP TS shall prevail.

Within the context of this document, the term "terminal" used in ETSI TS 102 384 [26] refers to the Mobile Equipment (ME).

Within the context of this document, the term "UICC" used in ETSI TS 102 384 [26] refers to the USIM card.

Within the context of this document, the term "NAA" used in ETSI TS 102 384 [26] refers to the USIM application.

For the avoidance of doubt, references to clauses of ETSI TS 102 384 [26] or ETSI TS 102 221 [13] include all the subclauses of that clause, unless specifically mentioned.

The target test specification ETSI TS 102 384 [26] contains material that is outside of the scope of 3GPP requirements and the present document indicates which parts are in the scope and which are not.

A 3GPP ME may support functionality that is not required by 3GPP, but the requirements to do so are outside of the scope of 3GPP. Thus the present document does not contain tests or references to ETSI TS 102 384 [26] tests for features which are out of scope of 3GPP.

In the present document, unless explicitly stated otherwise, for Rel-13 onwards the term E-UTRAN implicitly refers to the E-UTRAN in WB-S1 mode. E-UTRAN in NB-S1 mode is always explicitly referred to as NB-IoT.