# INTERNATIONAL STANDARD

ISO 8130-16

First edition 2022-10

## Coating powders —

Part 16:

Determination of density by liquid displacement in a measuring cylinder



### ISO 8130-16:2022(E)



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Cor	ntents	Page
Fore	eword	iv
1	Scope	
2	Normative references	1
3	Terms and definitions	1
4	Principle	1
5	Materials	1
6	Apparatus	
7	Sampling	2
8	Procedure	2
	8.1 Number of determinations and test temperature	2
9	Expression of results	2
10	Precision	3
11	Test report	3
Bibli	iography	4

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

A list of all parts in the ISO 8130 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Coating powders —

### Part 16:

## Determination of density by liquid displacement in a measuring cylinder

### 1 Scope

This document specifies a method for determining the density of coating powders by liquid displacement in a measuring cylinder. The method is based on a determination of the mass and the volume of a test portion. It can be used for all types of coating powders.

NOTE If the powder does not swell in contact with the displacement liquid used and if the displacement liquid replaces the air between the powder particles, it can then be used and compared with the method described in ISO 8130-3.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4788, Laboratory glassware — Graduated measuring cylinders

ISO 8130-14, Coating powders — Part 14: Vocabulary

ISO 15528, Paints, varnishes and raw materials for paints and varnishes — Sampling

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8130-14 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="https://www.electropedia.org/">https://www.electropedia.org/</a>

### 4 Principle

The density of the coating powder is determined by liquid displacement in a measuring cylinder. In the measurement, a liquid is used that completely wets the product under test without swelling or dissolving it.

#### 5 Materials

**5.1 Displacement liquid**, i.e. any suitable aliphatic hydrocarbon or mixture of aliphatic hydrocarbons, free from aromatic compounds, with a boiling point within the range of 80 °C to 140 °C.

Ensure there is no interaction between the displacement liquid and the material under test.