

**IEEE Standard for
Local and metropolitan area networks—**

**Part 15.4: Low-Rate Wireless Personal Area
Networks (LR-WPANs)**

**Amendment 3: Physical Layer (PHY) Specifications for Low-
Data-Rate, Wireless, Smart Metering Utility Networks**

IEEE Computer Society

Sponsored by the
LAN/MAN Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 802.15.4g™-2012
(Amendment to
IEEE Std 802.15.4™-2011)

27 April 2012

**IEEE Standard for
Local and metropolitan area networks—**

**Part 15.4: Low-Rate Wireless Personal Area
Networks (LR-WPANs)**

**Amendment 3: Physical Layer (PHY) Specifications for Low-
Data-Rate, Wireless, Smart Metering Utility Networks**

Sponsor

**LAN/MAN Standards Committee
of the
IEEE Computer Society**

Approved 29 March 2012

IEEE-SA Standards Board

Abstract: In this amendment to IEEE Std 802.15.4-2011, outdoor low-data-rate, wireless, smart metering utility network requirements are addressed. Alternate PHYs are defined as well as only those MAC modifications needed to support their implementation.

Keywords: ad hoc network, IEEE 802.15.4, IEEE 802.15.4g, low data rate, low power, LR-WPAN, mobility, PAN, personal area network, radio frequency, RF, short range, smart metering utility networks, SUN, wireless, wireless personal area network, WPAN

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2012 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 27 April 2012. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-0-7381-7259-0 STD97234
PDF: ISBN 978-0-7381-7365-8 STDPD97234

IEEE prohibits discrimination, harassment, and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the [IEEE-SA Website](#) or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit the [IEEE-SA Website](#).

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time the draft of this standard was sent to sponsor ballot, the IEEE P802.15 Working Group had the following voting members:

Robert F. Heile, *Chair*
Rick Alfvén, *Vice Chair*
Patrick W. Kinney, *Vice Chair, Secretary*
James P. K. Gilb, *Technical Editor*
Clint Chaplin, *Treasurer*

Philip E. Beecher, *Task Group 4g Chair*
Hiroshi Harada, *Task Group 4g Co-vice Chair*
Clinton C. Powell, *Task Group 4g Co-vice Chair*
Monique B. Brown, *Task Group 4g Co-editor*
Kuor-Hsin Chang, *Task Group 4g Co-editor*
Stephen P. Pope, *Task Group 4g Secretary*
Jana van Greunen, *Task Group 4g Secretary (past)*

Chin-Sean Sum, *Coexistence Assurance Contributing Editor*
Alina Liru Lu, *Task Group 4g Assistant Secretary*
Benjamin A. Rolfe, *Task Group 4g Assistant Secretary*
Kunal Shah, *Task Group 4g Assistant Secretary*

Emad Affi
Gahng-Seop Ahn
Roberto Aiello
Arthur Astrin
Taehan Bae
Michael Bahr
John Barr
Anuj Batra
Tuncer Baykas
Ashutosh Bhatia
Ghulam Bhatti
Gary Birk
Mathew Boytim
Peter David Bradley
Nancy Bravin
David Britz
Sverre Brubk
Brian Buchanan
John Buffington
Kiran Bynam
Brent Cain
Edgar H. Callaway
Chris Calvert
Ruben Cardozo
Douglas Castor
Jaesang Cha
Russell Chandler
Soo-Young Chang
Clint Chaplin
Hind Chebbo
Chang-Soon Choi
Sangsung Choi
Ciaran Connell
David Cypher
Matthew Dahl
David Davenport

Mark Dawkins
Hendricus De Ruijter
Upkar Dhaliwal
Gang Ding
Paul Dixon
Guido Dolmans
Igor Dotlic
Michael Dow
Dietmar Eggert
David Evans
Charles Farlow
John Farserotu
Jeffrey Fischbeck
Mike Fischer
George Flammer
Ryosuke Fujiwara
Noriyasu Fukatsu
Kiyoshi Fukui
John Geiger
Gregory Gillooly
Tim Godfrey
Paul Gorday
Elad Gottlib
Robert Hall
Shinsuke Hara
Timothy Harrington
Rodney Hemminger
Marco Hernandez
Garth Hillman
Jin-Meng Ho
Wei Hong
Srinath Hosur
David A. Howard
Jung-Hwan Hwang
Taeho Hwang
Ichirou Ida

Tetsushi Ikegami
Akio Iso
Yeong Min Jang
Adrian Jennings
Wuncheol Jeong
Steven Jillings
Noh-Gyoung Kang
Tae-Gyu Kang
Shuzo Kato
Tatsuya Kato
Jeritt Kent
Prithpal Khakuria
Dae Ho Kim
Dong-Sun Kim
Dukhyun Kim
Jaehwan Kim
Jeffrey King
Ryuji Kohno
Fumihide Kojima
Bruce Kraemer
Raymond Krasinski
Masahiro Kuroda
John Lampe
Zhou Lan
Khanh Le
Cheolhyo Lee
Hyungsoo Lee
Myung Lee
Daniel Lewis
Huan-Bang Li
Liang Li
Sang-Kyu Lim
Jeremy Link
Mike Lynch
Robert Mason
Tomokuni Matsumura

Jeff McCullough
Michael McGillan
Michael D. McInnis
Michael McLaughlin
Charles Millet
Siamak Mirnezami
Rishi Mohindra
Emmanuel Monnerie
Rajendra Moorti
Robert Moskowitz
Hamilton Moy
Peter Murray
Theodore Myers
Chiu Ngo
Paul Nikolich
Hirohito Nishiyama
David Olson
Okundu Omeni
Ryoji Ono
Laurent Ouvry
James Pace
Hyung-Il Park
Jahng Park
Seung-Hoon Park
Taejoon Park
Ranjeet Patro
Al Petrick
Dalibor Pokrajac
Daniel Popa
Richard Powell
Chang-Woo Pyo
Mohammad Rahman

Sridhar Rajagopal
Jayaram Ramasastry
Marc Reed
Ivan Reede
Richard Roberts
Craig Rodine
June Chul Roh
Seung-Moon Ryu
Didier Sagan
Kentaro Sakamoto
Will San Filippo
H. Sanderford
Kamran Sayrafian
Timothy Schmid
Michael Schmidt
Jean Schwoerer
Cristina Seibert
Neal Seidl
Steve Shearer
Stephen Shellhammer
Shusaku Shimada
Chang Sub Shin
Cheol Ho Shin
Michael Sim
Jonathan Simon
Jaeseung Son
Paul Stadnik
René Struik
Hui-Hsia Sung
Gu Sungi
Kenichi Takizawa
Hirokazu Tanaka

Larry Taylor
Mark Thompson
James Tomeik
Ichihiko Toyoda
David Tracey
Khanh Tran
Jerry Upton
Hartman van Wyk
Michel Veillette
Billy Verso
Bhupender Virk
Joachim Walewski
Junyi Wang
Quan Wang
Xiang Wang
Andy Ward
Scott Weikel
Nicholas West
Mark Wilbur
Ludwig Winkel
Eun Tae Won
Alan Chi Wai Wong
Tao Xing
Wen-Bin Yang
Yang Yang
Kazuyuki Yasukawa
Kamy Yazdandoost
Kaoru Yokoo
Mu Zhao
Bin Zhen

Major contributions were received from the following individuals:

Roberto Aiello
Matt Boytim
Sverre Brubak
John Buffington
Edgar H. Callaway
Sangsung Choi
Hendricus De Ruijter
Dietmar Eggert
George Flammer
James P. K. Gilb
Elad Gottlib
Rodney C. Hemminger
David A. Howard
Steven Jillings
Seong-Soon Joo
Jeritt Kent

Jeffrey King
Fumihide Kojima
John Lampe
Khanh Tuan Le
Liang Li
Robert Mason
Charles Millet
Emmanuel Monnerie
Tae-Joon Park
Gilles Picard
Frank Poegel
Daniel Popa
Jayaram Ramasastry
Kentaro Sakamoto
Ruben Salazar

Britton Sanderford
Timothy M. Schmidl
Michael Schmidt
Cristina Seibert
Steve Shearer
Jie Shen
Cheolho Shin
Larry Taylor
Khurram Waheed
Xiang Wang
Scott Weikel
Mark Wilbur
Hartman van Wyk
Kazuyuki Yasukawa
Zhen Feng Zhao

The following members of the balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Jon Adams	Marco Hernandez	John Notor
Emad Afifi	Ryoichi Higashi	Satoshi Obara
Roberto Aiello	Srinath Hosur	Masayuki Oodo
Rick Alfvín	David A. Howard	Chris Osterloh
Nobumitsu Amachi	Heqing Huang	Satoshi Oyama
Patrick Amihood	David Hunter	Frank Poegel
Butch Anton	Ichirou Ida	Dalibor Pokrajac
Takamasa Asano	Tetsushi Ikegami	Daniel Popa
Arthur Astrin	Noriyuki Ikeuchi	Clinton C. Powell
Stefan Aust	Akio Iso	Venkatesha Prasad
Michael Bahr	Atsushi Ito	Mohammad Rahman
Jonathan Bailey	Raj Jain	Jayaram Ramasastry
Jay Bain	Oyvind Janbu	Mark Ranta
Takahiro Banno	Junghoon Jee	Charles Razzell
Edward Baranski	Jorjeta Jetcheva	Maximilian Riegel
Anuj Batra	Steven Jillings	Robert Robinson
Philip E. Beecher	Tal Kaitz	Craig Rodine
Harry Bims	Shinkyō Kaku	Benjamin A. Rolfe
Mathew Boytim	Aiichiro Kashiwagi	Carl Royer
Nancy Bravin	Takuya Kawata	Randall Safier
Vern Brethour	Ruediger Kays	Tatsuhiko Sakai
Monique B. Brown	Raymond H. Kelley	Kentaro Sakamoto
John Buffington	Jeritt Kent	Kazuyuki Sakoda
William Byrd	Stuart J. Kerry	H. Sanderford
Brent Cain	Brian Kiernan	Shigenobu Sasaki
Edgar H. Callaway	Il Han Kim	Katsuyoshi Sato
Radhakrishna Canchi	Yongbum Kim	Naotaka Sato
Dave Cavalcanti	Jeffrey King	Bartien Sayogo
Kuor-Hsin Chang	Patrick W. Kinney	Timothy M. Schmidt
Clint Chaplin	Fumihide Kojima	Michael Schmidt
Ger-Chih Chou	Bruce Kraemer	Cristina Seibert
Keith Chow	Yasushi Kudoh	Kunal Shah
Charles Cook	Geoff Ladwig	Durgaprasad Shamain
Michael Coop	Zhou Lan	Donald Shaver
Joseph Decuir	Khanh Tuan Le	Steve Shearer
Patrick Diamond	Jan-Ray Liao	Jie Shen
Thomas Dineen	Arthur Light	Shusaku Shimada
Sourav Dutta	HaiTao Liu	John Short
Peter Ecclesine	Alina Liru Lu	Gil Shultz
Richard Edgar	Daniel Lubar	Jonathan Simon
Stanislav Filin	William Lumpkins	Amjad Soomro
Will San Filippo	Greg Luri	Thomas Starai
George Flammer	Mike Lynch	René Struik
Kimberly Francisco	Elvis Maculuba	Walter Struppler
Avraham Freedman	Stephen Makgill	Mark Sturza
Kiyoshi Fukui	Robert Mason	Chin-Sean Sum
Keisuke Fukushima	Jeff McCullough	Chen Sun
John Geiger	Michael McGillan	YanJun Sun
James P. K. Gilb	Michael D. McInnis	Takahisa Tai
Gregory Gillooly	Michael McLaughlin	Jun Ichi Takada
Tim Godfrey	Gary Michel	Yoichi Tanaka
Elad Gottlib	Charles Millet	Larry Taylor
Randall Groves	Paul Mobus	Ha Nguyen Tran
Michael Gundlach	Apurva Mody	Mark-Rene Uchida
Henrik Gustafsson	Emmanuel Monnerie	Anna Urra
Jose Gutierrez	Jose Morales	David Uy
C. Guy	Kenichi Mori	Jana van Greunen
Rainer Hach	Peter Murray	Dmitri Varsanofiev
Christopher Hansen	Nabil Nasser	Prabodh Varshney
Hiroshi Harada	Michael S. Newman	John Vergis
Satoshi Hasako	Paul Nikolich	Dalton Victor

Bhupender Virk
Jerome Viviano
George Vlantis
Khurram Waheed
Junyi Wang
Stanley Wang
Xiang Wang

Deric Waters
Hung-Yu Wei
Scott Weikel
Mark Wilbur
Ludwig Winkel
Andreas Wolf
Ariton Xhafa

Tao Xing
Yang Yang
Masahiro Yasui
Kazuyuki Yasukawa
Tan Pek Yew
Jianming Yuan
Oren Yuen

When the IEEE-SA Standards Board approved this standard on 29 March 2012, it had the following membership:

Richard H. Hulett, *Chair*
John Kulick, *Vice Chair*
Robert Grow, *Past Chair*
Judith Gorman, *Secretary*

Satish Aggarwal
Masayuki Ariyoshi
Peter Balma
William Bartley
Ted Burse
Clint Chaplin
Wael Diab
Jean-Philippe Faure

Alexander Gelman
Paul Houzé
Jim Hughes
Young Kyun Kim
Joseph L. Koepfinger*
David J. Law
Thomas Lee
Hung Ling

Oleg Logvinov
Ted Olsen
Gary Robinson
Jon Walter Rosdahl
Mike Seavey
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Michelle Turner
IEEE Standards Program Manager, Document Development

Patricia A. Gerdon
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std 802.15.4g-2012, IEEE Standard for Local and metropolitan area networks—Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)—Amendment 3: Physical Layer Specifications for Low Data Rate Wireless Smart Metering Utility Networks.

This amendment specifies alternate PHYs in addition to those of IEEE Std 802.15.4-2011. In addition to the new PHYs, the amendment also defines those MAC modifications needed to support their implementation.

The alternate PHYs support principally outdoor, low-data-rate, wireless, smart metering utility network (SUN) applications under multiple regulatory domains. The SUN PHYs are as follows:

- Multi-rate and multi-regional frequency shift keying (MR-FSK) PHY
- Multi-rate and multi-regional orthogonal frequency division multiplexing (MR-OFDM) PHY
- Multi-rate and multi-regional offset quadrature phase-shift keying (MR-O-QPSK) PHY

The SUN PHYs support multiple data rates in bands ranging from 169 MHz to 2450 MHz.

Contents

2. Normative references	2
3. Definitions, acronyms, and abbreviations	3
3.1 Definitions	3
3.2 Acronyms and abbreviations	3
4. General description	5
4.1a Introduction to smart metering utility network (SUN)	5
4.2a MR-FSK Generic PHY mechanism	5
4.2b Mode switch mechanism	5
4.2c Multi-PHY management (MPM) of the SUN WPAN	6
5. MAC protocol	7
5.1 MAC functional description	7
5.1.1 Channel access	7
5.1.2 Starting and maintaining PANs	9
5.1.6 Transmission, reception, and acknowledgment	9
5.1.13 MPM procedure for inter-PHY coexistence	9
5.2 MAC frame formats	12
5.2.1 General MAC frame format	12
5.2.2 Format of individual frame types	14
5.2.4 Information element	16
6. MAC services	24
6.2 MAC management service	24
6.2.4 Communications notification primitives	24
6.2.10 Primitives for channel scanning	24
6.2.12 Primitives for updating the superframe configuration	24
6.3 MAC data service	26
6.3.1 MCPS-DATA.request	26
6.3.3 MCPS-DATA.indication	28
6.4 MAC constants and PIB attributes	28
6.4.1 MAC constants	28
6.4.2 MAC PIB attributes	29
6.4.3 Calculating PHY dependent MAC PIB values	30
8. General PHY requirements	31
8.1 General requirements and definitions	31
8.1.1 Operating frequency range	31
8.1.2 Channel assignments	33
8.1.3 Minimum LIFS and SIFS periods	41
8.1.7 Receiver sensitivity definitions	41
8.1a Common signaling mode (CSM) for SUN PHY	41
8.2 General radio specifications	42
8.2.7 Clear channel assessment (CCA)	42
9. PHY services	43
9.2 PHY constants	43

9.3	PHY PIB attributes	43
9.4	PHY PIB attribute values for phyMaxFrameDuration and phySHRDuration	48
18.	SUN PHYs	50
18.1	MR-FSK PHY specification	50
18.1.1	PPDU format for MR-FSK	50
18.1.2	Modulation and coding for MR-FSK	54
18.1.3	Data whitening for MR-FSK	64
18.1.4	Mode switch mechanism for MR-FSK	65
18.1.5	MR-FSK PHY RF requirements	67
18.2	MR-OFDM PHY specification	70
18.2.1	PPDU format for MR-OFDM	70
18.2.2	Data rates for MR-OFDM	79
18.2.3	Modulation and coding for MR-OFDM	81
18.2.4	MR-OFDM PHY RF requirements	91
18.3	MR-O-QPSK PHY specification	95
18.3.1	PPDU format for MR-O-QPSK	95
18.3.2	Modulation and coding for MR-O-QPSK	98
18.3.3	Support of legacy devices of the 780 MHz, 915 MHz, and 2450 MHz O-QPSK PHYs	119
18.3.4	MR-O-QPSK PHY RF requirements	120
Annex A	(informative) Bibliography	124
Annex D	(informative) Protocol implementation conformance statement (PICS) proforma	125
D.2	Abbreviations and special symbols	125
D.7	PICS proforma tables	125
D.7.1	Functional device types	125
D.7.2	Major capabilities for the PHY	126
D.7.3	Major capabilities for the MAC sublayer	128
Annex K	(informative) Example usage of MR-FSK Generic PHY mechanism	129
K.1	Introduction	129
K.2	Example of SUN channel page usage for a device supporting MR-FSK Generic PHY modes	129
K.3	Example of SUN channel page usage for a device supporting both standard-defined and MR-FSK Generic PHY modes1	130
Annex L	(informative) Example of encoding a packet for MR-OFDM PHY when PIB attribute phyOFDMInterleaving is zero	131
L.1	Introduction	131
L.2	The message	131
L.3	Generation of the OFDM header	133
L.3.1	HCS and PAD bits insertion	133
L.3.2	Convolutional encoding	133
L.3.3	Interleaving	134
L.3.4	Bit mapping	135
L.3.5	Frequency spreading	136
L.4	Generation of the data symbols137	137
L.4.1	PAD insertion and data scrambling	137

L.4.2	Convolutional encoding and puncturing	138
L.4.3	Interleaving	138
L.4.4	Bit mapping	140
L.4.5	Frequency spreading.....	142
L.5	Conversion from frequency domain to time domain	142
L.5.1	Pilot, DC, and guard tone insertion	142
L.5.2	Time domain OFDM header and payload	144
L.6	Generation of the preamble.....	145
L.6.1	Generation of the STF	145
L.6.2	Generation of the LTF	145
L.7	The entire packet	147
Annex M (informative)	Example of encoding a packet for MR-OFDM PHY when PIB attribute phyOFDMInterleaving is one	161
M.1	Introduction	161
M.2	The message	161
M.3	Generation of the OFDM header.....	161
M.3.1	HCS and PAD bits insertion	161
M.3.2	Convolutional encoding	161
M.3.3	Interleaving	163
M.3.4	Bit mapping.....	165
M.3.5	Frequency spreading	165
M.4	Generation of the data symbols.....	167
M.4.1	PAD insertion and data scrambling.....	167
M.4.2	Convolutional encoding and puncturing	168
M.4.3	Interleaving.....	169
M.4.4	Bit mapping	170
M.4.5	Frequency spreading.....	172
M.5	Conversion from frequency domain to time domain	172
M.5.1	Pilot, DC, and guard tone insertion	172
M.5.2	Time domain OFDM header and payload	172
M.6	The entire packet.....	175
Annex N (informative)	Example of encoding a packet for MR-O-QPSK PHY.....	202
N.1	Introduction.....	202
N.2	The message.....	203
N.3	Generation of the SHR.....	203
N.4	Generation of the PHR.....	215
N.5	Generation of the PSDU	219
Annex O (informative)	Example of encoding a packet for MR-FSK PHY.....	229
O.1	Introduction.....	229
O.2	Example 1	230
O.2.1	Settings	230
O.2.2	Generation of the SHR.....	230
O.2.3	Generation of the PHR.....	230
O.2.4	Concatenating the SHR with the PHR and PSDU.....	230
O.3	Example 2	230
O.3.1	Settings	230
O.3.2	Generation of the SHR	231
O.3.3	Generation of the PHR	231

O.3.4	Bit sequence after data whitening of the PSDU and concatenation with PHR	231
O.3.5	Concatenating the SHR with the PHR and PSDU.....	231
O.4	Example 3	231
O.4.1	Settings	231
O.4.2	Generation of the SHR.....	232
O.4.3	Generation of the PHR.....	232
O.4.4	Concatenating the PHR, PSDU, tail bits, and pad bits	232
O.4.5	Encoding of the bit sequence	232
O.4.6	Interleaving of the bit sequence	232
O.4.7	Bit sequence after data whitening of the PSDU	233
O.4.8	Concatenating the SHR with the PHR and PSDU	233
O.5	Example 4	233
O.5.1	Generation of the SHR.....	233
O.5.2	Generation of the PHR.....	233
O.5.3	Concatenating the PHR, PSDU, tail bits, and pad bits	233
O.5.4	Encoding of the bit sequence	234
O.5.5	Interleaving of the bit sequence	234
O.5.6	Concatenating the SHR with the PHR and PSDU	234
O.6	Example 5	234
O.6.1	Generation of the SHR	234
O.6.2	Generation of the PHR	235
O.6.3	Generation of the PSDU	235
O.6.4	Concatenating the SHR with the PHR and PSDU	235
O.7	Example 6	235
O.7.1	Settings	235
O.7.2	Generation of the SHR.....	235
O.7.3	Generation of the PHR.....	235
O.7.4	Concatenating the PHR, PSDU, tail bits, and pad bits	236
O.7.5	Encoding of the bit sequence	236
O.7.6	Interleaving of the bit sequence	236
O.7.7	Bit sequence after data whitening of the PSDU	236
O.7.8	Concatenating the SHR with the PHR and PSDU	236

IEEE Standard for Local and metropolitan area networks—

Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)

Amendment 3: Physical Layer (PHY) Specifications for Low- Data-Rate, Wireless, Smart Metering Utility Networks

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents." They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

NOTE—The editing instructions contained in this amendment define how to merge the material contained therein into the existing base standard and its amendments to form the comprehensive standard.

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~striketrough~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.¹

¹Notes in text, tables, and figures are given for information only and do not contain requirements needed to implement the standard.