

# ETSI TS 136 523-3 v12.5.0 (2016-05)



LTE;  
**Evolved Universal Terrestrial Radio Access (E-UTRA)  
and Evolved Packet Core (EPC);  
User Equipment (UE) conformance specification;  
Part 3: Test suites  
(3GPP TS 36.523-3 version 12.5.0 Release 12)**



---

Reference

RTS/TSGR-0536523-3vc50

---

Keywords

LTE

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under  
<http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	11
Introduction .....	11
1    Scope .....	12
2    References .....	12
3    Definitions and abbreviations.....	15
3.1    Definitions .....	15
3.2    Abbreviations .....	15
4    E-UTRAN/SAE system architecture and test models.....	15
4.1    Test system architecture .....	15
4.1.1    General system architecture.....	15
4.1.2    Component architecture.....	16
4.2    E-UTRAN test models .....	18
4.2.1    Layer 2 test models .....	18
4.2.1.1    MAC test model.....	18
4.2.1.2    RLC test model .....	20
4.2.1.3    PDCP test model .....	21
4.2.1.3.1    PDCP ROHC test model .....	21
4.2.1.3.2    PDCP test model (Non ROHC).....	22
4.2.2    RRC test model.....	23
4.2.3    DRB test model.....	24
4.2.4    IP Test Model .....	24
4.2.4.1    IP user data.....	25
4.2.4.2    Configuration of Sockets.....	26
4.2.4.2.1    Socket Establishment.....	26
4.2.4.2.2    Socket Release.....	27
4.2.4.3    Handling of IP data .....	27
4.2.4.4    Routing of IP Data .....	28
4.2.4.5    Multiple PDNs .....	28
4.2.4.6    IP Addresses Guidelines .....	29
4.2.4.6.1    Common Structure of IP Addresses .....	29
4.2.4.6.2    Common Requirements regarding IP Addresses .....	30
4.2.4.6.3    Network Entities and their IP addresses .....	30
4.2.4.7    User Plane Signalling for Address Allocation.....	31
4.2.4.7.1    DHCP .....	31
4.2.4.7.2    DHCPv6 .....	34
4.2.4.7.3    ICMPv6 .....	34
4.2.4.7.4    DNS .....	35
4.2.4A    LTE-Carrier Aggregation test Models .....	38
4.2.4A.1    CA-MAC test model .....	38
4.2.4A.2    CA-RRC test model .....	40
4.2.4B    Dual Connectivity test models .....	41
4.2.4B.1    DC MAC test model.....	41
4.2.4B.2    DC PDCP test model.....	42
4.2.4B.3    DC RRC test model.....	43
4.2.5    IP model extension for IMS .....	44
4.2.5.1    IPsec .....	45
4.2.5.1.1    Security Association .....	45
4.2.5.1.2    SAD and SPD.....	46
4.2.5.2    Signalling Compression (SigComp) .....	47
4.2.5.3    SIP TTCN-3 Codec .....	47

4.2.6	Support of DSMIPv6 .....	47
4.2.7	MBMS test model.....	48
4.2.8	OCNG test model .....	48
4.2.9	Device-to-Device Proximity Services test model .....	50
4.2.9.1	ProSe Function test model .....	51
4.2.9.2	Direct Discovery test model.....	51
4.2.9.3	Direct Communication test model.....	52
4.3	SAE Test Model .....	53
4.3.1	NAS Test Model .....	53
4.4	Inter RAT Test Model .....	54
4.4.1	E-UTRAN-UTRAN Inter RAT Test Model .....	54
4.4.1.1	User data over UTRAN.....	54
4.4.1.1.1	Raw user data over UTRAN.....	55
4.4.1.1.2	IP data over UTRAN .....	55
4.4.1.1.3	Routing IP data.....	56
4.4.2	E-UTRAN-GERAN Inter RAT Test Model .....	57
4.4.2.1	User data over GERAN.....	57
4.4.2.1.1	Raw user data over GERAN.....	58
4.4.2.1.2	IP data over GERAN .....	58
4.4.2.1.3	Routing IP data.....	59
4.4.3	E-UTRAN-CDMA2000 Inter RAT Test Model .....	60
4.4.3.1	E-UTRAN-CDMA2000 HRPD Inter RAT Test Model.....	60
4.4.3.2	E-UTRAN-CDMA2000 1xRTT Inter RAT test model.....	62
4.4.4	E-UTRAN FDD-TDD Inter RAT Test Model.....	65
4.4.5	E-UTRAN-UTRAN-GERAN Inter RAT Test Model .....	66
4.4.6	3GPP-WLAN Inter working Test Model.....	67
4.4.6.1	E-UTRAN-WLAN Inter working Test Model.....	67
4.4.6.2	UTRAN-WLAN Inter working Test Model.....	69
5	Upper Tester Interface.....	70
5.1	Definitions .....	70
5.2	Upper Tester ASPs .....	70
6	ASP specifications.....	76
6.1	General Requirements and Assumptions .....	76
6.1.1	IP ASP requirements.....	76
6.1.2	Enhancement of IP ASP for handling IMS signalling .....	76
6.2	E-UTRAN ASP Definitions .....	77
6.2.1	Configuration Primitives.....	77
6.2.2	Signalling Primitives.....	77
6.2.3	Co-ordination Messages between NAS Emulation PTC and EUTRA PTC .....	78
6.3	UTRAN ASP Definitions .....	79
6.3.1	Void .....	80
6.3.2	ASPs for Data Transmission and Reception .....	80
6.4	GERAN ASP Definitions .....	81
6.4.1	ASPs for Control Primitive Transmission .....	81
6.4.2	ASPs for Data Transmission and Reception .....	83
7	Test Methods and Design Considerations .....	86
7.1	Channel Mapping .....	86
7.1.1	PDCCH Candidate Selection .....	86
7.1.1.1	FDD candidates selection.....	87
7.1.1.2	TDD candidates selection .....	91
7.1.1.2.1	TDD candidates selection in special subframes .....	94
7.1.2	ePDCCH Candidate Selection .....	94
7.1.2.1	FDD candidates selection.....	94
7.1.2.2	TDD candidates selection .....	95
7.2	Uplink Grant.....	95
7.2.1	Exception TC list .....	97
7.3	Downlink Resource Allocation .....	98
7.3.1	PDCCH DCI default formats .....	98
7.3.1.1	Default DCI Format to be used in test cases configuring MIMO.....	98
7.3.2	Radio parameters configured .....	98

7.3.2.1	HARQ Retransmission when MIMO is configured.....	99
7.3.3	General DL scheduling scheme .....	99
7.3.3.1	Additional rules for BCCH scheduling scheme .....	100
7.3.3.1.1	BCCH with DCI combination 1 .....	100
7.3.3.1.2	BCCH with DCI combination 2 .....	100
7.3.3.2	Additional rules for PCCH specific scheduling scheme .....	100
7.3.3.2.1	PCCH with DCI combination 1.....	101
7.3.3.2.2	PCCH with DCI combination 2.....	101
7.3.3.3	Additional rules for RAR specific scheduling scheme.....	101
7.3.3.3.1	RAR with DCI combination 1 .....	101
7.3.3.3.2	RAR with DCI combination 2.....	102
7.3.3.4	Additional rules for UE-dedicated scheduling scheme in normal mode .....	102
7.3.3.5	DL Resource allocation bitmaps .....	104
7.3.3.5.1	DCI combination 1 .....	104
7.3.3.5.2	DCI combination 2 .....	105
7.3.3.6	UE-dedicated scheduling scheme in explicit mode .....	108
7.3.3.6.1	DL Scheduling in Transport Block Size Selection Test Cases .....	109
7.3.3.7	Resource allocation sheets .....	109
7.4	Cell Configurations .....	110
7.4.1	Cell Configuration Types.....	110
7.4.2	Cell Power Change .....	111
7.4.3	E-UTRAN cell identity .....	111
7.4.3.1	Timing parameters of cells.....	111
7.4.4	Cell configurations for NAS test cases .....	113
7.4.5	Configuration of Multi-Cell Environment .....	113
7.5	TDD Considerations.....	114
7.5.1	FDD vs. TDD implementation.....	114
7.5.2	Guideline for FDD vs. TDD verification .....	114
7.6	Special RLC Modes.....	114
7.6.1	Suppression of RLC Acknowledgements .....	114
7.6.2	Modification of VT(S) .....	115
7.7	System information .....	115
7.7.1	System information broadcasting .....	115
7.7.2	Scheduling information.....	116
7.7.3	System information modification .....	119
7.7.3.1	Non-PWS System Information modification .....	119
7.7.3.1.1	UE in Idle_mode.....	119
7.7.3.1.2	UE in connected mode.....	119
7.7.3.2	PWS System Information modification .....	120
7.8	Timers and Timing Restrictions .....	120
7.8.1	Auxiliary timers .....	120
7.8.2	RRC timers reconfiguration.....	120
7.8.3	MAC TA timer reconfiguration .....	120
7.8.4	Non-protocol timers .....	121
7.9	Error Indication .....	121
7.10	Race Conditions .....	121
7.11	Radio Link Failure.....	121
7.12	Test method for RRC signalling latency .....	122
7.12.1	Procedure delays in PUCCH synchronized state .....	122
7.12.2	Procedure delays when RACH procedure required .....	123
7.13	RLC test method for scheduled data.....	124
7.14	IP packets for Loopback Mode.....	125
7.14.1	IP packets used for Loopback Mode A.....	125
7.14.2	IP packets used for Loopback Mode B .....	125
7.15	Connected Mode DRX .....	125
7.16	Handover Sequences .....	127
7.16.1	Sequence of inter-cell handover.....	127
7.16.1a	Sequence of inter-cell CA handover (more than one CC before and after handover).....	128
7.16.2	Sequence of intra-cell handover.....	129
7.16.3	UL Grants used in RA procedure during handover .....	129
7.17	Simulation of PDCP MAC-I Failure in UE.....	130
7.17.1	Integrity and ciphering not yet activated.....	130

7.17.2	Integrity and/or ciphering already activated .....	130
7.18	RRC Connection Release Sequence .....	130
7.19	DL CCCH Message and Contention Resolution MAC Control Element transmission in one MAC PDU or in separate MAC PDUs.....	131
7.20	RRC Connection Reconfiguration Sequence (Measurement Control) .....	131
7.21	GERAN special issues.....	132
7.21.1	Timeslot assigned for GERAN CS traffic.....	132
7.21.2	Subchannel used in GERAN L2 access message.....	132
7.21.3	Paging in GERAN .....	132
7.22	EUTRAN RSRQ Calculations .....	132
7.22.1	Assumptions .....	132
7.22.2	The Ideal Calculation.....	132
7.22.3	Additional RSRQ Calculations For Fixing Boundary Values .....	133
7.23	Test method for eICIC and feICIC .....	133
7.24	Carrier Aggregation Signalling Sequences.....	133
7.24.1	Initial configuration of Pcell .....	133
7.24.2	Initial configuration of SCell .....	134
7.24.3	Scell Addition and/or release .....	135
7.25	Test method for MBMS .....	135
7.25.1	Schedule transmission of MCCH messages.....	135
7.25.2	MCCH change notification .....	136
7.25.3	MTCH data scheduling .....	136
7.26	UE Category 0 FDD Half-Duplex Considerations (Type B Half Duplex) .....	136
7.27	Test method for Device-to-Device Proximity Services .....	137
7.27.1	Direct Discovery test method.....	137
7.27.2	Direct Communication test method .....	137
7.27.2.1	Synchronisation and SBCCH transmission .....	137
7.27.2.2	Sidelink data transmission/reception.....	138
8	External Function Definitions .....	138
9	IXIT Proforma.....	141
9.1	E-UTRAN PIXIT .....	141
9.2	MultiRAT PIXIT .....	144
10	Postambles.....	146
10.1	Postambles for E-UTRA to UTRA tests.....	147
10.1.1	UE postamble states and procedures for E-UTRA to UTRA .....	147
10.1.2	Switch/Power off procedure .....	148
10.1.2.1	Procedure .....	148
10.1.3	CC disconnect procedure .....	150
10.1.3.1	Procedure .....	150
10.1.4	PS Routing Area Update procedure .....	151
10.1.4.1	Procedure .....	151
10.1.5	CS fallback procedure .....	152
10.1.5.1	Procedure .....	152
10.2	Postambles for E-UTRAN to GERAN tests.....	154
10.2.1	UE postamble states and procedures for E-UTRA to GERAN test cases .....	154
10.2.2	Switch/Power off procedure .....	156
10.2.2.1	Procedure .....	156
10.2.3	PS Handover procedure .....	157
10.2.3.1	Procedure .....	157
10.2.4	CC disconnect procedure .....	158
10.2.4.1	Procedure .....	158
10.2.5	CS fallback procedure .....	158
10.2.5.1	Procedure .....	158
10.3	Postambles for E-UTRA test cases.....	159
10.3.1	UE postamble states and procedures for E-UTRA test cases.....	159
10.3.2	Switch/Power off procedure in State E1 .....	160
10.3.2.1	Procedure .....	160
10.3.3	Switch/Power off procedure in State E2 and E3 .....	161
10.3.3.1	Procedure for E2 and E3 .....	161
10.3.3.2	Procedure for E2_T3440 .....	162

10.3.4	Switch/Power off procedure in State E4 .....	163
10.3.4.1	Procedure .....	163
10.3.5	Automatic selection mode procedure in State E5 (current cell, neighbour cell).....	163
10.3.5.1	Procedure .....	163
10.4	Postambles for E-UTRA to HRPD test cases .....	163
10.4.1	UE postamble procedures for E-UTRA to HRPD (No Pre-Registration).....	163
10.4.1.1	Registration on HRPD Cell .....	163
10.4.1.2	Detach on HRPD Cell .....	165
11	Guidelines on test execution.....	165
11.1	EUTRA single technology .....	165
11.1.1	Replacement of test case execution .....	166
11.2	EUTRA – UTRA - GERAN.....	167
11.2.1	UTRA configured – GERAN not configured .....	167
11.2.1.1	EUTRA band overlapping UTRA band .....	167
11.2.1.2	EUTRA band not overlapping UTRA band .....	168
11.2.2	GERAN configured - UTRA not configured.....	169
11.2.3	Neither UTRA nor GERAN configured .....	169
11.2.4	Both UTRA and GERAN configured .....	170
11.2.4.1	EUTRA band overlapping UTRA band .....	170
11.2.4.2	EUTRA band not overlapping UTRA band .....	171
11.2.5	Replacement of test case execution .....	171
11.3	Guidelines for EUTRA inter-band .....	171
11.3.1	Primary operating band.....	171
11.3.2	Secondary operating band for inter-band cells.....	171
11.3.3	Replacement of test case execution .....	172
11.4	Guidelines for EUTRA CA .....	172
11.4.1	CA contiguous Intra-band operation.....	172
11.4.2	CA Inter-band operation .....	172
11.4.3	CA non-contiguous Intra-band operation .....	174
11.5	Guidelines for EUTRA MFBI test cases .....	174
<b>A</b>	<b>Annex A (normative):      Test Suites.....</b>	<b>176</b>
A.1	Baseline of specifications.....	176
A.2	E-UTRA Test Suites.....	176
<b>B</b>	<b>Annex B (informative):      Style Guides.....</b>	<b>194</b>
B.1	Introduction .....	194
B.2	General Requirements for TTCN-3 Implementations .....	194
B.3	Naming Conventions .....	195
B.3.1	Prefixes and Restrictions for TTCN-3 Objects.....	195
B.3.2	Void.....	196
B.3.3	Void.....	196
B.3.4	Identifiers consisting of more than one Name .....	196
B.4	Implementation Issues .....	196
B.4.1	Control part .....	196
B.4.2	Top Level Test Case Definitions .....	196
B.4.3	Inter Component Communication .....	197
B.4.4	Encoding Information.....	197
B.4.5	Verdict Assignment .....	197
B.4.5.1	PASS verdict assignment .....	198
B.4.5.2	FAIL or INCONC verdict assignment .....	198
B.4.5.3	Verdict assignment in default behaviour .....	199
B.4.6	Default Behaviour .....	199
B.4.7	Templates for Sending and Receiving .....	200
B.4.8	Logging .....	200
B.4.8.1	Prose Step Numbers.....	200
B.4.9	Top level comments .....	201
B.4.10	Mapping of DRBs .....	201

B.5 Modularisation .....	201
<b>Annex C (informative): Design Principles.....</b>	<b>203</b>
C.1 ASP Design .....	203
C.2 SS State Model .....	204
<b>Annex D (informative): TTCN-3 Definitions .....</b>	<b>207</b>
D.1 EUTRA_ASP_TypeDefs.....	207
D.1.1 ASN1_Container .....	207
D.1.2 System_Configuration.....	214
D.1.3 Cell_Configuration.....	217
D.1.3.1 Cell_Configuration_Common.....	217
D.1.3.2 Downlink_Physical_Layer_Configuration .....	223
D.1.3.2.1 Antenna_Configuration.....	223
D.1.3.2.2 Physical_Channels .....	224
D.1.3.2.3 Physical_Signals .....	227
D.1.3.3 Uplink_Physical_Layer_Configuration .....	228
D.1.3.4 Common_MAC_Configuration .....	229
D.1.3.5 Random_Access_Procedure .....	235
D.1.3.6 System_Information_Control .....	241
D.1.3.7 Paging_Control .....	244
D.1.3.8 UE_Specific_Channel_Configuration .....	244
D.1.3.8.1 UE_Specific_Channel_Configuration_DL .....	244
D.1.3.8.2 UE_Specific_Channel_Configuration_UL .....	245
D.1.3.9 Carrier_Aggregation .....	248
D.1.3.10 OCNG_Config .....	250
D.1.4 Cell_Power_Attenuation .....	251
D.1.5 Radio_Bearer_Configuration .....	251
D.1.5.1 PDCP_Configuration.....	251
D.1.5.2 RLC_Configuration .....	253
D.1.5.3 MAC_Configuration.....	255
D.1.6 AS_Security .....	259
D.1.7 Semi_Persistent_Scheduling .....	260
D.1.8 Paging_Trigger.....	262
D.1.9 L1_MAC_Indication_Control .....	262
D.1.10 Rlc_Indication_Control .....	263
D.1.11 PDCP_Count .....	264
D.1.12 PDCP_Handover .....	265
D.1.13 L1_MAC_Test_Mode .....	266
D.1.14 PDCCH_Order .....	266
D.1.15 System_Indications .....	267
D.1.16 System_Interface.....	269
D.1.17 MBMS_Configuration.....	270
D.2 EUTRA_ASP_DrbDefs.....	273
D.2.1 PDU_TypeDefs .....	273
D.2.1.1 MAC_PDU .....	273
D.2.1.2 RLC_PDU.....	276
D.2.1.2.1 Common.....	276
D.2.1.2.2 TM_Data .....	277
D.2.1.2.3 UM_Data .....	277
D.2.1.2.4 AM_Data .....	279
D.2.1.2.5 AM_Status .....	280
D.2.1.3 PDCP .....	282
D.2.2 DRB_Primitive_Definitions .....	285
D.2.2.1 DRB_Common .....	285
D.2.2.2 Downlink .....	286
D.2.2.3 Uplink .....	287
D.2.3 MBMS_MR_B_Primitive_Definitions .....	288
D.2.4 System_Interface .....	289

D.3	EUTRA_ASP_SrbDefs .....	290
D.3.1	SRB_DATA_ASPs .....	290
D.3.2	Port_Definitions .....	291
D.4	IP_ASP_TypeDefs .....	292
D.4.1	IP_Common .....	292
D.4.2	IP_Config .....	293
D.4.3	IPsec_Config .....	295
D.4.4	IP_SocketHandling.....	297
D.4.4.1	Socket_Common.....	297
D.4.4.2	Socket_Datagram.....	298
D.4.4.3	TCP_Socket.....	299
D.4.4.4	UDP_Socket .....	303
D.4.4.5	ICMP_Socket.....	305
D.4.4.6	Socket_Primitives .....	307
D.4.5	System_Interface .....	308
D.5	NasEmu_AspTypes .....	310
D.5.1	System_Interface .....	311
D.6	EUTRA_CommonDefs .....	312
D.6.1	Common_Types .....	312
D.6.2	Common_Constants .....	312
D.6.3	RRC_Nested_Types .....	313
D.6.4	ASP_CommonPart .....	313
D.6.4.1	ASP_CommonPart_Definitions.....	314
D.6.4.1.1	Routing_Info .....	314
D.6.4.1.2	Timing_Info .....	314
D.6.4.2	REQ_ASP_CommonPart.....	316
D.6.4.3	CNF_ASP_CommonPart.....	316
D.6.4.4	IND_ASP_CommonPart.....	317
D.6.5	CA_CommonDefs .....	317
D.6.6	MBMS_CommonDefs.....	318
D.7	CDMA2000_ASP_TypeDefs .....	319
D.7.1	CDMA2000_Common .....	319
D.7.1.1	CDMA2000_SystemContants.....	319
D.7.1.2	CDMA2000_Routing.....	319
D.7.1.3	CDMA2000_TimingInfo .....	320
D.7.1.4	CDMA2000_ReqAspCommonPart .....	321
D.7.1.5	CDMA2000_IndAspCommonPart .....	322
D.7.1.6	CDMA2000_CnfAspCommonPart .....	322
D.7.2	CDMA2000_PowerLevel .....	323
D.7.3	CDMA2000_Data .....	324
D.7.4	CDMA2000_CellConfiguration .....	326
D.7.5	CDMA2000_HRPD .....	328
D.7.5.1	CDMA2000_PDN_Defs .....	328
D.7.5.2	CDMA2000_SubProtocols .....	329
D.7.5.3	HRPD_Indications .....	331
D.7.5.4	HRPD_Commands .....	334
D.7.6	CDMA2000_RTT1X .....	337
D.7.6.1	RTT1X_Indications .....	337
D.7.6.2	RTT1X_Commands .....	340
D.7.7	System_Interface .....	342
D.8	CDMA2000_CommonDefs .....	345
D.9	EUTRA_ASP_CDMA2000TunnellingDefs .....	348
D.10	EUTRA_ASP_VirtualNoiseDefs .....	349
D.11	UTRAN_ASP_VirtualNoiseDefs .....	351
D.12	WLAN_ASP_TypeDefs .....	352

D.13	SideLinkUE_ASP_TypeDefs.....	363
D.13.1	SideLinkUE_Data .....	363
D.13.2	SideLinkUE_Configuration.....	365
D.13.2.1	SL_Routing_Timing .....	365
D.13.2.2	SL_SystemRequestAsp.....	366
D.13.2.2.1	SL_RequestAspCommon_Part.....	366
D.13.2.2.2	Discovery_Specific .....	369
D.13.2.2.3	Communication_Specific .....	371
D.13.2.2.4	SL_Security.....	377
D.13.2.3	SL_SystemConfirmAsp .....	378
D.13.2.4	SL_SystemIndicationAsp .....	378
D.13.2.5	SL_System_Interface.....	379
D.14	CommonDefs .....	380
D.15	References to TTCN-3 .....	383
<b>Annex E (informative):      Upper Tester Scenarios .....</b>		<b>384</b>
E.1	No confirmation .....	384
E.2	Immediate confirmation .....	384
E.3	Late response.....	386
E.4	Multiple responses.....	387
<b>Annex F (informative):      Change history .....</b>		<b>390</b>
	History .....	476

---

## Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

---

## Introduction

The present document is part 3 of a multi-part conformance test specification for the 3GPP evolved User Equipment (UE). The specification contains a TTCN-3 design frame work and the detailed test specifications in TTCN-3 for evolved UE at the UE-E-UTRAN radio interface.

- 3GPP TS 36.523-1 [1]: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- 3GPP TS 36.523-2 [2]: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- **3GPP TS 36.523-3: "Test Suites"** (the present document).

## 1 Scope

The present document specifies the protocol and signalling conformance testing in TTCN-3 for the 3GPP UE at the UE-E-UTRAN radio interface.

The following TTCN test specification and design considerations can be found in the present document:

- the test system architecture;
- the overall test suite structure;
- the test models and ASP definitions;
- the test methods and usage of communication ports definitions;
- the test configurations;
- the design principles and assumptions;
- TTCN styles and conventions;
- the partial PIXIT proforma;
- the test suites.

The Abstract Test Suites designed in the document are based on the test cases specified in prose (3GPP TS 36.523-1 [1]). The applicability of the individual test cases is specified in the test ICS proforma specification (3GPP TS 36.523-2 [1]).

The present document is valid for TTCN development for LTE and LTE-A UE conformance test according to 3GPP Releases starting from Release 8 up to the Release indicated on the cover page of the present document.

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

- [1] 3GPP TS 36.523-1: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- [2] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- [3] 3GPP TS 36.508: "Common test environments for User Equipment (UE) conformance testing".
- [4] 3GPP TS 36.509: "Terminal logical test interface; Special conformance testing functions".
- [5] 3GPP TS 34.123-1: "User Equipment (UE) conformance specification; Part 1: Protocol conformance specification".
- [6] 3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".