



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
Universal Terrestrial Radio Access (UTRA)
and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification
for UE positioning;
Part 1: Conformance test specification
(3GPP TS 37.571-1 version 12.6.0 Release 12)**



Reference

RTS/TSGR-0537571-1vc60

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	14
Introduction	14
1 Scope	15
2 References	15
3 Definitions, symbols and abbreviations	17
3.1 Definitions	17
3.2 Symbols.....	17
3.3 Abbreviations	18
4 General test conditions	19
4.1 Introduction	19
4.2 GNSS test conditions.....	19
4.2.1 GNSS signals	19
4.2.2 GNSS frequency	19
4.2.3 GNSS static propagation conditions	19
4.2.4 GNSS multi-path conditions	19
4.2.5 UEs supporting multiple satellite signals.....	20
4.2.6 GNSS multi System Time Offsets	21
4.3 UTRA test conditions.....	21
4.3.1 UTRA frequency band and frequency range	21
4.3.2 UTRA frequency	21
4.3.3 Sensors	21
4.4 E-UTRA test conditions	21
4.4.1 E-UTRA frequency band and frequency range.....	21
4.4.2 Groups of bands	21
4.4.3 Sensors	22
4.5 A-GNSS test conditions	22
4.5.1 General.....	22
4.5.2 UTRAN measurement parameters.....	22
4.5.2.1 UE based A-GNSS measurement parameters	22
4.5.2.2 UE assisted A-GNSS measurement parameters	22
4.5.2.3 2D position error	23
4.5.2.4 Response time	23
4.5.3 E-UTRAN measurement parameters	23
4.5.3.1 UE based A-GNSS measurement parameters	23
4.5.3.2 UE assisted A-GNSS measurement parameters	23
4.5.3.3 2D Error definition.....	23
4.5.3.4 Response time	23
4.5.4 Converting A-GNSS UE-assisted measurement reports into position estimates	23
4.6 ECID test conditions	24
4.6.1 Simulated cells.....	24
4.6.2 Propagation conditions	24
4.6.2.1 Static	24
4.6.2.2 Multi-path fading	24
4.6.3 UE Rx - Tx time difference reporting range	24
4.7 OTDOA test conditions	24
4.7.1 Simulated cells.....	24
4.7.2 Propagation conditions	25
4.7.2.1 Static	25
4.7.2.2 Multi-path fading	25

4.7.3	Response time	25
4.7.4	RSTD reporting range	25
4.7.5	RSTD Carrier Aggregation Test Cases with Different Channel Bandwidth Combinations	26
5	UTRA A-GPS Minimum Performance requirements	27
5.1	General	27
5.2	Sensitivity	27
5.2.1	Sensitivity Coarse Time Assistance	27
5.2.1.1	Definition and applicability	27
5.2.1.2	Minimum requirements	27
5.2.1.3	Test purpose	27
5.2.1.4	Method of test	28
5.2.1.4.1	Initial conditions	28
5.2.1.4.2	Procedure	28
5.2.1.5	Test Requirements	28
5.2.2	Sensitivity Fine Time Assistance	29
5.2.2.1	Definition and applicability	29
5.2.2.2	Minimum requirements	29
5.2.2.3	Test purpose	30
5.2.2.4	Method of test	30
5.2.2.4.1	Initial conditions	30
5.2.2.4.2	Procedure	30
5.2.2.5	Test Requirements	30
5.3	Nominal Accuracy	31
5.3.1	Definition and applicability	31
5.3.2	Minimum requirements	31
5.3.3	Test purpose	31
5.3.4	Method of test	32
5.3.4.1	Initial conditions	32
5.3.4.2	Procedure	32
5.3.5	Test Requirements	33
5.4	Dynamic Range	33
5.4.1	Definition and applicability	33
5.4.2	Minimum requirements	33
5.4.3	Test purpose	34
5.4.4	Method of test	34
5.4.4.1	Initial conditions	34
5.4.4.2	Procedure	34
5.4.5	Test Requirements	35
5.5	Multi-path Performance	35
5.5.1	Definition and applicability	35
5.5.2	Minimum requirements	35
5.5.3	Test purpose	36
5.5.4	Method of test	36
5.5.4.1	Initial conditions	36
5.5.4.2	Procedure	36
5.5.5	Test Requirements	37
5.6	Moving Scenario and Periodic Update Performance	37
5.6.1	Definition and applicability	37
5.6.2	Minimum requirements	37
5.6.3	Test purpose	38
5.6.4	Method of test	38
5.6.4.1	Initial conditions	38
5.6.4.2	Procedure	39
5.6.5	Test Requirements	40
6	UTRA A-GNSS Minimum Performance requirements	41
6.1	General	41
6.2	Sensitivity	41
6.2.1	Sensitivity Coarse Time Assistance	41
6.2.1.1	Definition and applicability	41
6.2.1.2	Minimum requirements	41

6.2.1.3	Test purpose	42
6.2.1.4	Method of test	42
6.2.1.4.1	Initial conditions	42
6.2.1.4.2	Procedure.....	43
6.2.1.5	Test Requirements.....	43
6.2.2	Sensitivity Fine Time Assistance	44
6.2.2.1	Definition and applicability.....	44
6.2.2.2	Minimum requirements	44
6.2.2.3	Test purpose	45
6.2.2.4	Method of test	45
6.2.2.4.1	Initial conditions	45
6.2.2.4.2	Procedure.....	45
6.2.2.5	Test Requirements.....	46
6.3	Nominal Accuracy.....	47
6.3.1	Definition and applicability	47
6.3.2	Minimum requirements.....	47
6.3.3	Test purpose.....	48
6.3.4	Method of test	48
6.3.4.1	Initial conditions	48
6.3.4.2	Procedure	48
6.3.5	Test Requirements	49
6.4	Dynamic Range	50
6.4.1	Definition and applicability	50
6.4.2	Minimum requirements.....	50
6.4.3	Test purpose.....	51
6.4.4	Method of test	51
6.4.4.1	Initial conditions	51
6.4.4.2	Procedure	51
6.4.5	Test Requirements	52
6.5	Multi-path Performance	53
6.5.1	Definition and applicability	53
6.5.2	Minimum requirements.....	53
6.5.3	Test purpose.....	54
6.5.4	Method of test.....	54
6.5.4.1	Initial conditions	54
6.5.4.2	Procedure	54
6.5.5	Test Requirements	55
6.6	Moving Scenario and Periodic Update Performance.....	56
6.6.1	Definition and applicability	56
6.6.2	Minimum requirements.....	56
6.6.3	Test purpose.....	57
6.6.4	Method of test	57
6.6.4.1	Initial conditions	57
6.6.4.2	Procedure	58
6.6.5	Test Requirements	59
7	E-UTRA A-GNSS minimum performance requirements	61
7.0	General	61
7.1	Sensitivity.....	61
7.1.1	Sensitivity Coarse time assistance	61
7.1.1.1	Sub-tests.....	61
7.1.1.2	Test purpose	61
7.1.1.3	Test applicability.....	61
7.1.1.4	Minimum conformance requirements	61
7.1.1.5	Test description	62
7.1.1.5.1	Initial conditions	62
7.1.1.5.2	Test procedure	63
7.1.1.5.3	Message contents.....	64
7.1.1.6	Test requirement	64
7.1.2	Sensitivity Fine time assistance	65
7.1.2.1	Sub-tests.....	65
7.1.2.2	Test purpose	66

7.1.2.3	Test applicability	66
7.1.2.4	Minimum conformance requirements	66
7.1.2.5	Test description	67
7.1.2.5.1	Initial conditions	67
7.1.2.5.2	Test procedure	67
7.1.2.5.3	Message contents	68
7.1.2.6	Test requirement	69
7.2	Nominal Accuracy	70
7.2.1	Sub-tests	70
7.2.2	Test purpose	70
7.2.3	Test applicability	70
7.2.4	Minimum conformance requirements	71
7.2.5	Test description	72
7.2.5.1	Initial conditions	72
7.2.5.2	Test procedure	72
7.2.5.3	Message contents	73
7.2.6	Test requirement	74
7.3	Dynamic Range	75
7.3.1	Sub-tests	75
7.3.2	Test purpose	75
7.3.3	Test applicability	75
7.3.4	Minimum conformance requirements	75
7.3.5	Test description	76
7.3.5.1	Initial conditions	76
7.3.5.2	Test procedure	77
7.3.5.3	Message contents	77
7.3.6	Test requirement	78
7.4	Multi-Path scenario	79
7.4.1	Sub-tests	79
7.4.2	Test purpose	80
7.4.3	Test applicability	80
7.4.4	Minimum conformance requirements	80
7.4.5	Test description	81
7.4.5.1	Initial conditions	81
7.4.5.2	Test procedure	81
7.4.5.3	Message contents	82
7.4.6	Test requirement	83
7.5	Moving scenario and periodic update	84
7.5.1	Sub-tests	84
7.5.2	Test purpose	84
7.5.3	Test applicability	84
7.5.4	Minimum conformance requirements	84
7.5.5	Test description	85
7.5.5.1	Initial conditions	85
7.5.5.2	Test procedure	86
7.5.5.3	Message contents	87
7.5.6	Test requirement	88
8	E-UTRA ECID measurement requirements	89
8.1	UE Rx – Tx Time Difference	89
8.1.1	E-UTRAN FDD UE Rx – Tx time difference case	89
8.1.1.1	Test purpose	89
8.1.1.2	Test applicability	89
8.1.1.3	Minimum conformance requirements	89
8.1.1.4	Test description	90
8.1.1.4.1	Initial conditions	90
8.1.1.4.2	Test procedure	91
8.1.1.4.3	Message contents	91
8.1.1.5	Test requirement	95
8.1.2	E-UTRAN TDD UE Rx – Tx time difference case	96
8.1.2.1	Test purpose	96
8.1.2.2	Test applicability	96

8.1.2.3	Minimum conformance requirements	96
8.1.2.4	Test description	97
8.1.2.4.1	Initial conditions	97
8.1.2.4.2	Test procedure	97
8.1.2.4.3	Message contents	98
8.1.2.5	Test requirement	101
8.1.3	E-UTRAN FDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	102
8.1.3.1	Test purpose	102
8.1.3.2	Test applicability	102
8.1.3.3	Minimum conformance requirements	102
8.1.3.4	Test description	103
8.1.3.4.1	Initial conditions	104
8.1.3.4.2	Test procedure	104
8.1.3.4.3	Message contents	105
8.1.3.5	Test requirement	109
8.1.4	E-UTRAN TDD UE Rx–Tx Time Difference under Time-Domain Measurement Resource Restriction with Non-MBSFN ABS (eICIC)	111
8.1.4.1	Test purpose	111
8.1.4.2	Test applicability	111
8.1.4.3	Minimum conformance requirements	111
8.1.4.4	Test description	112
8.1.4.4.1	Initial conditions	113
8.1.4.4.2	Test procedure	113
8.1.4.4.3	Message contents	114
8.1.4.5	Test requirement	118
8.1.5	E-UTRAN FDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	120
8.1.5.1	Test purpose	120
8.1.5.2	Test applicability	120
8.1.5.3	Minimum conformance requirements	120
8.1.5.4	Test description	121
8.1.5.4.1	Initial conditions	122
8.1.5.4.2	Test procedure	123
8.1.5.4.3	Message contents	123
8.1.5.5	Test requirement	128
8.1.6	E-UTRAN TDD UE Rx–Tx time difference under Time Domain Measurement Resource Restriction with CRS Assistance Information and Non-MBSFN ABS (feICIC)	130
8.1.6.1	Test purpose	130
8.1.6.2	Test applicability	130
8.1.6.3	Minimum conformance requirements	130
8.1.6.4	Test description	131
8.1.6.4.1	Initial conditions	132
8.1.6.4.2	Test procedure	133
8.1.6.4.3	Message contents	134
8.1.6.5	Test requirement	139
9	E-UTRA OTDOA measurement requirements	141
9.1	RSTD Intra-Frequency Measurements	141
9.1.1	FDD RSTD Measurement Reporting Delay	141
9.1.1.1	Test purpose	141
9.1.1.2	Test applicability	141
9.1.1.3	Minimum conformance requirements	141
9.1.1.4	Test description	143
9.1.1.4.1	Initial conditions	143
9.1.1.4.2	Test procedure	145
9.1.1.4.3	Message contents	146
9.1.1.5	Test requirement	149
9.1.2	TDD RSTD Measurement Reporting Delay	152
9.1.2.1	Test purpose	152
9.1.2.2	Test applicability	152
9.1.2.3	Minimum conformance requirements	152

9.1.2.4	Test description	153
9.1.2.4.1	Initial conditions	153
9.1.2.4.2	Test procedure.....	155
9.1.2.4.3	Message contents	156
9.1.2.5	Test requirement	159
9.1.3	FDD RSTD Measurement Accuracy	162
9.1.3.1	Test purpose	162
9.1.3.2	Test applicability	162
9.1.3.3	Minimum conformance requirements.....	162
9.1.3.4	Test description	164
9.1.3.4.1	Initial conditions	164
9.1.3.4.2	Test procedure.....	166
9.1.3.4.3	Message contents	167
9.1.3.5	Test requirement	171
9.1.4	TDD RSTD Measurement Accuracy	173
9.1.4.1	Test purpose	173
9.1.4.2	Test applicability	173
9.1.4.3	Minimum conformance requirements.....	173
9.1.4.4	Test description	173
9.1.4.4.1	Initial conditions	173
9.1.4.4.2	Test procedure.....	175
9.1.4.4.3	Message contents	176
9.1.4.5	Test requirement	180
9.2	RSTD Inter-Frequency Measurements.....	181
9.2.1	FDD-FDD inter-frequency RSTD measurement reporting delay	181
9.2.1.1	Test purpose	181
9.2.1.2	Test applicability	181
9.2.1.3	Minimum conformance requirements.....	181
9.2.1.4	Test description	182
9.2.1.4.1	Initial conditions	182
9.2.1.4.2	Test procedure.....	185
9.2.1.4.3	Message contents	186
9.2.1.5	Test requirement	190
9.2.2	TDD-TDD inter-frequency RSTD measurement reporting delay.....	193
9.2.2.1	Test purpose	193
9.2.2.2	Test applicability	193
9.2.2.3	Minimum conformance requirements.....	193
9.2.2.4	Test description	194
9.2.2.4.1	Initial conditions	194
9.2.2.4.2	Test procedure.....	196
9.2.2.4.3	Message contents	197
9.2.2.5	Test requirement	201
9.2.3	Void	204
9.2.4	FDD-FDD inter-frequency RSTD Accuracy	204
9.2.4.1	Test purpose	204
9.2.4.2	Test applicability	204
9.2.4.3	Minimum conformance requirements	204
9.2.4.4	Test description	206
9.2.4.4.1	Initial conditions	206
9.2.4.4.2	Test procedure.....	208
9.2.4.4.3	Message contents	208
9.2.4.5	Test requirement	213
9.2.5	TDD-TDD inter-frequency RSTD Accuracy.....	214
9.2.5.1	Test purpose	214
9.2.5.2	Test applicability	214
9.2.5.3	Minimum conformance requirements	214
9.2.5.4	Test description	214
9.2.5.5	Test requirement	222
10	E-UTRA OTDOA measurement requirements for Carrier Aggregation	224
10.1	FDD RSTD Measurement Reporting Delay for Carrier Aggregation	224
10.1.1	Test purpose.....	224

10.1.2	Test applicability	224
10.1.3	Minimum conformance requirements	224
10.1.3.1	Measurements on the secondary component carrier	224
10.1.3.2	Measurements on both primary component carrier and secondary component carrier	224
10.1.4	Test description	224
10.1.4.1	Initial conditions	224
10.1.4.2	Test procedure	227
10.1.4.3	Message contents	229
10.1.5	Test requirement	233
10.1A	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz Bandwidth	235
10.1A.1	Test purpose	235
10.1A.2	Test applicability	235
10.1A.3	Minimum conformance requirements	235
10.1A.4	Test description	235
10.1A.4.1	Initial conditions	235
10.1A.4.2	Test procedure	236
10.1A.4.3	Message contents	236
10.1A.5	Test requirement	236
10.1B	FDD RSTD Measurement Reporting Delay Carrier Aggregation for 5 MHz + 5 MHz Bandwidth	237
10.1B.1	Test purpose	237
10.1B.2	Test applicability	237
10.1B.3	Minimum conformance requirements	237
10.1B.4	Test description	237
10.1B.4.1	Initial conditions	237
10.1B.4.2	Test procedure	237
10.1B.4.3	Message contents	237
10.1B.5	Test requirement	237
10.1C	FDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10 MHz+5 MHz Bandwidth	238
10.1C.1	Test purpose	238
10.1C.2	Test applicability	238
10.1C.3	Minimum conformance requirements	238
10.1C.4	Test description	239
10.1C.4.1	Initial conditions	239
10.1C.4.2	Test procedure	239
10.1C.4.3	Message contents	239
10.1C.5	Test requirement	239
10.2	TDD RSTD Measurement Reporting Delay for Carrier Aggregation	240
10.2.1	Test purpose	240
10.2.2	Test applicability	240
10.2.3	Minimum conformance requirements	240
10.2.3.1	Measurements on the secondary component carrier	240
10.2.3.2	Measurements on both primary component carrier and secondary component carrier	240
10.2.4	Test description	241
10.2.4.1	Initial conditions	241
10.2.4.2	Test procedure	243
10.2.4.3	Message contents	245
10.2.5	Test requirement	249
10.2A	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz Bandwidth	251
10.2A.1	Test purpose	251
10.2A.2	Test applicability	251
10.2A.3	Minimum conformance requirements	251
10.2A.4	Test description	251
10.2A.4.1	Initial conditions	251
10.2A.4.2	Test procedure	252
10.2A.4.3	Message contents	252
10.2A.5	Test requirement	252
10.2B	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 5 MHz + 5 MHz Bandwidth	253
10.2B.1	Test purpose	253
10.2B.2	Test applicability	253
10.2B.3	Minimum conformance requirements	253
10.2B.4	Test description	253
10.2B.4.1	Initial conditions	253

10.2B.4.2	Test procedure.....	253
10.2B.4.3	Message contents	253
10.2B.5	Test requirement	253
10.2C	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth	254
10.2C.1	Test purpose.....	254
10.2C.2	Test applicability	254
10.2C.3	Minimum conformance requirements	254
10.2C.4	Test description.....	255
10.2C.4.1	Initial conditions	255
10.2C.4.2	Test procedure.....	255
10.2C.4.3	Message contents	255
10.2C.5	Test requirement	255
10.2D	TDD RSTD Measurement Reporting Delay for Carrier Aggregation for 20 MHz +10 MHz Bandwidth	256
10.2D.1	Test purpose.....	256
10.2D.2	Test applicability	256
10.2D.3	Minimum conformance requirements	256
10.2D.4	Test description.....	256
10.2D.4.1	Initial conditions	256
10.2D.4.2	Test procedure.....	257
10.2D.4.3	Message contents	257
10.2D.5	Test requirement	257
10.3	FDD RSTD Measurement Accuracy for Carrier Aggregation	258
10.3.1	Test purpose.....	258
10.3.2	Test applicability	258
10.3.3	Minimum conformance requirements	258
10.3.4	Test description.....	258
10.3.4.1	Initial conditions	258
10.3.4.2	Test procedure.....	259
10.3.4.3	Message contents	260
10.3.5	Test requirement	263
10.3A	FDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-10 and Rel-11)	264
10.3A.1	Test purpose.....	264
10.3A.2	Test applicability	264
10.3A.3	Minimum conformance requirements	265
10.3A.4	Test description.....	265
10.3A.4.1	Initial conditions	265
10.3A.4.2	Test procedure.....	265
10.3A.4.3	Message contents	265
10.3A.5	Test requirement	265
10.3A_1	FDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-12 onwards)	266
10.3A_1.1	Test purpose.....	266
10.3A_1.2	Test applicability	266
10.3A_1.3	Minimum conformance requirements	266
10.3A_1.4	Test description.....	266
10.3A_1.4.1	Initial conditions	266
10.3A_1.4.2	Test procedure.....	266
10.3A_1.4.3	Message contents	266
10.3A_1.5	Test requirement	266
10.3B	FDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz + 5 MHz Bandwidth.....	266
10.3B.1	Test purpose.....	266
10.3B.2	Test applicability	266
10.3B.3	Minimum conformance requirements	267
10.3B.4	Test description.....	267
10.3B.4.1	Initial conditions	267
10.3B.4.2	Test procedure.....	267
10.3B.4.3	Message contents	267
10.3B.5	Test requirement	267
10.3C	FDD RSTD Measurement Accuracy for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth.....	268
10.3C.1	Test purpose.....	268
10.3C.2	Test applicability	268
10.3C.3	Minimum conformance requirements	268

10.3C.4	Test description.....	268
10.3C.4.1	Initial conditions	268
10.3C.4.2	Test procedure.....	269
10.3C.4.3	Message contents	269
10.3C.5	Test requirement	269
10.4	TDD RSTD Measurement Accuracy for Carrier Aggregation	270
10.4.1	Test purpose.....	270
10.4.2	Test applicability	270
10.4.3	Minimum conformance requirements	270
10.4.4	Test description.....	270
10.4.4.1	Initial conditions	270
10.4.4.2	Test procedure.....	272
10.4.4.3	Message contents	273
10.4.5	Test requirement	276
10.4A	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-10 and Rel-11)	277
10.4A.1	Test purpose.....	277
10.4A.2	Test applicability	277
10.4A.3	Minimum conformance requirements	278
10.4A.4	Test description.....	278
10.4A.4.1	Initial conditions	278
10.4A.4.2	Test procedure.....	278
10.4A.4.3	Message contents	278
10.4A.5	Test requirement	278
10.4A_1	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz Bandwidth (Rel-12 onwards) ...	279
10.4A_1.1	Test purpose.....	279
10.4A_1.2	Test applicability	279
10.4A_1.3	Minimum conformance requirements	279
10.4A_1.4	Test description.....	279
10.4A_1.4.1	Initial conditions	279
10.4A_1.4.2	Test procedure.....	279
10.4A_1.4.3	Message contents	279
10.4A_1.5	Test requirement	279
10.4B	TDD RSTD Measurement Accuracy for Carrier Aggregation for 5 MHz + 5 MHz bandwidth	279
10.4B.1	Test purpose.....	279
10.4B.2	Test applicability	279
10.4B.3	Minimum conformance requirements	280
10.4B.4	Test description.....	280
10.4B.4.1	Initial conditions	280
10.4B.4.2	Test procedure.....	280
10.4B.4.3	Message contents	280
10.4B.5	Test requirement	280
10.4C	TDD RSTD Measurement Accuracy for Carrier Aggregation for 10 MHz + 5 MHz Bandwidth	281
10.4C.1	Test purpose.....	281
10.4C.2	Test applicability	281
10.4C.3	Minimum conformance requirements	281
10.4C.4	Test description.....	281
10.4C.4.1	Initial conditions	281
10.4C.4.2	Test procedure.....	282
10.4C.4.3	Message contents	282
10.4C.5	Test requirement	282
10.4D	TDD RSTD Measurement Accuracy for Carrier Aggregation for 20 MHz+10 MHz Bandwidth	283
10.4D.1	Test purpose.....	283
10.4D.2	Test applicability	283
10.4D.3	Minimum conformance requirements	283
10.4D.4	Test description.....	283
10.4D.4.1	Initial conditions	283
10.4D.4.2	Test procedure.....	283
10.4D.4.3	Message contents	283
10.4D.5	Test requirement	284
10.5	FDD 3 DL CA RSTD Measurement Reporting Delay	284
10.5.1	Test Purpose.....	284

10.5.2	Test applicability	284
10.5.3	Minimum conformance requirements	284
10.5.3.1	Measurements on the secondary component carrier	284
10.5.3.2	Measurements on both primary component carrier and secondary component carrier	284
10.5.3.3	Measurements on different secondary component carriers	285
10.5.4	Test description.....	285
10.5.4.1	Initial conditions	285
10.5.4.2	Test procedure.....	287
10.5.4.3	Message contents	289
10.5.5	Test Requirements	293
10.6	TDD 3 DL CA RSTD Measurement Reporting Delay.....	295
10.6.1	Test Purpose.....	295
10.6.2	Test applicability	295
10.6.3	Minimum conformance requirements	296
10.6.3.1	Measurements on the secondary component carrier	296
10.6.3.2	Measurements on both primary component carrier and secondary component carrier	296
10.6.3.3	Measurements on different secondary component carriers	296
10.6.4	Test description.....	296
10.6.4.1	Initial conditions	296
10.6.4.2	Test procedure.....	300
10.6.4.3	Message contents	301
10.6.5	Test Requirements	305
10.7	FDD RSTD Measurement Accuracy for 3DL Carrier Aggregation.....	307
10.7.1	Test purpose.....	307
10.7.2	Test applicability	307
10.7.3	Minimum conformance requirements	307
10.7.4	Test description.....	308
10.7.4.1	Initial conditions	308
10.7.4.2	Test procedure.....	310
10.7.4.3	Message contents	311
10.7.5	Test requirement	315
10.8	TDD RSTD Measurement Accuracy for 3DL Carrier Aggregation.....	316
10.8.1	Test purpose.....	316
10.8.2	Test applicability	316
10.8.3	Minimum conformance requirements	316
10.8.4	Test description.....	316
10.8.4.1	Initial conditions	316
10.8.4.2	Test procedure.....	319
10.8.4.3	Message contents	320
10.8.5	Test requirement	324
Annex A (informative): Connection Diagrams		326
Annex B (normative): Converting A-GNSS UE-assisted measurement reports into position estimates.....		330
B.1	Introduction	330
B.2	UTRAN UE measurement reports for A-GPS L1 C/A only	330
B.3	UTRAN UE measurement reports for A-GNSS.....	330
B.4	E-UTRAN UE measurement reports	332
B.5	WLS position solution.....	332
Annex C (normative): General test conditions and declarations.....		335
C.1	Acceptable uncertainty of Test System	335
C.1.1	Measurement of test environments	335
C.1.2	A-GNSS Minimum Performance requirements	336
C.1.3	ECID and OTDOA Measurement requirements	337
C.2	Test Parameter Relaxations (This clause is informative)	341
C.2.1	A-GNSS Minimum Performance requirements	341
C.2.2	ECID and OTDOA Measurement requirements	342
C.3	Interpretation of measurement results	343
C.4	Derivation of Test Requirements (This clause is informative).....	344

Annex D (normative):	Rules for statistical testing	351
D.1	Test Method.....	351
D.2	Error Ratio (ER).....	351
D.3	Test Design.....	351
D.3.1	Confidence level	351
D.3.2	Introduction: Supplier Risk versus Customer Risk.....	351
D.3.3	Supplier Risk versus Customer Risk.....	352
D.3.4	Introduction: Standard test versus early decision concept	352
D.3.5	Standard test versus early decision concept.....	353
D.3.6	Selectivity	353
D.3.7	Design of the test	354
D.4	Pass fail decisions.....	356
D.4.1	Numerical definition of the pass fail limits for A-GNSS test cases.....	356
D.4.2	Pass fail decision rules for A-GNSS test cases	356
D.4.3	Numerical definition of the pass fail limits for ECID and OTDOA test cases	357
D.4.4	Pass fail decision rules for ECID and OTDOA test cases.....	358
D.4.5	Background information to the pass fail limits	358
Annex E (normative):	Conditions for ECID and OTDOA requirements applicability for operating bands.....	360
E.1	Conditions for E-CID UE Rx – Tx time difference Measurements.....	360
E.2	Conditions for E-UTRAN OTDOA intra-frequency RSTD Measurements.....	360
E.3	Conditions for OTDOA inter-frequency RSTD Measurements	361
E.4	Conditions for UE Rx-Tx Time Difference Measurement under Time Domain Measurement Resource Restriction with CRS Assistance Information.....	361
Annex F (normative):	UTRAN Generic procedures.....	362
F.1	General	362
F.2	UTRAN connection set up	362
F.2.1	Initial conditions	362
F.2.2	Procedures.....	362
F.2.3	Specific message contents	363
F.3	UTRAN connection release.....	363
F.3.1	Procedure	363
F.3.2	Specific message contents	363
Annex G (normative):	Environmental conditions	364
G.1	General	364
G.2	Environmental requirements	364
G.2.1	Temperature.....	364
G.2.2	Voltage	364
Annex H (informative):	Change history	365
History		369

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

The present document is part 1 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

1 Scope

The present document specifies the procedures for the conformance test of the measurement requirements for FDD or TDD mode of UTRA and FDD or TDD mode of E-UTRA for the User Equipment (UE) that supports one or more of the defined positioning methods. These positioning methods are for UTRA: Assisted Global Positioning System (A-GPS), Assisted Global Navigation Satellite Systems (A-GNSS) and for E-UTRA: Assisted Global Navigation Satellite System (A-GNSS), Observed Time Difference of Arrival (OTDOA), Enhanced Cell ID (ECID).

Tests are only applicable to those mobiles that are intended to support the appropriate functionality. To indicate the circumstances in which tests apply, this is noted in the "Test applicability" part of the test.

The Implementation Conformance Statement (ICS) pro-forma could be found in the 3rd part of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.101: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception".
- [3] 3GPP TS 36.171: "Evolved Universal Terrestrial Radio Access (E-UTRA); Requirements for Support of Assisted Global Navigation Satellite System (A-GNSS)".
- [4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".
- [5] 3GPP TS 36.302: "Evolved Universal Terrestrial Radio Access (E-UTRA); Services provided by the physical layer".
- [6] 3GPP TS 36.214: "Evolved Universal Terrestrial Radio Access (E-UTRA); Physical layer; Measurements".
- [7] ETSI TR 102 273-1-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Improvement on Radiated Methods of Measurement (using test site) and evaluation of the corresponding measurement uncertainties; Part 1: Uncertainties in the measurement of mobile radio equipment characteristics; Sub-part 2: Examples and annexes".
- [8] IS-GPS-200, Revision D, Navstar GPS Space Segment/Navigation User Interfaces, March 7th, 2006.
- [9] P. Axelrad, R.G. Brown, "GPS Navigation Algorithms", in Chapter 9 of "Global Positioning System: Theory and Applications", Volume 1, B.W. Parkinson, J.J. Spilker (Ed.), Am. Inst. of Aeronautics and Astronautics Inc., 1996.
- [10] S.K. Gupta, "Test and Evaluation Procedures for the GPS User Equipment", ION-GPS Red Book, Volume 1, p.119.