

ETSI TS 100 909 V8.9.0 (2005-01)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Channel coding
(3GPP TS 05.03 version 8.9.0 Release 1999)**

GSM®
GLOBAL SYSTEM FOR
MOBILE COMMUNICATIONS

3GPP™

ETSI 

Reference

RTS/TSGG-010503v890

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2005.
All rights reserved.

DECT™, PLUGTESTS™ and UMTS™ are Trade Marks of ETSI registered for the benefit of its Members.
TIPHON™ and the TIPHON logo are Trade Marks currently being registered by ETSI for the benefit of its Members.
3GPP™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Foreword..... | 9 |
| 1 Scope | 10 |
| 1.1 References | 10 |
| 1.2 Abbreviations | 11 |
| 2 General | 11 |
| 2.1 General organization | 11 |
| 2.2 Naming Convention | 15 |
| 3 Traffic Channels (TCH) | 17 |
| 3.1 Speech channel at full rate (TCH/FS and TCH/EFS) | 17 |
| 3.1.1 Preliminary channel coding for EFR only | 17 |
| 3.1.1.1 CRC calculation | 17 |
| 3.1.1.2 Repetition bits | 18 |
| 3.1.1.3 Correspondence between input and output of preliminary channel coding..... | 18 |
| 3.1.2 Channel coding for FR and EFR..... | 18 |
| 3.1.2.1 Parity and tailing for a speech frame..... | 18 |
| 3.1.2.2 Convolutional encoder | 19 |
| 3.1.3 Interleaving | 19 |
| 3.1.4 Mapping on a Burst..... | 19 |
| 3.2 Speech channel at half rate (TCH/HS) | 20 |
| 3.2.1 Parity and tailing for a speech frame | 20 |
| 3.2.2 Convolutional encoder | 20 |
| 3.2.3 Interleaving | 21 |
| 3.2.4 Mapping on a burst | 21 |
| 3.3 Data channel at full rate, 12.0 kbit/s radio interface rate (9.6 kbit/s services (TCH/F9.6))..... | 22 |
| 3.3.1 Interface with user unit | 22 |
| 3.3.2 Block code | 22 |
| 3.3.3 Convolutional encoder | 22 |
| 3.3.4 Interleaving | 22 |
| 3.3.5 Mapping on a Burst..... | 23 |
| 3.4 Data channel at full rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/F4.8))..... | 23 |
| 3.4.1 Interface with user unit | 23 |
| 3.4.2 Block code | 23 |
| 3.4.3 Convolutional encoder | 23 |
| 3.4.4 Interleaving | 23 |
| 3.4.5 Mapping on a Burst..... | 24 |
| 3.5 Data channel at half rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/H4.8))..... | 24 |
| 3.5.1 Interface with user unit | 24 |
| 3.5.2 Block code | 24 |
| 3.5.3 Convolutional encoder | 24 |
| 3.5.4 Interleaving | 24 |
| 3.5.5 Mapping on a Burst..... | 24 |
| 3.6 Data channel at full rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/F2.4))..... | 24 |
| 3.6.1 Interface with user unit | 24 |
| 3.6.2 Block code | 24 |
| 3.6.3 Convolutional encoder | 25 |
| 3.6.4 Interleaving | 25 |
| 3.6.5 Mapping on a Burst..... | 25 |
| 3.7 Data channel at half rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/H2.4))..... | 25 |
| 3.7.1 Interface with user unit | 25 |
| 3.7.2 Block code | 25 |
| 3.7.3 Convolutional encoder | 26 |
| 3.7.4 Interleaving | 26 |

| | | |
|----------|---|----|
| 3.7.5 | Mapping on a Burst..... | 26 |
| 3.8 | Data channel at full rate, 14.5 kbit/s radio interface rate (14.4 kbit/s services (TCH/F14.4))..... | 26 |
| 3.8.1 | Interface with user unit | 26 |
| 3.8.2 | Block code | 26 |
| 3.8.3 | Convolutional encoder..... | 26 |
| 3.8.4 | Interleaving | 26 |
| 3.8.5 | Mapping on a Burst..... | 27 |
| 3.9 | Adaptive multi rate speech channel at full rate (TCH/AFS) | 27 |
| 3.9.1 | SID_UPDATE | 27 |
| 3.9.1.1 | Coding of in-band data..... | 27 |
| 3.9.1.2 | Parity and convolutional encoding for the comfort noise parameters | 28 |
| 3.9.1.3 | Identification marker | 29 |
| 3.9.1.4 | Interleaving | 29 |
| 3.9.1.5 | Mapping on a Burst | 29 |
| 3.9.2 | SID_FIRST | 29 |
| 3.9.2.1 | Coding of in-band data..... | 29 |
| 3.9.2.2 | Identification marker | 29 |
| 3.9.2.3 | Interleaving | 29 |
| 3.9.2.4 | Mapping on a Burst | 29 |
| 3.9.3 | ONSET | 30 |
| 3.9.3.1 | Coding of in-band data..... | 30 |
| 3.9.3.2 | Interleaving | 30 |
| 3.9.3.3 | Mapping on a Burst | 30 |
| 3.9.4 | SPEECH | 30 |
| 3.9.4.1 | Coding of the in-band data..... | 31 |
| 3.9.4.2 | Ordering according to subjective importance..... | 31 |
| 3.9.4.3 | Parity for speech frames..... | 31 |
| 3.9.4.4 | Convolutional encoder | 33 |
| 3.9.4.5 | Interleaving | 39 |
| 3.9.4.6 | Mapping on a Burst | 39 |
| 3.9.5 | RATSCCH..... | 40 |
| 3.9.5.1 | Coding of in-band data..... | 40 |
| 3.9.5.2 | Parity and convolutional encoding for the RATSCCH message..... | 40 |
| 3.9.5.3 | Identification marker | 41 |
| 3.9.5.4 | Interleaving | 41 |
| 3.9.5.5 | Mapping on a Burst | 41 |
| 3.10 | Adaptive multi rate speech channel at half rate (TCH/AHS) | 41 |
| 3.10.1 | SID_UPDATE | 42 |
| 3.10.1.1 | Coding of in-band data..... | 42 |
| 3.10.1.2 | Parity and convolutional encoding for the comfort noise parameters | 42 |
| 3.10.1.3 | Identification marker | 43 |
| 3.10.1.4 | Interleaving | 43 |
| 3.10.1.5 | Mapping on a Burst | 43 |
| 3.10.2 | SID_UPDATE_INH | 43 |
| 3.10.2.1 | Coding of in-band data..... | 44 |
| 3.10.2.2 | Identification marker | 44 |
| 3.10.2.3 | Interleaving | 44 |
| 3.10.2.4 | Mapping on a Burst | 44 |
| 3.10.3 | SID_FIRST_P1 | 44 |
| 3.10.3.1 | Coding of in-band data..... | 44 |
| 3.10.3.2 | Identification marker | 45 |
| 3.10.3.3 | Interleaving | 45 |
| 3.10.3.4 | Mapping on a Burst | 45 |
| 3.10.4 | SID_FIRST_P2..... | 45 |
| 3.10.4.1 | Coding of in-band data..... | 45 |
| 3.10.4.2 | Interleaving | 45 |
| 3.10.4.3 | Mapping on a Burst | 45 |
| 3.10.5 | SID_FIRST_INH..... | 46 |
| 3.10.5.1 | Coding of in-band data..... | 46 |
| 3.10.5.2 | Identification marker | 46 |
| 3.10.5.3 | Interleaving | 46 |
| 3.10.5.4 | Mapping on a Burst | 46 |

| | | |
|----------|---|----|
| 3.10.6 | ONSET | 46 |
| 3.10.6.1 | Coding of in-band data..... | 46 |
| 3.10.6.2 | Interleaving | 46 |
| 3.10.6.3 | Mapping on a Burst..... | 46 |
| 3.10.7 | SPEECH | 46 |
| 3.10.7.1 | Coding of the in-band data..... | 47 |
| 3.10.7.2 | Ordering according to subjective importance..... | 47 |
| 3.10.7.3 | Parity for speech frames..... | 47 |
| 3.10.7.4 | Convolutional encoder | 49 |
| 3.10.7.5 | Interleaving | 53 |
| 3.10.7.6 | Mapping on a Burst..... | 53 |
| 3.10.8 | RATSCCH_MARKER..... | 53 |
| 3.10.8.1 | Coding of in-band data..... | 53 |
| 3.10.8.2 | Identification marker..... | 53 |
| 3.10.8.3 | Interleaving | 53 |
| 3.10.8.4 | Mapping on a Burst..... | 53 |
| 3.10.9 | RATSCCH_DATA..... | 53 |
| 3.10.9.1 | Coding of in-band data..... | 54 |
| 3.10.9.2 | Parity and convolutional encoding for the RATSCCH message..... | 54 |
| 3.10.9.3 | Interleaving | 55 |
| 3.10.9.4 | Mapping on a Burst..... | 55 |
| 3.11 | Data channel for ECSD at full rate, 29.0 kbit/s radio interface rate (28.8 kbit/s services (E-TCH/F28.8)) | 55 |
| 3.11.1 | Interface with user unit | 55 |
| 3.11.2 | Block code | 55 |
| 3.11.2.1 | Repetition bits | 55 |
| 3.11.2.2 | Reed Solomon encoder | 55 |
| 3.11.3 | Convolutional encoder..... | 57 |
| 3.11.3.1 | Tailing bits for a data frame | 57 |
| 3.11.3.2 | Convolutional encoding for a data frame | 57 |
| 3.11.4 | Interleaving | 57 |
| 3.11.5 | Mapping on a Burst..... | 57 |
| 3.12 | Data channel for ECSD at full rate, 32.0 kbit/s radio interface rate (32.0 kbit/s services (E-TCH/F32.0)) | 58 |
| 3.12.1 | Interface with user unit | 58 |
| 3.12.2 | Void | 58 |
| 3.12.3 | Convolutional encoder..... | 58 |
| 3.12.3.1 | Tailing bits for a data frame | 58 |
| 3.12.3.2 | Convolutional encoding for a data frame | 58 |
| 3.12.4 | Interleaving | 59 |
| 3.12.5 | Mapping on a Burst..... | 60 |
| 3.13 | Data channel for ECSD at full rate, 43.5 kbit/s radio interface rate (43.2 kbit/s services (E-TCH/F43.2)) | 60 |
| 3.13.1 | Interface with user unit | 60 |
| 3.13.2 | Convolutional encoder..... | 60 |
| 3.13.2.1 | Tailing bits for a data frame | 60 |
| 3.13.2.2 | Convolutional encoding for a data frame | 60 |
| 3.13.3 | Interleaving..... | 60 |
| 3.13.4 | Mapping on a Burst..... | 60 |
| 4 | Control Channels..... | 61 |
| 4.1 | Slow associated control channel (SACCH)..... | 61 |
| 4.1.1 | Block constitution | 61 |
| 4.1.2 | Block code | 61 |
| 4.1.3 | Convolutional encoder..... | 61 |
| 4.1.4 | Interleaving | 61 |
| 4.1.5 | Mapping on a Burst..... | 62 |
| 4.2 | Fast associated control channel at full rate (FACCH/F)..... | 62 |
| 4.2.1 | Block constitution | 62 |
| 4.2.2 | Block code | 62 |
| 4.2.3 | Convolutional encoder..... | 62 |
| 4.2.4 | Interleaving..... | 62 |
| 4.2.5 | Mapping on a Burst..... | 62 |
| 4.3 | Fast associated control channel at half rate (FACCH/H) | 63 |
| 4.3.1 | Block constitution | 63 |

| | | |
|-----------|---|----|
| 4.3.2 | Block code | 63 |
| 4.3.3 | Convolutional encoder | 63 |
| 4.3.4 | Interleaving | 63 |
| 4.3.5 | Mapping on a Burst..... | 63 |
| 4.4 | Broadcast control, Paging, Access grant, Notification and Cell broadcast channels (BCCH, PCH, AGCH, NCH, CBCH), CTS Paging and Access grant channels (CTSPCH, CTSAGCH)..... | 64 |
| 4.5 | Stand-alone dedicated control channel (SDCCH) | 64 |
| 4.6 | Random access channel (RACH) | 64 |
| 4.7 | Synchronization channel (SCH), Compact synchronization channel (CSCH), CTS Beacon and Access request channels (CTSBCH-SB, CTSARCH)..... | 65 |
| 4.8 | Access Burst on circuit switched channels other than RACH | 66 |
| 4.9 | Access Bursts for uplink access on a channel used for VGCS | 66 |
| 4.10 | Fast associated control channel at ECSD E-TCH/F (E-FACCH/F) | 66 |
| 4.10.1 | Block constitution | 66 |
| 4.10.2 | Block code | 66 |
| 4.10.3 | Convolutional encoder..... | 66 |
| 4.10.4 | Interleaving | 66 |
| 4.10.5 | Mapping on a Burst..... | 66 |
| 5 | Packet Switched Channels..... | 67 |
| 5.1 | Packet data traffic channel (PDTCH)..... | 67 |
| 5.1.1 | Packet data block type 1 (CS-1)..... | 67 |
| 5.1.2 | Packet data block type 2 (CS-2)..... | 67 |
| 5.1.2.1 | Block constitution | 67 |
| 5.1.2.2 | Block code..... | 67 |
| 5.1.2.3 | Convolutional encoder | 68 |
| 5.1.2.4 | Interleaving | 68 |
| 5.1.2.5 | Mapping on a burst..... | 68 |
| 5.1.3 | Packet data block type 3 (CS-3)..... | 68 |
| 5.1.3.1 | Block constitution | 68 |
| 5.1.3.2 | Block code..... | 68 |
| 5.1.3.3 | Convolutional encoder | 69 |
| 5.1.3.4 | Interleaving | 69 |
| 5.1.3.5 | Mapping on a burst..... | 69 |
| 5.1.4 | Packet data block type 4 (CS-4)..... | 70 |
| 5.1.4.1 | Block constitution | 70 |
| 5.1.4.2 | Block code..... | 70 |
| 5.1.4.3 | Convolutional encoder | 70 |
| 5.1.4.4 | Interleaving | 70 |
| 5.1.4.5 | Mapping on a burst..... | 70 |
| 5.1.5 | Packet data block type 5 (MCS-1) | 71 |
| 5.1.5.1 | Downlink (MCS-1 DL) | 71 |
| 5.1.5.1.1 | Block constitution..... | 71 |
| 5.1.5.1.2 | USF precoding..... | 71 |
| 5.1.5.1.3 | Header coding..... | 71 |
| 5.1.5.1.4 | Data coding..... | 72 |
| 5.1.5.1.5 | Interleaving..... | 72 |
| 5.1.5.1.6 | Mapping on a burst..... | 73 |
| 5.1.5.2 | Uplink (MCS-1 UL) | 73 |
| 5.1.5.2.1 | Block constitution..... | 73 |
| 5.1.5.2.2 | Header coding..... | 73 |
| 5.1.5.2.3 | Data coding..... | 74 |
| 5.1.5.2.4 | Interleaving..... | 74 |
| 5.1.5.2.5 | Mapping on a burst..... | 74 |
| 5.1.6 | Packet data block type 6 (MCS-2) | 75 |
| 5.1.6.1 | Downlink (MCS-2 DL) | 75 |
| 5.1.6.1.1 | Block constitution..... | 75 |
| 5.1.6.1.2 | USF precoding..... | 75 |
| 5.1.6.1.3 | Header coding..... | 75 |
| 5.1.6.1.4 | Data coding..... | 75 |
| 5.1.6.1.5 | Interleaving..... | 76 |
| 5.1.6.1.6 | Mapping on a burst..... | 76 |

| | | |
|------------|--|----|
| 5.1.6.2 | Uplink (MCS-2 UL)..... | 76 |
| 5.1.6.2.1 | Block constitution..... | 76 |
| 5.1.6.2.2 | Header coding..... | 76 |
| 5.1.6.2.3 | Data coding..... | 76 |
| 5.1.6.2.4 | Interleaving..... | 76 |
| 5.1.6.2.5 | Mapping on a burst..... | 76 |
| 5.1.7 | Packet data block type 7 (MCS-3)..... | 76 |
| 5.1.7.1 | Downlink (MCS-3 DL)..... | 76 |
| 5.1.7.1.1 | Block constitution..... | 76 |
| 5.1.7.1.2 | USF precoding..... | 76 |
| 5.1.7.1.3 | Header coding..... | 77 |
| 5.1.7.1.4 | Data coding..... | 77 |
| 5.1.7.1.5 | Interleaving..... | 77 |
| 5.1.7.1.6 | Mapping on a burst..... | 77 |
| 5.1.7.2 | Uplink (MCS-3 UL)..... | 78 |
| 5.1.7.2.1 | Block constitution..... | 78 |
| 5.1.7.2.2 | Header coding..... | 78 |
| 5.1.7.2.3 | Data coding..... | 78 |
| 5.1.7.2.4 | Interleaving..... | 78 |
| 5.1.7.2.5 | Mapping on a burst..... | 78 |
| 5.1.8 | Packet data block type 8 (MCS-4)..... | 78 |
| 5.1.8.1 | Downlink (MCS-4 DL)..... | 78 |
| 5.1.8.1.1 | Block constitution..... | 78 |
| 5.1.8.1.2 | USF precoding..... | 78 |
| 5.1.8.1.3 | Header coding..... | 78 |
| 5.1.8.1.4 | Data coding..... | 78 |
| 5.1.8.1.5 | Interleaving..... | 79 |
| 5.1.8.1.6 | Mapping on a burst..... | 79 |
| 5.1.8.2 | Uplink (MCS-4 UL)..... | 79 |
| 5.1.8.2.1 | Block constitution..... | 79 |
| 5.1.8.2.2 | Header coding..... | 79 |
| 5.1.8.2.3 | Data coding..... | 79 |
| 5.1.8.2.4 | Interleaving..... | 79 |
| 5.1.8.2.5 | Mapping on a burst..... | 80 |
| 5.1.9 | Packet data block type 9 (MCS-5)..... | 80 |
| 5.1.9.1 | Downlink (MCS-5 DL)..... | 80 |
| 5.1.9.1.1 | Block constitution..... | 80 |
| 5.1.9.1.2 | USF precoding..... | 80 |
| 5.1.9.1.3 | Header coding..... | 80 |
| 5.1.9.1.4 | Data coding..... | 81 |
| 5.1.9.1.5 | Interleaving..... | 82 |
| 5.1.9.1.6 | Mapping on a burst..... | 82 |
| 5.1.9.2 | Uplink (MCS-5 UL)..... | 83 |
| 5.1.9.2.1 | Block constitution..... | 83 |
| 5.1.9.2.2 | Header coding..... | 83 |
| 5.1.9.2.3 | Data coding..... | 84 |
| 5.1.9.2.4 | Interleaving..... | 84 |
| 5.1.9.2.5 | Mapping on a burst..... | 84 |
| 5.1.10 | Packet data block type 10 (MCS-6)..... | 85 |
| 5.1.10.1 | Downlink (MCS-6 DL)..... | 85 |
| 5.1.10.1.1 | Block constitution..... | 85 |
| 5.1.10.1.2 | USF precoding..... | 85 |
| 5.1.10.1.3 | Header coding..... | 85 |
| 5.1.10.1.4 | Data coding..... | 85 |
| 5.1.10.1.5 | Interleaving..... | 86 |
| 5.1.10.1.6 | Mapping on a burst..... | 86 |
| 5.1.10.2 | Uplink (MCS-6 UL)..... | 86 |
| 5.1.10.2.1 | Block constitution..... | 86 |
| 5.1.10.2.2 | Header coding..... | 86 |
| 5.1.10.2.3 | Data coding..... | 86 |
| 5.1.10.2.4 | Interleaving..... | 86 |
| 5.1.10.2.5 | Mapping on a burst..... | 86 |

| | | |
|-------------------------------|--|------------|
| 5.1.11 | Packet data block type 11 (MCS-7) | 86 |
| 5.1.11.1 | Downlink (MCS-7 DL) | 86 |
| 5.1.11.1.1 | Block constitution | 86 |
| 5.1.11.1.2 | USF precoding | 86 |
| 5.1.11.1.3 | Header coding | 86 |
| 5.1.11.1.4 | Data coding | 87 |
| 5.1.11.1.5 | Interleaving | 88 |
| 5.1.11.1.6 | Mapping on a burst | 88 |
| 5.1.11.2 | Uplink (MCS-7 UL) | 89 |
| 5.1.11.2.1 | Block constitution | 89 |
| 5.1.11.2.2 | Header coding | 89 |
| 5.1.11.2.3 | Data coding | 90 |
| 5.1.11.2.4 | Interleaving | 90 |
| 5.1.11.2.5 | Mapping on a burst | 90 |
| 5.1.12 | Packet data block type 12 (MCS-8) | 91 |
| 5.1.12.1 | Downlink (MCS-8 DL) | 91 |
| 5.1.12.1.1 | Block constitution | 91 |
| 5.1.12.1.2 | USF precoding | 91 |
| 5.1.12.1.3 | Header coding | 91 |
| 5.1.12.1.4 | Data coding | 91 |
| 5.1.12.1.5 | Interleaving | 92 |
| 5.1.12.1.6 | Mapping on a burst | 92 |
| 5.1.12.2 | Uplink (MCS-8 UL) | 92 |
| 5.1.12.2.1 | Block constitution | 92 |
| 5.1.12.2.2 | Header coding | 92 |
| 5.1.12.2.3 | Data coding | 92 |
| 5.1.12.2.4 | Interleaving | 92 |
| 5.1.12.2.5 | Mapping on a burst | 93 |
| 5.1.13 | Packet data block type 13 (MCS-9) | 93 |
| 5.1.13.1 | Downlink (MCS-9 DL) | 93 |
| 5.1.13.1.1 | Block constitution | 93 |
| 5.1.13.1.2 | USF precoding | 93 |
| 5.1.13.1.3 | Header coding | 93 |
| 5.1.13.1.4 | Data coding | 93 |
| 5.1.13.1.5 | Interleaving | 94 |
| 5.1.13.1.6 | Mapping on a burst | 94 |
| 5.1.13.2 | Uplink (MCS-9 UL) | 94 |
| 5.1.13.2.1 | Block constitution | 94 |
| 5.1.13.2.2 | Header coding | 94 |
| 5.1.13.2.3 | Data coding | 94 |
| 5.1.13.2.4 | Interleaving | 94 |
| 5.1.13.2.5 | Mapping on a burst | 94 |
| 5.2 | Packet control channels (PACCH, PBCCH, PAGCH, PPCH, PNCH, PTCCH, CPBCCH, CPAGCH, CPPCH, and CPNCH) | 95 |
| 5.3 | Packet random access channel (PRACH and CPRACH) | 95 |
| 5.3.1 | Packet Access Burst | 95 |
| 5.3.2 | Extended Packet Access Burst | 95 |
| 5.4 | Access Burst on packet switched channels other than PRACH and CPRACH | 96 |
| Annex A (informative): | Summary of Channel Types | 112 |
| Annex B (informative): | Summary of Polynomials Used for Convolutional Codes | 114 |
| Annex C (informative): | Change history | 115 |
| History | | 116 |

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

1 Scope

A reference configuration of the transmission chain is shown in GSM 05.01 [4]. According to this reference configuration, the present document specifies the data blocks given to the encryption unit.

It includes the specification of encoding, reordering, interleaving and the stealing flag. It does not specify the channel decoding method.

The definition is given for each kind of logical channel, starting from the data provided to the channel encoder by the speech coder, the data terminal equipment, or the controller of the Mobile Station (MS) or Base Transceiver Station (BTS). The definitions of the logical channel types used in this technical specification are given in GSM 05.02 [5], a summary is in annex A.

1.1 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- For this Release 1999 document, references to GSM documents are for Release 1999 versions (version 8.x.y).

- [1] GSM 01.04: "Digital cellular telecommunications system (Phase 2+); Abbreviations and acronyms".
- [2] GSM 04.08: "Digital cellular telecommunications system (Phase 2+); Mobile radio interface layer 3 specification".
- [3] GSM 04.21: "Digital cellular telecommunications system (Phase 2+); Rate adaption on the Mobile Station - Base Station System (MS - BSS) interface".
- [4] GSM 05.01: "Digital cellular telecommunications system (Phase 2+); Physical layer on the radio path General description".
- [5] GSM 05.02: "Digital cellular telecommunications system (Phase 2+); Multiplexing and multiple access on the radio path".
- [6] GSM 05.05: "Digital cellular telecommunications system (Phase 2+); Radio Transmission and Reception".
- [7] GSM 05.09: "Digital cellular telecommunications system (Phase 2+); Link adaptation".
- [8] GSM 06.10: "Digital cellular telecommunications system; Full rate speech transcoding".
- [9] GSM 06.20: "Digital cellular telecommunications system; Half rate speech transcoding".
- [10] GSM 06.60: "Digital cellular telecommunications system; Enhanced Full Rate (EFR) speech transcoding".
- [11] GSM 06.90: "Digital cellular telecommunications system; Adaptive Multi-Rate speech transcoding".
- [12] GSM 06.93: "Digital cellular telecommunications system; Discontinuous transmission (DTX) for Adaptive Multi-Rate speech traffic channels".
- [13] GSM 03.64: "Digital cellular telecommunications system (Phase 2+); General Packet Radio Service (GPRS); Overall description of the GPRS Radio Interface; Stage 2".