



BSI Standards Publication

Electromagnetic Compatibility (EMC)

Part 4-12: Testing and measurement techniques - Ring
wave immunity test (IEC 61000-4-12:2017)

National foreword

This British Standard is the UK implementation of EN 61000-4-12:2017. It is identical to IEC 61000-4-12:2017. It supersedes BS EN 61000-4-12:2006, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/210/11, EMC - Standards Committee.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 93964 8

ICS 33.100.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

EUROPEAN STANDARD

EN 61000-4-12

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2017

ICS 33.100.20

Supersedes EN 61000-4-12:2006

English Version

Electromagnetic compatibility (EMC) - Part 4-12: Testing and measurement techniques - Ring wave immunity test (IEC 61000-4-12:2017)

Compatibilité électromagnétique (CEM) -
Partie 4-12: Techniques d'essai et de mesure - Essai
d'immunité à l'onde sinusoïdale fortement amortie
(IEC 61000-4-12:2017)

Elektromagnetische Verträglichkeit (EMV) -
Teil 4-12: Prüf- und Messverfahren - Prüfung der
Störfestigkeit gegen gedämpfte Sinusschwingungen (Ring
wave)
(IEC 61000-4-12:2017)

This European Standard was approved by CENELEC on 2017-08-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 77B/764/CDV, future edition 3 of IEC 61000-4-12, prepared by SC 77B "High frequency phenomena" of IEC/TC 77 "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61000-4-12:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-05-22
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-08-22

This document supersedes EN 61000-4-12:2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61000-4-12:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-1	NOTE	Harmonized as EN 60068-1.
IEC 61000-4-5	NOTE	Harmonized as EN 61000-4-5.
IEC 61000-4-18	NOTE	Harmonized as EN 61000-4-18.
IEC 61010-1	NOTE	Harmonized as EN 61010-1.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions	8
3.2 Abbreviated terms	10
4 General	10
4.1 Description of the phenomenon	10
4.2 Relevant parameters	12
4.2.1 Repetition rate	12
4.2.2 Phase angle	12
5 Test levels	13
6 Test instrumentation	13
6.1 Ring wave generator	13
6.1.1 Ring wave generator circuit	13
6.1.2 Impedance values	14
6.1.3 Performance characteristics of the ring wave generator	14
6.1.4 Calibration of the ring wave generator	15
6.2 Coupling/decoupling networks	15
6.2.1 General	15
6.2.2 Coupling/decoupling networks for AC/DC power port rated up to 63 A per line	16
6.2.3 Coupling/decoupling networks for interconnection lines	19
6.3 Calibration of coupling/decoupling networks	22
6.3.1 General	22
6.3.2 Calibration of CDNs for AC/DC power port rated up to 63 A per line	22
6.3.3 Calibration of CDNs for interconnection lines	23
7 Test setup	26
7.1 Test equipment	26
7.2 Verification of the test instrumentation	27
7.3 Test setup for ring waves applied to EUT power ports	27
7.4 Test setup for ring waves applied to unshielded unsymmetrical interconnection lines	28
7.5 Test setup for ring waves applied to unshielded symmetrical interconnection lines	28
7.6 Test setup for ring waves applied to shielded lines	28
7.7 Protective earth connection	29
8 Test procedure	30
8.1 General	30
8.2 Laboratory reference conditions	30
8.2.1 Climatic conditions	30
8.2.2 Electromagnetic conditions	30
8.3 Execution of the test	30
9 Evaluation of test results	31

10	Test report.....	32
	Annex A (informative) Information on electromagnetic environments, installation classes and test levels	33
	Annex B (informative) Selection of generators and test levels	35
	B.1 General.....	35
	B.2 The classification of environments	35
	B.3 The definition of port types.....	35
	B.4 Selection of the test levels	36
	Annex C (informative) Explanatory notes	38
	C.1 Different source impedance	38
	C.2 Application of the tests.....	38
	C.2.1 Equipment level immunity	38
	C.2.2 System level immunity	38
	Annex D (informative) Measurement uncertainty (MU) considerations	39
	D.1 General.....	39
	D.2 Legend for ring wave parameters	39
	D.3 Uncertainty contributors to the ring wave measurement uncertainty	40
	D.4 Uncertainty of the generator output voltage and current measurement	40
	D.4.1 General	40
	D.4.2 Rise time of the ring wave	40
	D.4.3 Peak of the ring wave	42
	D.4.4 Further MU contributions to time measurements	43
	D.4.5 Rise time of the step response and bandwidth of the frequency response of the measuring system.....	43
	D.4.6 Impulse peak and width distortion due to the limited bandwidth of the measuring system.....	44
	D.5 Application of uncertainties in the ring waveform compliance criterion	45
	Bibliography.....	46
	Figure 1 – Waveform of the ring wave (open-circuit voltage and short-circuit current)	12
	Figure 2 – Example of schematic circuit of the ring wave generator	14
	Figure 3 – Selection of coupling/decoupling method.....	16
	Figure 4 – Example of coupling network and decoupling network for capacitive coupling on AC/DC lines: line-to-line coupling.....	17
	Figure 5 – Example of coupling network and decoupling network for capacitive coupling on AC/DC lines: line-to-ground coupling.....	18
	Figure 6 – Example of coupling network and decoupling network for capacitive coupling on AC lines (three phases): line L3-to-line L2 coupling.....	18
	Figure 7 – Example of coupling network and decoupling network for capacitive coupling on AC lines (three phases): line L3-to-ground coupling	19
	Figure 8 – Example of coupling network and decoupling network for unshielded unsymmetrical interconnection lines: line-to-line and line-to-ground coupling	20
	Figure 9 – Example of coupling and decoupling network for unshielded symmetrical interconnection lines: lines-to-ground coupling.....	21
	Figure 10 – Example of coupling and decoupling network for unshielded symmetrical interconnection lines: lines-to-ground coupling via capacitors	22
	Figure 11 – Example of test setup for ring waves applied to shielded lines	29

Table 1 – Test levels.....	13
Table 2 – Relationship between peak open-circuit voltage and peak short-circuit current.....	15
Table 3 – Ring wave specification at the EUT power port of the CDN.....	17
Table 4 – Summary of calibration process for CDNs for unsymmetrical interconnection lines.....	24
Table 5 – Ring wave waveform specifications at the EUT port of the CDN for unsymmetrical interconnection lines.....	25
Table 6 – Summary of calibration process for CDNs for symmetrical interconnection lines.....	26
Table 7 – Ring wave waveform specifications at the EUT port of the CDN for symmetrical interconnection lines	26
Table B.1 – Power ports: Selection of the test levels (depending on the installation class).....	36
Table B.2 – Circuits/lines: Selection of the test levels (depending on the installation class).....	37
Table D.1 – Example of uncertainty budget for ring wave rise time (T_1)	41
Table D.2 – Example of uncertainty budget for the peak of the short-circuit current of the ring wave (I_{PK1}).....	42
Table D.3 – α factor (Formula (D.3)) of different unidirectional impulse responses corresponding to the same bandwidth of the system B	44

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 4-12: Testing and measurement techniques –
Ring wave immunity test**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61000-4-12 has been prepared by subcommittee 77B: High frequency phenomena, of IEC technical Committee 77: Electromagnetic compatibility.

It forms Part 4-12 of IEC 61000. It has the status of a basic EMC publication in accordance with IEC Guide 107.

This third edition cancels and replaces the second edition published in 2006. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of a mathematical modelling of ring wave waveform;
- b) new Annex B on selection of generators and test levels;
- c) new Annex C on explanatory notes;
- d) new Annex D on measurement uncertainty;

- e) addition of high speed CDN;
- f) addition of a calibration procedure for CDN.

The text of this International Standard is based on the following documents:

CDV	Report on voting
77B/764/CDV	77B/774/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an International Standard which gives immunity requirements and test procedures related to ring waves. It should be noted that edition 1 of IEC 61000-4-12, published in 1995, covered immunity tests against two phenomena, ring waves and damped oscillatory waves. This situation was changed in edition 2, published in 2006, where IEC 61000-4-12 covered the ring wave phenomena only and the damped oscillatory wave phenomenon was moved into a new standard IEC 61000-4-18.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 4-12: Testing and measurement techniques – Ring wave immunity test

1 Scope

This part of IEC 61000 relates to the immunity requirements and test methods for electrical and electronic equipment, under operational conditions, to ring waves occurring in low-voltage power, control and signal lines supplied by public and non-public networks.

The object of this document is to establish a common reference for evaluating the immunity of electrical and electronic equipment when subjected to ring waves. The test method documented in this part of IEC 61000 describes a consistent method to assess the immunity of an equipment or system against a defined phenomenon.

NOTE As described in IEC Guide 107, this is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard is applied or not, and if applied, they are responsible for determining the appropriate test levels and performance criteria. TC 77 and its sub-committees are prepared to co-operate with product committees in the evaluation of the value of particular immunity test and test levels for their products.

This document defines:

- test voltage and current waveforms;
- a range of test levels;
- test equipment;
- test setups;
- test procedures.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary (IEV)* (available at www.electropedia.org)

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050 (all parts) as well as the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>