

American Nuclear Society


criteria for functional and physical characteristics
of radiological emergency response facilities

WITHDRAWN

October 7, 2005
ANSI/ANS-3.8.2-1995

an American National Standard

No longer being maintained as an American National Standard. This standard may contain outdated material or may have been superseded by another standard. Please contact the ANS Standards Administrator for details.



published by the
American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60525 USA

**American National Standard
Criteria for Functional and Physical
Characteristics of Radiological
Emergency Response Facilities**

Secretariat
American Nuclear Society

Prepared by the
**American Nuclear Society
Standards Committee
Working Group ANS-3.8**

Published by the
**American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA**

Approved November 15, 1995
by the
American National Standards Institute, Inc.

American National Standard

Designation of this document as an American National Standard attests that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standard has been achieved.

This standard was developed under procedures of the Standards Committee of the American Nuclear Society; these procedures are accredited by the American National Standards Institute, Inc., as meeting the criteria for American National Standards. The consensus committee that approved the standard was balanced to ensure that competent, concerned, and varied interests have had an opportunity to participate.

An American National Standard is intended to aid industry, consumers, governmental agencies, and general interest groups. Its use is entirely voluntary. The existence of an American National Standard, in and of itself, does not preclude anyone from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard.

By publication of this standard, the American Nuclear Society does not insure anyone utilizing the standard against liability allegedly arising from or after its use. The content of this standard reflects acceptable practice at the time of its approval and publication. Changes, if any, occurring through developments in the state of the art, may be considered at the time that the standard is subjected to periodic review. It may be reaffirmed, revised, or withdrawn at any time in accordance with established procedures. Users of this standard are cautioned to determine the validity of copies in their possession and to establish that they are of the latest issue.

The American Nuclear Society accepts no responsibility for interpretations of this standard made by any individual or by any ad hoc group of individuals. Requests for interpretation should be sent to the Standards Department at Society Headquarters. Action will be taken to provide appropriate response in accordance with established procedures that ensure consensus on the interpretation.

Comments on this standard are encouraged and should be sent to Society Headquarters.

Published by

**American Nuclear Society
555 North Kensington Avenue
La Grange Park, Illinois 60526 USA**

Copyright © 1995 by American Nuclear Society. All rights reserved.

Any part of this standard may be quoted. Credit lines should read "Extracted from American National Standard ANSI/ANS-3.8.2-1995 with permission of the publisher, the American Nuclear Society." Reproduction prohibited under copyright convention unless written permission is granted by the American Nuclear Society.

Printed in the United States of America

Foreword

(This Foreword is not a part of American National Standard Criteria for Functional and Physical Characteristics of Radiological Emergency Response Facilities, ANSI/ANS-3.8.2-1995.)

Every nuclear power plant owner organization is required by federal regulations to have a detailed radiological emergency response plan. The plant operators are required to perform routine, abnormal, and emergency actions in a manner to reduce to the extent feasible the likelihood of any particular event developing into an emergency condition. An objective of sound operations is to prevent emergency conditions. The objective of an emergency response program is emergency mitigation. The plant operators are the key to emergency prevention and mitigation at all times.

If a situation arises which activates the radiological emergency response plan, the plant operators identify developing trends and take the appropriate action to prevent or mitigate a radiological release. The plant operators identify the need for emergency support, make initial contact with emergency response organizations, and activate the radiological emergency response plan. As the emergency develops, the administrative, notification, and coordinating functions are transferred from the plant operators to other individuals within the emergency organization as defined in the radiological emergency response plan. Regardless of the functions shifted from the plant operators to the emergency organization, the responsibility for placing the plant in a safe configuration remains with the plant operators.

The ANS-3.8 series of standards provides guidance to nuclear power plant utilities pertaining to radiological emergency response plan preparation based upon the experience of the licensed nuclear facilities. The American National Standards in this series are:

ANSI/ANS-3.8.1-1995 - Criteria for Radiological Emergency Response Functions and Organizations

ANSI/ANS-3.8.2-1995 - Criteria for Functional and Physical Characteristics of Radiological Emergency Response Facilities

ANSI/ANS-3.8.3-1995 - Criteria for Radiological Emergency Response Plans and Implementing Procedures

ANSI/ANS-3.8.4-1995 - Criteria for Maintaining Radiological Emergency Response Capability

ANSI/ANS-3.8.5-1992 - Criteria for Emergency Radiological Field Monitoring, Sampling, and Analysis

ANSI/ANS-3.8.6-1995 - Criteria for Conduct of Offsite Radiological Assessment for Emergency Response for Nuclear Power Plants

Working Group ANS-3.8 of the American Nuclear Society Standards Committee had the following members at the time this standard was processed and approved:

C. K. Brown, Chairman, *Southern Nuclear Operating Company*

D. M. Barss, *U. S. Nuclear Regulatory Commission*

A. R. Chesley, *Vermont Yankee Nuclear Power Corporation*

D. I. Fawcett, *Associated Technical Training Services, Inc.*

A. G. Grosjean, *New York Power Authority*

J. J. Hawhurst, *Yankee Atomic Electric Company*

M. A. Hobe, *Consumers Power Company*

S. F. LaVie, *Duquesne Light Company*

E. E. M. Lloyd, *EXITECH Corporation*

E. J. Michael, *Stone and Webster Engineering Corporation*

R. W. Myers, *Myers & Early, Ltd.*

C. D. Pond, *Tennessee Valley Authority*

C. L. Row, *U. S. Department of Energy*

A. C. Sanders, *Carolina Power & Light Company*

C. L. Stovall, *U. S. Department of Energy*

H. I. Szklinski, *Duquesne Light Company*

E. D. Testa, *U. S. Nuclear Regulatory Commission*

W. E. Webb, Jr., *Tennessee Valley Authority*

W. A. Weckstein, *Public Service Electric & Gas Company*

At the time of the approval of the standard, Subcommittee ANS-3, Reactor Operations and Support Activities, of the American Nuclear Society Standards Committee had the following membership:

L. E. Davis, Chairman, *Commonwealth Edison Company*
 E. Callan, *Philadelphia Electric Company*
 J. Doering, *Philadelphia Electric Company*
 F. Dougherty, *Tenera, L.P.*
 C. Eldridge, *Pacific Gas & Electric Company*
 R. Gallo, *U.S. Nuclear Regulatory Commission*
 J. A. Honey, *American Nuclear Insurers*
 C. H. Moseley, Jr., *Performance Development Corporation*
 S. M. Quennoz, *Portland General Electric Company*
 D. Roth, *General Physics Corporation*
 W. J. Rudolph II, *Quality Applications, Inc.*
 G. Scholand, *Westinghouse Electric Corporation*
 R. N. Smith, *Argonne National Laboratory*
 W. T. Ullrich, *United Energy Services Corporation*
 P. Walzer, *Public Service Electric & Gas Company*
 M. J. Wright, *Entergy Operations, Inc.*

The American Nuclear Society's Nuclear Power Plant Standards Committee (NUPPSCO) had the following membership at the time of its approval of this standard:

W. H. D'Ardenne, Chairman
 M. D. Weber, Secretary

R. E. Allen UE&C Nuclear
 (for the Institute of Electrical and Electronics Engineers, Inc.)
 P. Ballinger Nebraska Public Power District
 F. Boorboor Nuclear Placement Services, Inc.
 J. C. Bradford Bechtel Power Corporation
 T. W. Burnett Westinghouse Electric Corporation
 J. D. Cohen Westinghouse Savannah River Company
 J. D. Cotton Philadelphia Electric Company
 T. A. Daniels Rochester Gas & Electric Corporation
 W. H. D'Ardenne GE Nuclear Energy
 L. E. Davis Commonwealth Edison Company
 S. B. Gerges Halliburton NUS Corporation, Inc.
 D. L. Gillispie Institute of Nuclear Power Operations
 R. W. Hardy GE Nuclear Energy
 (for the American Nuclear Society)
 P. H. Hepner ABB/Combustion Engineering Nuclear Power
 C. E. Johnson, Jr. U.S. Nuclear Regulatory Commission
 J. T. Luke Florida Power & Light Company
 J. F. Mallay Liberty Consulting Group
 J. A. Nevshemal Raytheon UE&C
 W. B. Reuland Electric Power Research Institute
 T. T. Robin Southern Company Services, Inc.
 J. C. Saldarini Ebasco Services, Inc.
 R. E. Scott Scott Enterprises
 D. J. Spellman Oak Ridge National Laboratory
 S. L. Stamm Stone & Webster Engineering Corporation
 J. D. Stevenson Stevenson & Associates
 C. D. Thomas, Jr. Yankee Atomic Electric Company
 G. P. Wagner Commonwealth Edison Company
 N. Weber Sargent & Lundy
 R. Weir Tennessee Valley Authority

Contents

| Section | Page |
|--|------|
| 1. Scope | 1 |
| 2. Definitions | 1 |
| 3. General Criteria | 3 |
| 3.1 Emergency Response Facilities | 3 |
| 3.2 Emergency Response Communications | 3 |
| 3.3 Emergency Response Equipment and Supplies | 6 |
| 3.4 Access Control | 6 |
| 4. Design Criteria | 6 |
| 4.1 Facilities | 6 |
| 4.2 Communications Systems | 7 |
| 4.3 Equipment and Supplies | 9 |
| 5. References | 10 |
| Tables | |
| Table 1 Emergency Response Facility Activation | 4 |
| Table 2 ERO Communications Matrix | 4 |
| Figure | |
| Figure 1 Voice and Data Communications | 5 |