

Alloy and Carbon Steel Bolting for Use in the Petroleum and Natural Gas Industries

API SPECIFICATION 20E
FIRST EDITION, AUGUST 2012

ERRATA, OCTOBER 2014



AMERICAN PETROLEUM INSTITUTE

Alloy and Carbon Steel Bolting for Use in the Petroleum and Natural Gas Industries

Upstream Segment

API SPECIFICATION 20E
FIRST EDITION, AUGUST 2012

ERRATA, OCTOBER 2014



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2012 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

page

1	Scope	1
	1.1 Purpose.....	1
	1.2 Applicability.....	1
	1.3 Bolting Specification Levels (BSL)	1
	1.4 Bolting Types	1
2	Normative References	1
3	Terms, Definitions and Abbreviations	3
	3.1 Terms and Definitions	3
	3.2 Abbreviations	4
4	Qualification Bolting	4
	4.1 General.....	4
	4.2 Qualification Testing.....	4
	4.3 Materials and Dimensions.....	5
	4.4 Acceptance of Qualification Bolting	5
	4.5 Records of Qualification	6
	4.6 Limits of Bolting Qualification.....	6
5	Production of Qualified Bolting	7
	5.1 Qualification of Procurement Sources for Raw Material	7
	5.2 Material Specifications	8
	5.3 Manufacturing Procedure Specification	8
	5.4 Raw Material	9
	5.5 Chemical Analysis	10
	5.6 Mechanical Properties	10
	5.7 Metallurgical Requirements	10
	5.8 Examination and Test Requirements.....	12
	5.9 Nondestructive Examination Requirements	13
	5.10 Dimensional and Visual Inspection.....	14
6	Calibration Systems	14
7	Test Report	14
8	Marking Requirements	15
	8.1 ASTM Product Marking	15
	8.2 Marking Required by this Standard	15
9	Record Retention	15
10	Storage and Shipping	15
	Annex A (normative) Supplementary Requirements	16
	Annex B (informative) API Monogram Program	17

Alloy and Carbon Steel Bolting for Use in the Petroleum and Natural Gas Industries

1 Scope

1.1 Purpose

This standard specifies requirements for the qualification, production and documentation of alloy and carbon steel bolting used in the petroleum and natural gas industries.

1.2 Applicability

This standard applies when referenced by an applicable API equipment standard or otherwise specified as a requirement for compliance. An annex for supplemental requirements that may be invoked by the purchaser is included.

1.3 Bolting Specification Levels (BSL)

This standard establishes requirements for three bolting specification levels (BSL). These three BSL designations define different levels of technical, quality and qualification requirements, BSL-1, BSL-2, and BSL-3. The BSLs are numbered in increasing levels of severity in order to reflect increasing technical, quality and qualification criteria.

1.4 Bolting Types

This standard covers the following finished product forms, processes, and sizes:

- a) machined studs;
- b) machined bolts, screws and nuts;
- c) cold formed bolts, screws, and nuts (BSL-1 only);
- d) hot formed bolts and screws < 1.5 in. (38.1 mm) nominal diameter;
- e) hot formed bolts and screws \geq 1.5 in. (38.1 mm) nominal diameter;
- f) roll threaded studs, bolts, and screws < 1.5 in. (38.1 mm) diameter;
- g) roll threaded studs, bolts, and screws \geq 1.5 in. (38.1 mm) diameter;
- h) hot formed nuts < 1.5 in. (38.1 mm) nominal diameter;
- i) hot formed nuts \geq 1.5 in. (38.1 mm) nominal diameter.

2 Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including amendments) applies.

API 6A, 20th Edition, *Specification for Wellhead and Christmas Tree Equipment*