Manual of Petroleum Measurement Standards Chapter 11.3.2.1

Ethylene Density

SECOND EDITION, MAY 2013



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Copyright © 2013 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Contents

1	Scope	1
2	Normative References	1
3	Terms and Definitions	1
4 4.1 4.2	Ethylene Equations of State	1 1 2
5	Implementation Procedures	3
Bibli	iography	4

Page

Introduction

The purpose of this standard is to provide an equation of state that can be used to obtain an accurate determination of ethylene density. Other thermodynamic properties can be calculated using the equation of state, but this standard is primarily concerned with the determination of ethylene density. Temperature and pressure can have significant effects on the accurate determination of ethylene density, and as a result, the means for temperature and pressure determination have to be assessed appropriately for these applications.

The previous edition of this standard, published in 1974, was in the form of a measurement manual and was not confined to calculating the physical properties of ethylene. The previous edition included orifice and turbine metering calculations, as well as data that were not in agreement with the current API *Manual of Petroleum Measurement Standards (MPMS)* that cover these metering devices. The original density lookup tables were based on FORTRAN code originally published in the mid-1960s as API 2565 Subroutine Ethyl. This Second Edition of API *MPMS* Chapter 11.3.2.1 is intended to replace the 30+ year old equations with references to more modern equations of state, limited to the physical properties of ethylene.

Typically, ethylene equations of state are used in custody transfer metering applications. Such is the case with modern flow computers, which have various options for selecting which equation of state is utilized in determining flowing ethylene density.

Ethylene Density

1 Scope

This standard identifies an equation of state (EOS) suitable for use in custody transfer measurement of pure ethylene (>99 %) in the gaseous, liquid, and super critical phases. Given flowing temperature and pressure, an EOS is capable of calculating density and other thermodynamic properties used to calculate mass and volumetric flow of ethylene to custody transfer accuracy. All accuracy and uncertainty statements in this standard are limited to the EOS results and do not include the uncertainty added by the primary and secondary measuring equipment.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IUPAC-88¹, Ethylene (Ethene), International Thermodynamic Tables of the Fluid State, Volume 10 (1988)

3 Terms and Definitions

For the purposes of this document, the following definitions apply.

3.1

critical region

Thermodynamic state of a fluid in which phase boundaries cease to exist.

NOTE In the case of ethylene, a vapour-liquid critical region exists. Density determination is extremely sensitive in the critical region, as minor changes in flowing pressure can bring about significant changes in density for a given temperature.

3.2

equation of state

EOS

Thermodynamic equation describing the state of matter under a given set of physical conditions.

NOTE An EOS provides a mathematical relationship between two or more state functions associated with the material, such as its temperature or pressure.

4 Ethylene Equations of State

4.1 General

This standard provides a reference for an ethylene EOS:

 IUPAC-88, part of the Ethylene, International Thermodynamic Tables of the Fluid State, Volume 10 (1988) publication.

IUPAC-88 is a publication that incorporates the work carried out by Jahangiri et al.^[1] on ethylene. The paper "Thermodynamic Properties of Ethylene from the Freezing Line to 450 K at Pressures to 260 MPa" was published a year or so before IUPAC published lookup tables in 1988.

¹ International Union of Pure and Applied Chemistry, 104 T.W. Alexander Drive, Building 19, Research Triangle Park, North Carolina 27709, www.iupac.org.