

IEEE Standard Performance Requirements for Communications and Control Cables for Application in High- Voltage Environments

IEEE Power and Energy Society

Sponsored by the
Power System Communications Committee

IEEE Standard Performance Requirements for Communications and Control Cables for Application in High- Voltage Environments

Sponsor

**Power System Communications Committee
of the
IEEE Power and Energy Society**

Approved 14 June 2013

IEEE-SA Standards Board

Abstract: Information to assist in determining the electrical parameters of communication and control cables necessary to improve the overall reliability of these cables when used in high-voltage environments is the objective of this standard. There should be a very high probability (greater than 99%) that these cables will perform their intended function for specified periods of time in high-voltage interference conditions. The end result being more reliable communications over said cables. The information presented in this standard will apply equally to either new or existing [already installed] cables.

Keywords: communication cables, design requirements, electrical parameters, ground potential rise, high-voltage engineering, IEEE 789™, testing requirements, wires

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 13 August 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-8486-9 STD98275
Print: ISBN 978-0-7381-8487-6 STDPD98275

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Wire-Line Working Group had the following membership:

Percy E. Pool, *Co-Chair and Technical Editor*
Larry S. Young, *Co-Chair and Secretary*

Steve Blume
Joe Boyles
Timothy Conser
Bhimesh Dahal
Jean de Seve
Ernest Duckworth
Mark Easter

John Fuller
Ernest Gallo
Richard Geisler
Gary Gilbert
Dan Jendek,
Richard Knight

Tapan Manna
Randall Mears
Kim Nuckles
Jordan Schmick
Mark Tirio
Thomas Vo
John Wruble

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Saleman Alibhay
David Bassett
Steven Blume
Kenneth Bow
Joe Boyles
Chris Brooks
Gustavo Brunello
William Byrd
Timothy Conser
Gary Donner
Randall Dotson
Ernest Duckworth
John Fuller
Frank Gerleve
Jalal Gohari
Randall Groves
Ajit Gwal
David Hartmann
Lee Herron
Werner Hoelzl

Joseph Jancauskas
Gael Kennedy
Tanuj Khandelwal
Yuri Khersonsky
James Kinney
Richard Knight
Jim Kulchisky
Saumen Kundu
Chung-Yiu Lam
Michael Lauxman
Lawrenc Long
Russell Lowe
Ahmad Mahinfallah
Arturo Maldonado
Tapan Manna
Michael Maytum
William Mccoy
Joseph Mears
James Michalec
Venkatesh Minisandram
Jerry Murphy

Michael S. Newman
Joe Nims
Gary Nissen
Lorraine Padden
Christopher Petrola
Percy E. Pool
Moises Ramos
Michael Roberts
Charles Rogers
Bartien Sayogo
Nagu Srinivas
Gary Stoedter
William Taylor
Peter Tirinzoni
Mark Tirio
Eric Udren
John Vergis
Ilia Voloh
Yingli Wen
Kenneth White
Larry S. Young

When the IEEE-SA Standards Board approved this standard on 14 June 2013, it had the following membership:

John Kulick, *Chair*
David J. Law, *Vice-chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Peter Balma
Faroq Bari
Ted Burse
Wael William Diab
Stephen Dukes
Jean-Phillippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Keopfinger*
Oleg Logvinov

Ron Peterson
Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Michelle Turner
IEEE Standards Program Manager, Document Development

Erin Spiewak
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std 789-2013, IEEE Standard Performance Requirements for Communications and Control Cables for Application in High-Voltage Environments.

Wire-line communications and control cables either entering electric supply locations or passing through their zone of influence (ZOI) are subjected to extraneous voltages that include the longitudinally induced voltage as well as the Ground Potential Rise (GPR) voltage.

Environmental hazards at electric supply locations include, among others, electrical interference and electromagnetic radiation. See CIGRE TB-124 [B4]^a. In these high-voltage environments, the insulation withstand capability of ordinary outside type telephone cables may be insufficient to provide full effective electrical protection. For more background information on these subjects the reader should refer to IEEE Std 487, particularly the Clause which deals with these dedicated cables. The problems of less than adequate dielectric withstand become more acute when critical non-interruptible channels are involved and if GPR levels exceed 300 V.

This standard defines the performance requirements for communications and control cables suitable for these classes of service.

IEEE Std 789-1988 was reaffirmed in 1994 however it was withdrawn as a standard in 1999. Although the Standard has been withdrawn from active status it is still available for purchase.

At the present time there are three IEEE Standards that deal with Cabling Design, two dealing with Cable Installation and one dealing with both Design and Installation. These are, in numerical order, IEEE Std 422TM [B12], IEEE Std 525TM, IEEE Std 628TM, IEEE Std 690TM, IEEE Std 1185TM, and IEEE Std 1428TM [B17]. See Annex A, Bibliography for more information.

The Wire-Line Subcommittee believes it is important to bring this standard back to the active status and to bring it up to date because it contains information that may be useful for the deployment of Smart Grid devices.

This standard was prepared by the Wire-Line Subcommittee of the IEEE Power Systems Communications Committee of the IEEE Power and Energy Society.

^a The numbers in brackets refer to those of the references listed in Annex A.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
1.3 General	2
2. Normative references	2
3. Definitions	4
3.1 Acronyms and abbreviations	6
4. General information	7
4.1 Electric supply location environment	7
5. Basic requirements	8
5.1 General	8
5.2 Basic requirements	9
5.3 Ethernet cable requirements	9
5.4 Typical cable jacket requirements within an electric supply location	9
5.5 Information to be supplied by user	9
5.6 Ambient environmental conditions	10
6. Environmental considerations	10
6.1 General	10
6.2 Temperature	10
6.3 Humidity	11
6.4 Mechanical shock	11
6.5 Altitude	11
6.6 Ultraviolet	11
6.7 Chemical environment	11
6.8 Fungus	11
6.9 Insects or rodents	11
6.10 Lightning	11
7. Electrical requirements	12
7.1 Electrical environment conditions	12
8. Installation practices	12
8.1 General types of cable plant	12
8.2 Interference mitigations	14
9. Cable design requirements	16
9.1 General	16
9.2 Conductors	16
9.3 Insulation of conductors	16
9.4 Color scheme of conductors	16
9.5 Forming of pairs	17
9.6 Assembly	17
9.7 Core wrap	17
9.8 Insulating jacket	17
9.9 Routine tests on all cables	17
9.10 Dielectric strength of cables	17

9.11 Tests on sample pairs	18
9.12 Physical requirements	22
9.13 Certified test report	22
9.14 Ordering cable	23
9.15 Shipping.....	23
10. Testing and test methods	24
10.1 General	24
10.2 Design tests.....	24
10.3 Routine production tests	25
10.4 Physical tests.....	25
10.5 Electrical tests.....	28
Annex A (informative) Bibliography	31
Annex B (informative) Insulation and jacketing PE compounds for conductors	33
Annex C (informative) Attenuation information	34
Annex D (informative) Capacitance unbalance and characteristic impedance information	36
D.1 Capacitance unbalance.....	36
D.2 Characteristic impedance – equation	36

IEEE Standard Performance Requirements for Communications and Control Cables for Application in High-Voltage Environments

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

This standard applies to wires and cables, used principally for power system communications and control purposes, which are located within electric supply locations or are installed within the zone of influence (ZOI) of the power station ground potential rise (GPR), or which may be buried adjacent to electric power transmission and distribution lines.

This standard covers the appropriate design requirements, electrical and mechanical parameters, the testing requirements, and the handling procedures for cables that are to be installed and operated in high-voltage environments where they may be subjected to high voltages either by conduction, or induction coupling, or both.

Coaxial and fiber optic cables, except for those used in Ethernet applications, are specifically excluded from this standard.