

Specification for Subsurface Sucker Rod Pump Assemblies, Components, and Fittings

API SPECIFICATION 11AX
THIRTEENTH EDITION, MAY 2015

API MONOGRAM PROGRAM EFFECTIVE DATE: NOVEMBER 4, 2015

ADDENDUM 1, JANUARY 2019
ERRATA 1, MAY 2023



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this specification are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the standard;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the standard;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every 5 years. A one-time extension of up to 2 years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Symbols, and Abbreviations	2
 3.1 Terms and Definitions	2
 3.2 Symbols	3
 3.3 Abbreviations	5
4 Functional Requirements.....	6
5 Technical Requirements.....	6
 5.1 General Requirements	6
 5.2 Design Requirements	6
 5.3 Materials	7
6 Manufacturer Requirements.....	7
 6.1 General.....	7
 6.2 Quality Control	7
 6.3 Product Identification.....	10
 6.4 Documentation	10
Annex A (informative) Use of API Monogram by Licensees	12
Annex B (normative) Pump Assemblies	15
Annex C (normative) Pump Components.....	26
Annex D (normative) Measurement, Testing, and Gauging	88
Annex E (normative) Marking	90
Annex F (normative) Materials	92
Annex G (normative) Threaded Connections	98
Annex H (informative) Sucker Rod Pumping System Illustration	108
Bibliography	109
Figure	
B.1 Pump Designations	15
Tables	
1 Sampling Procedures	9
B.1 Pump Designations	15
B.2 RHA-Rod, Stationary Heavy Wall Barrel, Top Anchor Pump.....	18
B.3 RHB-Rod, Stationary Heavy Wall Barrel, Bottom Anchor Pump.....	19
B.4 RWA-Rod, Stationary Thin Wall Barrel, Top Anchor Pump	20
B.5 RWB-Rod, Stationary Thin Wall Barrel, Bottom Anchor Pump	21
B.6 RWT-Rod, Traveling Thin Wall Barrel, Bottom Anchor Pump	22
B.7 RXB-Rod, Stationary Heavy Wall Barrel, Bottom Anchor Pump	23
B.8 TH-Tubing, Heavy Wall Barrel Pump	24
B.9 RST-Rod, Traveling Thin Wall Barrel, Bottom Anchor, Soft-Packed Plunger Pump	25
C.1 Default Tolerances.....	26
C.2 Master Part Numbering System.....	27

Contents

	Page
C.3 B11-Barrel, Thin Wall.....	32
C.4 B12 or B12A-Barrel, Heavy Wall (Rod Pump).....	33
C.5 B13-Barrel, Heavy Wall (Tubing Pump).....	34
C.6 B14-Barrel, Thin Wall (Soft-Packed Rod Pump)	35
C.7 B15-Barrel, Heavy Wall (Soft-Packed Tubing Pump)	36
C.8 B16 or B16M-Barrel, Heavy Wall (Rod Pump)	37
C.9 B21 and B21Mc-Bushing, Valve Rod.....	38
C.10 B22-Bushing, Seat, Barrel Cage.....	39
C.11 B23-Bushing, Cage to Puller	39
C.12 C11-Cage, Top Open	40
C.13 C12 and C12M b-Cage, Top Plunger	41
C.14 C13-Cage, Closed, Pin Plunger.....	42
C.15 C14-Cage, Closed Barrel	43
C.16 C15-Cage, Closed, Box Plunger.....	44
C.17 C16-Cage, Standing Valve.....	45
C.18 C17-Cage, Top Plunger	46
C.19 C21-Connector, Upper Barrel.....	47
C.20 C22-Connector, Box Plunger	47
C.21 C31-Coupling, Extension.....	48
C.22 C32-Coupling, Pull Tube, Upper.....	49
C.23 C33-Coupling, Pull Tube, Lower.....	50
C.24 C34-Coupling, Tubing	51
C.25 C35-Coupling, Barrel	51
C.26 C36-Coupling, Barrel, Lower (Soft-Packed Tubing Pump)	52
C.27 C37-Coupling, Barrel, Upper (Soft-Packed Tubing Pump)	52
C.28 G11-Guide, Valve Rod.....	53
C.29 N11-Nipple, Seating, Cup Type (Rod Pump)	54
C.30 N12-Nipple, Seating, Mechanical Bottom	55
C.31 N13-Nipple, Seating, 2 Cup Type (Tubing Pump)	56
C.32 N14-Nipple, Seating, Mechanical Top Lock	57
C.33 N21-Nipple, Extension, Upper	58
C.34 N22-Nipple, Extension, Lower	59
C.35 P11-Plug, Pull	60
C.36 P12-Plug Seat.....	61
C.37 P21-Plunger, One Piece	62
C.38 P22-Plunger, Assembled.....	63
C.39 P23-Plunger, Box End (Tubing Pump)	64
C.40 P24-Plunger, Soft-Packed	65
C.41 P31-Puller, Standing Valve	66
C.42 R11-Rod, Valve.....	67
C.43 Valve Rod Length PL.....	68
C.44 S11-Seating Mandrel, Cup (Type HR) (Rod Pump and Fittings)	69
C.45 S12-Seating Cup (Type HR) (Rod Pump).....	70
C.46 S13-Seating Cup Ring (Type HR)	71
C.47 S14-Seating Cup Nut (Type HR)	72
C.48 S15-Seating Cup Bushing, Top Anchor	73
C.49 S16-Seating Coupling, Bottom Anchor	74
C.50 S17-Seating Mandrel, Cup (Type HR) (Tubing Pump).....	75
C.51 S18-Seating Cup (Type HR) (Tubing Pump).....	76

Contents

	Page
C.52 S19-Seating, Cup (Type HR) (Soft-Packed Tubing Pump)	77
C.53 S21-Seating Assembly, Mechanical Top Lock.....	78
C.54 S22-Seating Assembly, Mechanical Bottom Lock.....	79
C.55 S31-Seating Mandrel, Cup (Type O)	80
C.56 S32-Seating Cup (Type O)	80
C.57 S33-Seating Cup Ring (Type O).....	81
C.58 S34-Seating Cup Nut (Type O).....	81
C.59 T11-Tube, Pull.....	82
C.60 Pull Tube Length, PL	83
C.61 V11-Valve, Ball and Seat	85
C.62 V12-Ball	86
C.63 V13-Seat	87
F.1 Pump Barrel Materials, Plated Barrels.....	92
F.2 Pump Barrel Materials, Case Hardened	93
F.3 Pump Barrel, Pull Tube and Coupling Extension Materials, Nonhardened	94
F.4 Pump Materials for Balls and Seats	94
F.5 Pump Materials for Cages, Hard Lined.....	95
F.6 Pump Materials for Pump Cages, Valve Rods, and Fittings	95
F.7 Pump Materials for Seating Cups	96
F.8 Pump Plunger Materials, Spray Metal Coated	96
F.9 Pump Plunger Materials, Plated.....	97
G.1 B Thread Connection Details for Product and Gauges	99
G.2 C Thread Connection	100
G.3 F Thread Connection	101
G.4 H Thread Connection	102
G.5 L Thread Connection (Modified API Line Pipe).....	102
G.6 Thread Height Dimensions (Modified API Line Pipe)	103
G.7 P Thread Connection	103
G.8 S Details of All Straight Threads Used in API Subsurface Pumps and Fittings.....	104
G.9 X Wrench Flat Dimensions.....	107

Introduction

This specification has been developed by users, purchasers, suppliers and manufacturers of subsurface sucker rod pumps intended for use in the petroleum and natural gas industry worldwide. This specification is intended to give requirements and information to all parties in the design, manufacture and selection of subsurface sucker rod pumps and their components. Furthermore, this specification addresses the minimum requirements with which the manufacturer is to claim conformity with this specification.

Included within this specification are normative annexes specifying requirements and informative annexes providing general information.

Attention is brought to users of this specification that requirements above those outlined in this specification can be required for individual applications. This specification is not intended to inhibit a manufacturer from offering, or the user or purchaser from accepting alternative equipment or other engineering solutions. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the manufacturer to identify any variations from this specification.

In this specification, quantities expressed in United States Customary (USC) units are also, where practical, expressed in International System (SI) units, either in parentheses in the text or on separate data sheets. USC units shall be the controlling units, SI units are included as a convenience for the user of this specification.

Specification for Subsurface Sucker Rod Pump Assemblies, Components, and Fittings

1 Scope

This specification provides the requirements and guidelines for the design of subsurface sucker rod pumps and their components as defined herein for use in the sucker rod lift method for the petroleum and natural gas industry.

This specification covers subsurface sucker rod pump assemblies (including insert and tubing), components, and fittings, in commonly used bore sizes for the sucker rod lift method. Sufficient dimensional and material requirements are provided to assure interchangeability and standardization of all component parts.

This specification does not cover specialty subsurface sucker rod pump accessories or special design components. Installation, operation, and maintenance of these products are not included in this specification; however, recommendations can be found in API 11AR.

2 Normative References

The following referenced documents are indispensable for the application of this document for manufacture of products. The following referenced documents shall be informative for products that are not manufactured. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 5B, *Specification for Threading, Gauging and Thread Inspection of Casing, Tubing, and Line Pipe Threads*

API Recommended Practice 11AR, *Recommended Practice for Care Use of Subsurface Pumps*

API Specification 11B, *Specification for Sucker Rods, Polished Rods and Liners, Couplings, Sinker Bars, Polished Rod Clamps, Stuffing Boxes, and Pumping Tees*

API Specification Q1, *Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry*

ANSI/ASQ Z1¹, *Sampling Procedures and Tables for Inspection by Attributes*

ANSI/ASQ Z1.4, *Single Sampling Plan for Normal Inspection*

ASNT-TC-1A², *Personnel Qualifications and Certification in Nondestructive Testing*

¹ American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, New York 10036, www.ansi.org.

² American Society for Nondestructive Testing, 1711 Arlingate Lane, P.O. Box 28518, Columbus, Ohio 43228, www.asnt.org.