


# ETSI EN 300 698-2 V1.2.1 (2009-12)

*Harmonized European Standard (Telecommunications series)*

**Electromagnetic compatibility  
and Radio spectrum Matters (ERM);  
Radio telephone transmitters and receivers  
for the maritime mobile service operating  
in the VHF bands used on inland waterways;  
Part 2: Harmonized EN covering essential requirements  
of article 3.2 of the R&TTE Directive**



---

Reference

REN/ERM-TG26-084-2

---

Keywords

maritime, radio, regulation, VHF

***ETSI***

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:  
[http://portal.etsi.org/chaircor/ETSI\\_support.asp](http://portal.etsi.org/chaircor/ETSI_support.asp)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™, TIPHON™**, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**LTE™** is a Trade Mark of ETSI currently being registered  
for the benefit of its Members and of the 3GPP Organizational Partners.

**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Contents

Intellectual Property Rights .....	5
Foreword.....	5
1 Scope .....	6
2 References .....	6
2.1 Normative references .....	6
2.2 Informative references.....	6
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations .....	7
4 Technical requirements specifications .....	7
4.1 Environmental profile.....	7
4.2 Conformance requirements .....	7
4.2.1 Transmitter frequency error .....	7
4.2.1.1 Definition .....	7
4.2.1.2 Limit.....	7
4.2.1.3 Conformance .....	7
4.2.2 Transmitter carrier power .....	8
4.2.2.1 Definition .....	8
4.2.2.2 Limit.....	8
4.2.2.3 Conformance .....	8
4.2.3 Transmitter frequency deviation .....	8
4.2.3.1 Definition .....	8
4.2.3.2 Limit.....	8
4.2.3.3 Conformance .....	8
4.2.4 Transmitter adjacent channel power .....	8
4.2.4.1 Definition .....	8
4.2.4.2 Limit.....	8
4.2.4.3 Conformance .....	8
4.2.5 Transmitter conducted spurious emissions conveyed to the antenna.....	8
4.2.5.1 Definition .....	8
4.2.5.2 Limit.....	8
4.2.5.3 Conformance .....	9
4.2.6 Transient frequency behaviour of the transmitter .....	9
4.2.6.1 Definition .....	9
4.2.6.2 Limit.....	9
4.2.6.3 Conformance .....	9
4.2.7 Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna.....	9
4.2.7.1 Definition .....	9
4.2.7.2 Limit.....	9
4.2.7.3 Conformance .....	9
4.2.8 ATIS encoder frequency error (demodulated signal).....	9
4.2.8.1 Definition .....	9
4.2.8.2 Limit.....	9
4.2.8.3 Conformance .....	9
4.2.9 ATIS encoder modulation index .....	9
4.2.9.1 Definition .....	9
4.2.9.2 Limit.....	10
4.2.9.3 Conformance .....	10
4.2.10 ATIS encoder modulation rate .....	10
4.2.10.1 Definition .....	10
4.2.10.2 Limit.....	10
4.2.10.3 Conformance .....	10
4.2.11 Receiver maximum usable sensitivity .....	10
4.2.11.1 Definition .....	10

4.2.11.2	Limit.....	10
4.2.11.3	Conformance .....	10
4.2.12	Receiver co-channel rejection.....	10
4.2.12.1	Definition .....	10
4.2.12.2	Limit.....	10
4.2.12.3	Conformance .....	10
4.2.13	Receiver adjacent channel selectivity .....	10
4.2.13.1	Definition .....	10
4.2.13.2	Limit.....	11
4.2.13.3	Conformance .....	11
4.2.14	Receiver spurious response rejection.....	11
4.2.14.1	Definition .....	11
4.2.14.2	Limit.....	11
4.2.14.3	Conformance .....	11
4.2.15	Receiver intermodulation response.....	11
4.2.15.1	Definition .....	11
4.2.15.2	Limit.....	11
4.2.15.3	Conformance .....	11
4.2.16	Receiver blocking or desensitization .....	11
4.2.16.1	Definition .....	11
4.2.16.2	Limit.....	11
4.2.16.3	Conformance .....	11
4.2.17	Receiver conducted spurious emissions conveyed to the antenna .....	12
4.2.17.1	Definition .....	12
4.2.17.2	Limit.....	12
4.2.17.3	Conformance .....	12
4.2.18	Receiver radiated spurious emissions .....	12
4.2.18.1	Definition .....	12
4.2.18.2	Limit.....	12
4.2.18.3	Conformance .....	12
5	Testing for compliance with technical requirements.....	12
5.1	Test conditions, power supply and ambient temperatures.....	12
5.2	Interpretation of the measurement results .....	12
5.3	Essential radio test suites.....	13
5.3.1	Transmitter frequency error .....	13
5.3.2	Transmitter carrier power .....	13
5.3.3	Transmitter frequency deviation .....	13
5.3.4	Transmitter adjacent channel power .....	13
5.3.5	Transmitter conducted spurious emissions conveyed to the antenna .....	13
5.3.6	Transient frequency behaviour of the transmitter .....	13
5.3.7	Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna .....	14
5.3.8	ATIS encoder frequency error (demodulated signal).....	14
5.3.9	ATIS encoder modulation index .....	14
5.3.10	ATIS encoder modulation rate .....	14
5.4	Other test specifications .....	14
5.4.1	General.....	14
5.4.2	Receiver maximum usable sensitivity .....	14
5.4.3	Receiver co-channel rejection.....	14
5.4.4	Receiver adjacent channel selectivity .....	14
5.4.5	Receiver spurious response rejection.....	14
5.4.6	Receiver intermodulation response .....	14
5.4.7	Receiver blocking or desensitization .....	15
5.4.8	Receiver conducted spurious emissions conveyed to the antenna .....	15
5.4.9	Receiver radiated spurious emissions .....	15
<b>Annex A (normative):</b>	<b>HS Requirements and conformance Test specifications Table (HS-RTT).....</b>	<b>16</b>
<b>Annex B (informative):</b>	<b>The EN title in the official languages .....</b>	<b>18</b>
History .....		19

---

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC (as amended) [i.1] laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [i.3] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

Technical specifications relevant to Directive 1999/5/EC [i.3] are given in annex A.

The present document is part 2 of a multi-part deliverable covering the radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways, as identified below:

- Part 1: "Technical characteristics and methods of measurement";
- Part 2: "Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive";**
- Part 3: "Harmonized EN covering essential requirements of article 3.3 (e) of the R&TTE Directive".

<b>National transposition dates</b>	
Date of adoption of this EN:	30 November 2009
Date of latest announcement of this EN (doa):	28 February 2010
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2010
Date of withdrawal of any conflicting National Standard (dow):	31 August 2010

---

## 1 Scope

The present document applies to the radio telephone transmit and receive equipment for the maritime mobile service utilizing class of emission G3E, and possibly G2B, used on inland waterways radio equipment, operating in all or any part of the VHF bands between 156 MHz and 174 MHz.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.3] (R&TTE Directive), article 3.2, which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of Article 3 of the R&TTE Directive [i.3] may apply to equipment within the scope of the present document.

---

## 2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
  - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
  - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

### 2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

- [1] ETSI EN 300 698-1 (V1.4.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Radio telephone transmitters and receivers for the maritime mobile service operating in the VHF bands used on inland waterways; Part 1: Technical characteristics and methods of measurement".

### 2.2 Informative references

The following referenced documents are not essential to the use of the present document but they assist the user with regard to a particular subject area. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- [i.1] Council Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] ETSI TR 100 028: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".