

Digital Video Broadcasting (DVB); Guidelines on implementation and usage of Service Information (SI)

European Broadcasting Union



Union Européenne de Radio-Télévision



Reference

RTR/JTC-DVB-260

Keywords

broadcasting, digital, DVB, MPEG, TV, video

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2009.
© European Broadcasting Union 2009.
All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM, **TIPHON**TM, the TIPHON logo and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPPTM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

LTETM is a Trade Mark of ETSI currently being registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM[®] and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions and abbreviations.....	9
3.1 Definitions.....	9
3.2 Abbreviations	10
4 Rules of operation	12
4.1 Service Information (SI) table information	12
4.1.1 Network Information Table (NIT) information	13
4.1.2 Bouquet Association Table (BAT) information.....	14
4.1.3 Service Description Table (SDT) information.....	14
4.1.4 Event Information Table (EIT) information	14
4.1.4.1 EIT Present/Following information	15
4.1.4.2 EIT Schedule information	16
4.1.4.2.1 EIT Schedule structure	16
4.1.4.2.2 EIT scrambling.....	17
4.1.5 Time and Date Table (TDT)	17
4.1.6 Time Offset Table (TOT)	17
4.1.7 Running Status Table (RST).....	17
4.1.8 Stuffing Table (ST).....	18
4.1.9 Transport Stream Description Table (TSDT)	18
4.1.9.1 Digital Satellite News Gathering (DSNG)	18
4.1.10 Table update mechanism	18
4.1.11 Table segmentation	19
4.1.11.1 Generic segmentation rules	19
4.1.11.1.1 General rules.....	19
4.1.11.1.2 NIT and BAT.....	19
4.1.11.1.3 SDT and EIT	19
4.1.11.2 Segmentation rules for DVB-H and DVB-SH systems.....	20
4.1.11.2.1 General rules.....	20
4.1.11.2.2 NIT and BAT for DVB-SH and DVB-H.....	20
4.1.11.2.3 SDT for DVB-SH and DVB-H.....	21
4.2 SI descriptor allocation and usage.....	21
4.2.1 Descriptors of the Network Information Table (NIT).....	21
4.2.1.1 First descriptor loop	22
4.2.1.1.1 Linkage descriptor.....	22
4.2.1.1.2 Multilingual network name descriptor.....	22
4.2.1.1.3 Network name descriptor.....	22
4.2.1.1.4 Cell list descriptor.....	22
4.2.1.1.5 Network change notify descriptor	22
4.2.1.2 Second descriptor loop.....	23
4.2.1.2.1 Delivery system descriptors.....	23
4.2.1.2.2 Service list descriptor	23
4.2.1.2.3 Frequency list descriptor	23
4.2.1.2.4 Cell frequency link descriptor	23
4.2.2 Descriptors of the Bouquet Association Table (BAT).....	23
4.2.2.1 First descriptor loop	24
4.2.2.1.1 Bouquet name descriptor	24
4.2.2.1.2 CA identifier descriptor.....	24
4.2.2.1.3 Country availability descriptor	24
4.2.2.1.4 Linkage descriptor	24

4.2.2.1.5	Multilingual bouquet name descriptor.....	24
4.2.2.2	Second descriptor loop.....	25
4.2.2.2.1	Service list descriptor.....	25
4.2.3	Descriptors of the Service Description Table (SDT).....	25
4.2.3.1	Announcement support descriptor.....	25
4.2.3.2	Bouquet name descriptor.....	25
4.2.3.3	CA identifier descriptor.....	25
4.2.3.4	Component descriptor.....	26
4.2.3.5	Country availability descriptor.....	26
4.2.3.6	Data_broadcast_descriptor.....	26
4.2.3.7	Linkage descriptor.....	26
4.2.3.8	Mosaic descriptor.....	27
4.2.3.9	Multilingual service name descriptor.....	27
4.2.3.10	NVOD reference descriptor.....	27
4.2.3.11	Service descriptor.....	27
4.2.3.12	Service availability descriptor.....	27
4.2.3.12.1	Network Implementation Considerations.....	28
4.2.3.12.2	IRD implementation considerations.....	28
4.2.3.13	Telephone descriptor.....	28
4.2.3.14	Time shifted service descriptor.....	29
4.2.4	Descriptors of the Event Information Table (EIT).....	29
4.2.4.1	CA identifier descriptor.....	29
4.2.4.2	Component descriptor.....	30
4.2.4.3	Content descriptor.....	30
4.2.4.4	Data_broadcast_descriptor.....	30
4.2.4.5	Extended event descriptor.....	30
4.2.4.6	Linkage descriptor.....	30
4.2.4.7	Multilingual component descriptor.....	31
4.2.4.8	Parental rating descriptor.....	31
4.2.4.9	PDC descriptor.....	31
4.2.4.10	Short event descriptor.....	32
4.2.4.11	Telephone descriptor.....	32
4.2.4.12	Time shifted event descriptor.....	32
4.2.5	Descriptors of the Time Offset Table (TOT).....	32
4.2.5.1	Local time offset descriptor.....	32
4.2.6	Descriptors of the Program Map Table (PMT).....	33
4.2.6.1	AC-3 descriptor.....	33
4.2.6.2	Adaptation field data descriptor.....	33
4.2.6.3	Ancillary data descriptor.....	33
4.2.6.4	Data broadcast id descriptor.....	33
4.2.6.5	Mosaic descriptor.....	33
4.2.6.6	Service move descriptor.....	33
4.2.6.7	Stream identifier descriptor.....	34
4.2.6.8	Subtitling descriptor.....	34
4.2.6.9	Teletext descriptor.....	34
4.2.6.10	VBI data descriptor.....	34
4.2.6.11	VBI teletext descriptor.....	34
4.2.7	Other descriptors.....	34
4.2.7.1	Private data specifier descriptor.....	34
4.2.7.2	Stuffing descriptor.....	35
4.2.7.3	Data_broadcast_descriptor.....	35
4.2.7.4	Transport_stream_descriptor.....	35
4.2.8	ISO/IEC 13818-1 descriptors.....	35
4.2.9	Unknown descriptors.....	35
4.3	Program Specific Information (PSI) and DVB SI operational interaction states.....	36
4.4	Minimum repetition rates.....	36
4.4.1	Satellite and cable delivery systems.....	36
4.4.2	Terrestrial delivery systems.....	37
4.5	Terrestrial systems.....	37
4.5.1	Terms used within terrestrial systems.....	37
4.5.2	The use of alternative frequencies for multiplexes.....	39
4.5.3	Regional or local services.....	40

4.5.4	Hand-over	42
4.5.4.1	General description of the requirements	42
4.5.4.2	Hand-over by means of the frequency_list_descriptor.....	42
4.5.4.3	The occurrence of tuning failures.....	43
4.5.4.4	Hand-over methods with a reduced risk of tuning failures	44
4.5.4.4.1	Local SI insertion	45
4.5.4.4.2	Cell identification	45
4.5.4.4.3	Performance enhancement with GPS data.....	45
4.5.4.4.4	Two front-end solution	45
4.5.4.5	Performance considerations	46
4.5.4.6	Receiver guidelines	46
4.5.4.6.1	Hand-over by means of the frequency_list_descriptor	46
4.5.4.6.2	Hand-over by means of cell identification.....	47
4.5.4.6.3	Hand-over by means of cell description and GPS position	47
4.5.4.6.4	Hand-over with two-front-end solutions	48
4.5.4.7	Additional linkage modes	48
4.5.4.8	Additional remarks.....	49
4.6	Text string formatting.....	49
4.6.1	Use of control codes in names	49
4.6.2	Use of control codes in text	50
4.6.3	Use of UTF-8.....	50
5	Applications	50
5.1	NVOD services	50
5.2	Mosaic services	52
5.2.1	General considerations.....	52
5.2.2	Relationship between mosaic service and SI/PSI Tables.....	53
5.3	Transitions at broadcast delivery media boundaries.....	54
5.3.1	Seamless transitions	54
5.3.2	Non-seamless transitions without re-multiplexing.....	55
5.3.3	Transitions with re-multiplexing.....	55
5.4	Announcements	56
6	Storage media.....	56
6.1	Program Association Table (PAT)	56
6.2	Program Map Table (PMT)	56
6.3	SI tables (NIT, SDT, EIT, BAT, RST, TDT, TOT)	56
6.4	Selection Information Table (SIT)	57
6.5	Discontinuity Information Table (DIT).....	57
History	58

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://webapp.etsi.org/IPR/home.asp>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by Joint Technical Committee (JTC) Broadcast of the European Broadcasting Union (EBU), Comité Européen de Normalisation ELECTrotechnique (CENELEC) and the European Telecommunications Standards Institute (ETSI).

The present document is based on the DVB document TM1324, rev. 8/162 rev. 22, and it may be converted into a standard after market feedback. For this purpose, the wording of a standard (normative elements) rather than of a technical report (informative elements) has been used.

NOTE: The EBU/ETSI JTC Broadcast was established in 1990 to co-ordinate the drafting of standards in the specific field of broadcasting and related fields. Since 1995 the JTC Broadcast became a tripartite body by including in the Memorandum of Understanding also CENELEC, which is responsible for the standardization of radio and television receivers. The EBU is a professional association of broadcasting organizations whose work includes the co-ordination of its members' activities in the technical, legal, programme-making and programme-exchange domains. The EBU has active members in about 60 countries in the European broadcasting area; its headquarters is in Geneva.

European Broadcasting Union
CH-1218 GRAND SACONNEX (Geneva)
Switzerland
Tel: +41 22 717 21 11
Fax: +41 22 717 24 81

Founded in September 1993, the DVB Project is a market-led consortium of public and private sector organizations in the television industry. Its aim is to establish the framework for the introduction of MPEG-2 based digital television services. Now comprising over 200 organizations from more than 25 countries around the world, DVB fosters market-led systems, which meet the real needs, and economic circumstances, of the consumer electronics and the broadcast industry.

1 Scope

The present document provides implementation guidelines for the use and implementation of the DVB Service Information (SI) coding in a DVB digital TV environment including satellite - cable - and terrestrial networks.

The guidelines are intended to be highly recommended rules for the usage of the DVB SI syntax specified in EN 300 468 [i.1]. As such, they facilitate the efficient and reliable implementation of basic user-interaction functions in Integrated Receiver-Decoders (IRD).

The rules apply to broadcasters, network operators as well as manufacturers.

The rules are specified in the form of constraints on the DVB SI streams or in terms of intended interpretation by IRDs.

The specification of these functions in no way prohibits IRD manufacturers from including additional features, and should not be interpreted as stipulating any form of upper limit to the performance.

The guidelines do not cover features related to user-interface details or advanced Electronic Program Guides (EPG). Such issues are left to the marketplace.

NOTE: It is highly recommended that the IRD should be designed to allow for future compatible extensions to the DVB SI syntax. All the fields "reserved" (for ISO), "reserved_future_use" (for ETSI), and "user defined" in the EN 300 468 [i.1] should be ignored by IRDs designed not to make use of them. The "reserved" and "reserved_future_use" fields may be specified in the future by the respective bodies, whereas the "user defined" fields will not be standardized.

The present document uses the terminology defined in EN 300 468 [i.1] and should be read in conjunction with that EN.

It is envisaged that the present document become a Technical Specification (TS), and therefore the text used throughout the present document is that of a TS.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific.

- For a specific reference, subsequent revisions do not apply.
- Non-specific reference may be made only to a complete document or a part thereof and only in the following cases:
 - if it is accepted that it will be possible to use all future changes of the referenced document for the purposes of the referring document;
 - for informative references.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are indispensable for the application of the present document. For dated references, only the edition cited applies. For non-specific references, the latest edition of the referenced document (including any amendments) applies.

Not applicable.