

ETSI TR 126 949 V13.1.0 (2016-10)



Universal Mobile Telecommunications System (UMTS); LTE; Video formats for 3GPP services (3GPP TR 26.949 version 13.1.0 Release 13)



Reference

RTR/TSGS-0426949vd10

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Report (TR) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	5
1 Scope	6
2 References	6
3 Definitions and abbreviations.....	7
3.1 Definitions.....	7
3.2 Abbreviations	7
4 Background and Context.....	8
4.1 Introduction	8
4.2 Scenarios and Deployment Cases.....	9
4.2.1 Scenario	9
4.2.2 Media-Format Related Challenges	10
4.2.3 Content Adaptation and Provisioning Functions	11
5 Traditional Distribution Formats.....	12
5.1 Overview	12
5.2 Methodology	12
5.3 Collected Information.....	13
5.3.1 DVB.....	13
5.3.1.1 Introduction.....	13
5.3.1.2 Video codec profiles and levels	13
5.3.1.3 Defined parameters for video profiles.....	14
5.3.1.4 Video coding parameters for broadcast distribution	15
5.3.1.5 Audio related Parameters	15
5.3.1.6 Parameters for special services (supplementary streams, DASH sub-resolutions, etc.).....	18
5.3.1.7 Any implementation guidelines	18
5.3.1.8 Deduced Information on Random Access Points.....	18
5.3.2 ATSC	18
5.3.2.1 Introduction.....	18
5.3.2.2 Colorimetry aspects.....	19
5.2.2.3 Frame rate aspects	19
5.2.2.4 RAP period in ATSC	19
5.3.3 DECE.....	19
5.3.3.1 Introduction.....	19
5.3.3.2 Colorimetry aspects.....	19
5.3.3.3 Frame rate aspects	20
5.3.3.4 RAP period in DECE	20
5.3.4 Response from DASH-IF.....	20
5.4 Summary	20
5.4.1 Overview	20
5.4.2 Spatial Resolution.....	21
5.4.3 Frame Rates	21
5.4.4 Colorimetry Formats.....	22
5.4.5 Random Access	23
5.4.6 Video Codecs and Other Video Parameters.....	23
5.4.7 Non-Video Related Parameters.....	24
6 Video Operation Point Parameters	24
6.1 Video resolution	24
6.1.1 Introduction.....	24
6.1.2 Working assumptions	24

6.1.3	Video profile resolution definition.....	25
6.1.4	Selection of video profile resolutions for operation points	26
6.2	Viewing Distance and Resolution	26
6.2.1	Introduction.....	26
6.2.2	Optimum Viewing Distance	27
6.2.3	Conclusions.....	28
7	Non-video related aspects	28
8	Enablers for different 3GPP services	29
8.1	Introduction	29
8.2	DASH Signalling Enablers.....	29
8.2.1	Relevant Signaling Parameters	29
8.2.2	DASH Signaling Background.....	29
8.2.2.1	Representations in one Adaptation Set.....	29
8.2.2.2	Receiver Processing Model.....	30
8.2.2.3	Signaling Framework and Options.....	30
8.2.2.4	Open Questions and Potential Answers	32
8.2.2.5	Gap Analysis on DASH-based signalling	34
9	Information from Example Deployments.....	34
9.1	Description of Linear / Live TV using MBMS	34
10	Conclusions and Recommendations.....	35
Annex A:	Change history	39
	History	40