BS EN 13163:2012+A2:2016



BSI Standards Publication

Thermal insulation products for buildings — Factory made expanded polystyrene (EPS) products — Specification



National foreword

This British Standard is the UK implementation of EN 13163:2012+A2:2016. It supersedes BS EN 13163:2012+A1:2015, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to CEN text carry the number of the CEN amendment. For example, text altered by CEN amendment A1 is indicated by A.

The UK participation in its preparation was entrusted to Technical Committee B/540, Energy performance of materials components and buildings.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017. Published by BSI Standards Limited 2017

ISBN 978 0 580 92164 3

ICS 91.100.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2013.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2015	Implementation of CEN amendment A1:2015
28 February 2017	Implementation of CEN amendment A2:2016

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2016

EN 13163:2012+A2

ICS 91.100.60

Supersedes EN 13163:2012+A1:2015

English Version

Thermal insulation products for buildings - Factory made expanded polystyrene (EPS) products - Specification

Produits isolants thermiques pour le bâtiment -Produits manufacturés en polystyrène expansé (EPS) -Spécification

Wärmedämmstoffe für Gebäude - Werkmäßig hergestellte Produkte aus expandiertem Polystyrol (EPS) - Spezifikation

This European Standard was approved by CEN on 6 October 2012 and includes Amendment 1 approved by CEN on 15 December 2014 and Amendment 2 approved by CEN on 11 July 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents		
Europ	ıropean foreword6		
1	Scope	9	
2	Normative references	9	
3	Terms, definitions, symbols, units and abbreviated terms		
3.1	Terms and definitions		
3.2	Symbols, units and abbreviated terms		
4	Requirements		
4 4.1	General		
4.2	For all applications		
4.2.1	Thermal resistance and thermal conductivity		
4.2.2	Length and width		
4.2.3	Thickness		
4.2.4	Squareness	16	
4.2.5	Flatness	17	
4.2.6	Reaction to fire of the product as placed on the market	17	
4.2.7	Durability characteristics		
4.3	For specific applications		
4.3.1	General		
4.3.2	Dimensional stability		
4.3.3	Squareness		
4.3.4	Compressive stress at 10 % deformation		
4.3.5	Bending strength		
4.3.6	Tensile strength perpendicular to faces		
4.3.7	Deformation under specified compressive load and temperature conditions		
4.3.8	Characteristics		
4.3.9	Shear behaviourCyclic loading behaviour		
	Water absorption		
	Freeze-thaw resistance		
	Water vapour transmission		
	Dynamic stiffness		
	Compressibility (only applicable on EPS T products)		
	Apparent density		
4.3.17	Reaction to fire of the product in standardised assemblies simulating end-use	20	
110117	applications	25	
4.3.18	Continuous glowing combustion		
	Release of dangerous substances		
5	Test methods	25	
5.1	Sampling		
5.2	Conditioning		
5.3	Testing		
5.3.1	General		
5.3.2	Thermal resistance and thermal conductivity		
6	Designation code		
U	Designation code	40	

7	Assessment and Verification of the Constancy of Performance (AVCP)	
7.1	General	
7.2	Product Type Determination (PTD)	
7.3	Factory Production Control (FPC)	30
8	Marking and labelling	30
Annex	A (normative) Determination of the declared values of thermal resistance and	
	thermal conductivity	
A.1	General	
A.2	Input data	
A.3	Declared values	
A.3.1	General	
A.3.2	Case where thermal resistance and thermal conductivity are declared	
A.3.3	Case where thermal resistance is declared	33
Annex	B (normative) Product type determination (A) (A) PTD (A) and factory production control (FPC)	24
B.1	Product type determination $\langle A_1 \rangle$ and factory production control	
в.1 В.2	Indirect testing for factory production control	
B.2.1		
	General Compressive stress at 10 % deformation	39
B.2.2		
B.2.3	Thermal conductivity	
B.2.4	Thickness effect	
B.2.5	Dynamic stiffness	41
	C (normative) Product classification	
Annex	D (normative) Multi layered EPS products	44
D.1	General	44
D.2	Requirements	44
D.2.1	For all applications	44
D.2.2	For specific applications	45
D.3	Test methods	45
D.4	Evaluation of conformity	45
Annex	E (informative) Verification of the reaction to fire classification of raw materials	46
E.1	General	
E.2	Material covered by this annex	
E.3	Preparation of samples	
E.4	A) Product type determination (A) for EPS raw material	
E.5	Factory Production Control for EPS raw material	
E.5.1	General	
E.5.2	Testing frequency	
E.6	Certification of conformity for EPS raw material	
E.6.1	Bodies involved in the evaluation of conformity procedure	
E.6.2	Test specimens	
E.6.3	A) Product type determination (A)	
E.0.3 E.7	Continuous surveillance of EPS raw material	
E.7.1		
	Production	
E.7.2	Factory production control	
E.8	Material certificate for EPS raw material	
E.9	Requirement for raw material supply	
E.9.1	Declaration for the raw material supply	
E.9.2	Labelling	49
Annex	F (informative) Additional properties	50

F.1	General	. 50
F.2	Long-term compressive behaviour	
F.3 F.4	Shear behaviourWater vapour diffusion resistance factor	
г. 4 F.5	Examples of determination of thermal conductivity	
F.6	Additional information	
Annex	ZA (informative) A Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation	. 54
Rihling	graphy	
שטווטנ	31 aprily	. 03
Tables		
Table 1	1 — Classes of dimensional tolerances	. 17
Table 2	2 — Dimensional stability under specified temperature or specified temperature and humidity conditions	. 18
Table 3	3 — Levels for compressive stress at 10 % deformation	
	4 — Levels for bending strength	. 20
Table !	5 — Levels of deformation under specified compressive load and temperature conditions	. 21
Table (6 — Levels for dynamic stiffness	. 23
Table ?	7 — Classes for thickness tolerances	. 24
Table 8	8 — Levels for compressibility	. 24
Table 9	9 — Test methods, test specimens and conditions	. 27
	A.1 — Values for k for one sided 90 % tolerance interval with a confidence level of 90	
	%	. 33
Table l	B.1 — Number of tests for \land PTD 街 and minimum product testing frequencies	. 34
Table l	B.2 — Minimum product testing frequencies for the reaction to fire characteristics	. 37
Table (C.1 — Classification of EPS products	. 42
Table (C.2 — Classification EPS products with acoustical properties	. 43
Table l	E.1 — Testing frequency of raw material	. 48
	F.1 — Correlation between bending strength and shear strength	
	F.2 —Tabulated values of water vapour diffusion resistance index and water vapour permeability	
Table 2	ZA.1 — Relevant clauses for factory made expanded polystyrene and intended use	
	ZA.2 — Systems of AVCP	
	ZA.3.1 — Assignment of AVCP tasks for factory made expanded polystyrene products	
	under system 1 for reaction to fire and system 3 (see Table ZA.2)	. 57
Table 2	ZA.3.2 — Assignment of AVCP tasks for factory made expanded polystyrene products under system 3 (see Table ZA.2)	. 58
Table 2	ZA.3.3 — Assignment of AVCP tasks for factory made expanded polystyrene products	
	under combined system 4 for reaction to fire and system 3 (see Table ZA.2)	. 59

Figures	
Figure B.1 — Relationship between compressive stress at 10 % deformation and apparent density for indirect testing	40
Figure F.1 — Example of a relationship between thermal conductivity (at 50 mm reference thickness and 10 °C mean temperature) apparent density for indirect testing of non infrared absorbing EPS	53
Figure ZA.1 — $ \overline{\mathbb{A}}\rangle$ Example CE marking information $\langle\overline{\mathbb{A}}\rangle$	

European foreword

This document (EN 13163:2012+A2:2016) has been prepared by Technical Committee CEN/TC 88 "Thermal insulating materials and products", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017, and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of \triangle the EU Construction Products Regulation (CPR) \triangle .

For relationship with EU Construction Products Regulation (CPR), see informative Annex ZA, which is an integral part of this standard. (A)

This document includes Amendment 1, approved by CEN on 2014-12-15 and Amendment 2, approved by CEN on 2016-07-11.

This document supersedes $\triangle 2$ EN 13163:2012+A1:2015 $\triangle 2$.

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{\mathbb{A}_1}$ $\boxed{\mathbb{A}_2}$ $\boxed{\mathbb{A}_2}$.

The main changes \triangle brought by EN 13163:2012 to the 2008 edition were \triangle :

- a) better harmonisation between the individual standards of the package (EN 13162 to EN 13171) on definitions, requirements, classes and levels;
- b) new annex on multi-layered products;
- c) new annex on voluntary verification of the reaction to fire classification of raw materials;
- d) changes on some editorial and technical content and addition of information on some specific items such as for EPS dimensional stability, compressibility;
- e) addition of links to EN 15715, *Thermal insulation products Instructions for mounting and fixing for reaction to fire testing Factory made products*;
- f) changes to the Annex ZA.
- Amendment 1 modifies EN 13163:2012 identifying those clauses of the standard which are needed for the compliance of the European Standard with the Construction Products Regulation (CPR).

This amendment introduces

g) an addition to the foreword:

- h) an addition in 3.2;
- i) a new subclause 4.3.19;
- i) modification of Clause 7;
- k) modification of Clause 8;
- l) modification of Annex B;
- m) modification of Annex E;
- n) a new Annex ZA. (A1
- The main changes brought by the 2nd amendment to EN 13163:2012+A1:2015 are:
- p) the adjustment of dimensions;
- q) the modification of several clauses;
- r) the addition of a symbol. (42)

This standard is one of a series of standards for thermal insulation products used in buildings, but this standard may be used in other areas where appropriate.

In pursuance of Resolution BT 20/1993 revised, CEN/TC 88 have proposed defining the standards listed below as a European package of standards.

The package of standards comprises the following group of interrelated standards for the specifications of factory made thermal insulation products, all of which come within the scope of CEN/TC 88:

EN 13162, Thermal insulation products for buildings — Factory made mineral wool (MW) products — Specification

EN 13163, Thermal insulation products for buildings — Factory made expanded polystyrene (EPS) products — Specification

EN 13164, Thermal insulation products for buildings — Factory made extruded polystyrene foam (XPS) products — Specification

EN 13165, Thermal insulation products for buildings — Factory made rigid polyurethane foam (PU) products — Specification

EN 13166, Thermal insulation products for buildings — Factory made phenolic foam (PF) products — Specification

EN 13167, Thermal insulation products for buildings — Factory made cellular glass (CG) products — Specification

EN 13168, Thermal insulation products for buildings – Factory made wood wool (WW) products – Specification

EN 13169, Thermal insulation products for buildings — Factory made expanded perlite board (EPB) products — Specification

BS EN 13163:2012+A2:2016 EN 13163:2012+A2:2016 (E)

EN 13170, Thermal insulation products for buildings — Factory made products of expanded cork (ICB) — Specification

EN 13171, Thermal insulation products for buildings — Factory made wood fibre (WF) products — Specification

The reduction in energy used and emissions produced during the installed life of insulation products exceeds by far the energy used and emissions made during the production and disposal processes.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies the requirements for factory made expanded polystyrene products, with or without rigid or flexible facings or coatings, which are used for the thermal insulation of buildings. The products are manufactured in the form of boards or rolls or other preformed ware (flat, tapered, tongue and grooves, shiplap, profiled etc.).

Products covered by this standard are also used for sound insulation and in prefabricated thermal insulation systems and composite panels; the performance of systems incorporating these products is not covered.

This standard describes product characteristics and includes procedures for testing, evaluation of conformity, marking and labelling.

This standard does not specify the required class or level of a given property to be achieved by a product to demonstrate fitness for purpose in a particular application. The classes and levels required for a given application are to be found in regulations or non-conflicting standards.

Products with a declared thermal resistance lower than $0.25~\text{m}^2\cdot\text{K/W}$ or a declared thermal conductivity at $10~^\circ\text{C}$ greater than $0.060~\text{W/(m}\cdot\text{K)}$ are not covered by this standard.

This standard does not cover in-situ insulation products (covered by \triangle EN 16025-1 and -2 \triangle), products intended to be used for the insulation of building equipment and industrial installations (covered by EN 14309), products intended to be used in civil engineering applications (covered by EN 14933) and products intended to be used in beam and block systems in floors (covered by EN 15037-4).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 822, Thermal insulating products for building applications — Determination of length and width

EN 823, Thermal insulating products for building applications — Determination of thickness

EN 824, Thermal insulating products for building applications — Determination of squareness

EN 825, Thermal insulating products for building applications — Determination of flatness

EN 826, Thermal insulating products for building applications — Determination of compression behaviour

EN 1602, Thermal insulating products for building applications — Determination of the apparent density

EN 1603, Thermal insulating products for building applications — Determination of dimensional stability under constant normal laboratory conditions (23 $^{\circ}$ C/ 50 $^{\circ}$ C relative humidity)

EN 1604, Thermal insulating products for building applications — Determination of dimensional stability under specified temperature and humidity conditions

EN 1605, Thermal insulating products for building applications — Determination of deformation under specified compressive load and temperature conditions

EN 1606, Thermal insulating products for building applications — Determination of compressive creep