

# Specification for Field-welded Tanks for Storage of Production Liquids

API SPECIFICATION 12D  
TWELFTH EDITION, JUNE 2017

EFFECTIVE DATE: DECEMBER 1, 2017



AMERICAN PETROLEUM INSTITUTE

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

*Copyright © 2017 American Petroleum Institute*

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, [standards@api.org](mailto:standards@api.org).



# Contents

	Page
<b>1</b>	<b>Scope</b> . . . . . <b>1</b>
<b>1.1</b>	<b>General</b> . . . . . <b>1</b>
<b>1.2</b>	<b>Compliance</b> . . . . . <b>1</b>
<b>2</b>	<b>Normative References</b> . . . . . <b>1</b>
<b>3</b>	<b>Terms and Definitions</b> . . . . . <b>2</b>
<b>4</b>	<b>Materials</b> . . . . . <b>3</b>
<b>4.1</b>	<b>General</b> . . . . . <b>3</b>
<b>4.2</b>	<b>Plates</b> . . . . . <b>3</b>
<b>4.3</b>	<b>Sheets</b> . . . . . <b>3</b>
<b>4.4</b>	<b>Welding Electrodes</b> . . . . . <b>3</b>
<b>4.5</b>	<b>Structural Shapes</b> . . . . . <b>4</b>
<b>4.6</b>	<b>Piping</b> . . . . . <b>4</b>
<b>4.7</b>	<b>Flanges</b> . . . . . <b>4</b>
<b>4.8</b>	<b>Couplings</b> . . . . . <b>4</b>
<b>4.9</b>	<b>Bolting</b> . . . . . <b>4</b>
<b>5</b>	<b>Design</b> . . . . . <b>4</b>
<b>5.1</b>	<b>General</b> . . . . . <b>4</b>
<b>5.2</b>	<b>Tank Size</b> . . . . . <b>5</b>
<b>5.3</b>	<b>Weld Size</b> . . . . . <b>5</b>
<b>5.4</b>	<b>Joints</b> . . . . . <b>6</b>
<b>5.5</b>	<b>Bottom Design</b> . . . . . <b>6</b>
<b>5.6</b>	<b>Shell Design</b> . . . . . <b>8</b>
<b>5.7</b>	<b>Roof Design</b> . . . . . <b>9</b>
<b>5.8</b>	<b>Cleanout</b> . . . . . <b>10</b>
<b>5.9</b>	<b>Connections</b> . . . . . <b>10</b>
<b>5.10</b>	<b>Center Roof Nozzle</b> . . . . . <b>11</b>
<b>5.11</b>	<b>Center Support</b> . . . . . <b>11</b>
<b>5.12</b>	<b>Anti-channel Drain Baffle</b> . . . . . <b>11</b>
<b>5.13</b>	<b>Downcomer Pipe</b> . . . . . <b>12</b>
<b>5.14</b>	<b>Walkways, Stairways, and Ladders</b> . . . . . <b>12</b>
<b>6</b>	<b>Venting Requirements</b> . . . . . <b>12</b>
<b>6.1</b>	<b>Normal Venting</b> . . . . . <b>12</b>
<b>6.2</b>	<b>Emergency Venting</b> . . . . . <b>12</b>
<b>7</b>	<b>Construction, Testing, and Painting</b> . . . . . <b>12</b>
<b>7.1</b>	<b>Construction</b> . . . . . <b>12</b>
<b>7.2</b>	<b>Welding</b> . . . . . <b>12</b>
<b>7.3</b>	<b>Testing</b> . . . . . <b>13</b>
<b>7.4</b>	<b>External Painting</b> . . . . . <b>13</b>
<b>7.5</b>	<b>Internal Coating</b> . . . . . <b>13</b>
<b>7.6</b>	<b>Clean Up</b> . . . . . <b>13</b>
<b>8</b>	<b>Marking</b> . . . . . <b>13</b>
<b>9</b>	<b>Inspection and Rejection</b> . . . . . <b>14</b>
<b>9.1</b>	<b>Inspection Notice</b> . . . . . <b>14</b>
<b>9.2</b>	<b>Inspection</b> . . . . . <b>14</b>
<b>9.3</b>	<b>Rejection</b> . . . . . <b>14</b>

# Contents

	Page
<b>Annex A (informative) Use of Monogram by Licensees . . . . .</b>	<b>15</b>
<b>Annex B (normative) Walkways, Stairways, and Ladders . . . . .</b>	<b>18</b>
<b>Annex C (informative) Suggestions for Ordering Field-welded Tanks . . . . .</b>	<b>20</b>
<b>Figures</b>	
<b>5.1 Tank Dimensions . . . . .</b>	<b>7</b>
<b>5.2 Cone Bottom . . . . .</b>	<b>8</b>
<b>5.3 Gauge/Thief Hatch Cutout Details . . . . .</b>	<b>11</b>
<b>8.1 Nameplate Format . . . . .</b>	<b>14</b>
<b>Tables</b>	
<b>5.1 Tank Dimensions . . . . .</b>	<b>5</b>

## **Introduction**

This specification is under the jurisdiction of the API Subcommittee on Aboveground Storage Tanks.

This specification is based on the accumulated knowledge and experience of purchasers and manufacturers of field-welded steel storage tanks of various sizes and capacities for internal pressures approaching atmospheric. This publication provides a purchase specification to facilitate the manufacture and procurement of storage tanks for production service, such as storage of crude oil, condensate, hydrocarbon products, and nonpotable water. If tanks are purchased in accordance with this specification, the purchaser is expected to specify certain basic requirements.

This specification shall become effective on the date printed on the cover.

# Specification for Field Welded Tanks for Storage of Production Liquids

## 1 Scope

### 1.1 General

This specification covers material, design, fabrication, and testing requirements for vertical, cylindrical, aboveground, closed top, welded steel storage tanks in various standard sizes and capacities for internal pressures of approximately atmospheric, not to exceed those listed in Table 5.1, Column 2.

This specification provides the oil production industry with tanks of adequate safety and reasonable economy for use in the storage of crude petroleum and other liquids commonly handled and stored by the production segment of the industry. This specification is for the convenience of purchasers and manufacturers in ordering and fabricating tanks.

### 1.2 Compliance

The manufacturer is responsible for complying with all provisions of this specification. The purchaser may make any investigation necessary to be satisfied that the manufacturer is in compliance and may reject any material that does not comply with this specification. It is urged that the purchaser exercise this right by providing an inspection independent of any supervisory inspection furnished by the manufacturer, and that the purchaser's inspector closely monitor all of the details of shop fabrication and/or field construction and testing herein specified that may affect the integrity and safety of the completed structure.

## 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document applies including any amendments.

API Specification 5L, *Specification for Line Pipe*

API Standard 650, *Welded Tanks for Oil Storage*

API Recommended Practice 652, *Lining of Aboveground Petroleum Storage Tank Bottoms*

API Standard 2000, *Venting Atmospheric and Low-pressure Storage Tanks*

ASME Boiler and Pressure Vessel Code, Section IX <sup>1</sup>, *Welding, Brazing, and Fusing Qualifications*

ASME B16.5, *Pipe Flanges and Flanged Fittings: NPS 1/2 through NPS 24 Metric/Inch Standard*

ASME B16.11, *Forged Fittings, Socket-Welding and Threaded*

ASTM A36/A36M <sup>2</sup>, *Standard Specification for Carbon Structural Steel*

ASTM A53/A53M, *Standard Specification for Pipe, Steel, Black and Hot-Dipped, Zinc-Coated, Welded and Seamless*

ASTM A106/A106M, *Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service*

---

<sup>1</sup> ASME International, 2 Park Avenue, New York, New York 10016-5990, [www.asme.org](http://www.asme.org).

<sup>2</sup> ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, [www.astm.org](http://www.astm.org).