BS ISO 20283-5:2016



BSI Standards Publication

Mechanical vibration — Measurement of vibration on ships

Part 5: Guidelines for measurement, evaluation and reporting of vibration with regard to habitability on passenger and merchant ships



National foreword

This British Standard is the UK implementation of ISO 20283-5:2016. It supersedes BS ISO 6954:2000 which is now withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GME/21/5, Vibration of machines.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016. Published by BSI Standards Limited 2016

ISBN 978 0 580 89353 7

ICS 17.160; 47.020.80

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2016.

Amendments/corrigenda issued since publication

Date Text affected

INTERNATIONAL STANDARD

ISO 20283-5:2016 ISO 20283-5

First edition 2016-12-15

Mechanical vibration — Measurement of vibration on ships —

Part 5:

Guidelines for measurement, evaluation and reporting of vibration with regard to habitability on passenger and merchant ships

Vibrations mécaniques — Mesurage des vibrations à bord des navires —

Partie 5: Lignes directrices pour le mesurage, l'évaluation et l'établissement de rapports des vibrations affectant l'habitabilité à bord des navires de commerce et des paquebots



BS ISO 20283-5:2016 ISO 20283-5:2016(E)



COPYRIGHT PROTECTED DOCUMENT

$\, @ \,$ ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

| ForewordIntroduction | | | | | | | |
|----------------------|------------------------------------|---|--------|---|----------------------|---|---|
| | | | | 1 | Scop | e | 1 |
| | | | | 2 | Normative references | | 1 |
| 3 | Terms and definitions | | 1 | | | | |
| 4 | Instr 4.1 4.2 | umentation General requirements Functional test | 3 | | | | |
| 5 | Meas 5.1 5.2 | Measurement locations and directions Measurement position and orientation | 3 | | | | |
| 6 | Meas | Measurement conditions | | | | | |
| 7 | Meas | Measurement procedure | | | | | |
| 8 | Eval u 8.1 8.2 8.3 | Guideline values of acceptable vibration Excessive vibration values Beating | 5 6 | | | | |
| 9 | Test | report | 7 | | | | |
| Ann | ex A (in | formative) Frequency weighting, W_m | 8 | | | | |
| Anno | | formative) Example of report for evaluation of habitability on-board ships in rdance with this document | 10 | | | | |
| Bibli | iograph | V | 11 | | | | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/TC 108, Mechanical vibration, shock and condition monitoring, Subcommittee SC 2, Measurement and evaluation of mechanical vibration and shock as applied to machines, vehicles and structures.

This first edition of ISO 20283-5 cancels and replaces ISO 6954:2000, which has been technically revised with the following changes:

- crew and passenger spaces were clearly defined;
- measurement conditions also include dynamic positioning (DP) mode;
- guideline values were changed from pairs of lower and upper values representing the range of commonly accepted vibration magnitude to just one maximum value. This gives a clearer indication when this document is referred to in commercial contracts or similar. The actual guideline values are somewhat severer accounting for the technical progress made.

A list of parts in the ISO 20283 series can be found on the ISO website.

Introduction

Shipboard vibration that interferes with duties or reduces comfort is objectionable and often results in adverse comments from crew and passengers. To quantify this vibration, this document gives guidelines for the measurement, evaluation and reporting of habitability for all persons on board, especially for the crew.

Vibration data acquired in accordance with this document are also useful for

- comparison with ship specifications,
- comparison with other ships, and
- further development and improvement of vibration regulations.

Mechanical vibration — **Measurement of vibration on ships** —

Part 5:

Guidelines for measurement, evaluation and reporting of vibration with regard to habitability on passenger and merchant ships

1 Scope

This document gives guidelines for the measurement, evaluation and reporting of vibration with regard to habitability for all persons on-board passenger and merchant ships, especially for crew. Overall frequency-weighted r.m.s. vibration values in the frequency range 1 Hz to 80 Hz are given as guideline values for different areas on ships.

This document is applicable to passenger and merchant ships with intended voyages of 24 h or more.

This document specifies requirements for the instrumentation and the procedure of measurement in normally occupied spaces. It also contains analysis specifications and guidelines for the evaluation of ship vibration with respect to habitability.

The evaluation of low-frequency ship motion which can result in motion sickness is covered by ISO 2631-1. For the evaluation of the global structural vibration of a ship, however, see ISO 20283-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2631-1, Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration — Part 1: General requirements

ISO 2631-2, Mechanical vibration and shock — Evaluation of human exposure to whole-body vibration — Part 2: Vibration in buildings (1 Hz to 80 Hz)

ISO 8041, Human response to vibration — Measuring instrumentation

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 2041 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp