

ETSI TS 133 108 V14.3.0 (2018-01)



**Universal Mobile Telecommunications System (UMTS);
LTE;
3G security;
Handover interface for Lawful Interception (LI)
(3GPP TS 33.108 version 14.3.0 Release 14)**



Reference

RTS/TSGS-0333108ve30

Keywords

LTE,SECURITY,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	12
Introduction	12
1 Scope	13
2 References	13
3 Definitions and abbreviations.....	17
3.1 Definitions	17
3.2 Abbreviations	19
4 General	21
4.0 Introduction	21
4.1 Basic principles for the handover interface	21
4.2 Legal requirements	21
4.3 Functional requirements	21
4.4 Overview of handover interface	22
4.4.0 Introduction.....	22
4.4.1 Handover interface port 2 (HI2)	23
4.4.2 Handover interface port 3 (HI3)	23
4.5 HI2: Interface port for intercept related information	23
4.5.0 General.....	23
4.5.1 Data transmission protocols.....	24
4.5.2 Application for IRI (HI2 information).....	24
4.5.3 Types of IRI records	24
4.6 Reliability	25
5 Circuit-switch domain	26
5.0 General	26
5.1 Specific identifiers for LI	26
5.1.0 Introduction.....	26
5.1.1 Lawful Interception Identifier (LIID)	26
5.1.2 Communication Identifier (CID)	26
5.1.2.0 General	26
5.1.2.1 Network Identifier (NID).....	27
5.1.2.2 Communication Identity Number (CIN) – optional	27
5.1.3 CC link identifier (CCLID).....	27
5.1.4 Correlation of CC and IRI	27
5.1.5 Usage of Identifiers.....	28
5.2 HI2: interface port for IRI	28
5.2.1 Definition of Intercept Related Information	28
5.2.2 Structure of IRI records	29
5.2.2.0 General	29
5.2.2.1 Control Information for HI2.....	29
5.2.2.2 Basic call information	30
5.2.2.3 Information on supplementary services, related to a call in progress.....	30
5.2.2.4 Information on non-call related supplementary services.....	31
5.2.3 Delivery of IRI.....	31
5.3 HI3: interface port for Content of Communication	35
5.3.0 General.....	35
5.3.1 CS-based Delivery of Content of Communication	35
5.3.2 Control information for Content of Communication	36
5.3.3 Security requirements at the interface port of HI3.....	37
5.3.3.0 General	37

5.3.3.1	LI access verification	38
5.3.3.2	Access protection	38
5.3.3.3	Authentication	38
5.4	LI procedures for supplementary services	38
5.4.1	General	38
5.4.2	CC link Impact	41
5.4.3	IRI Impact, General Principle for Sending IRI records	41
5.4.4	Multi party calls – general principles, options A, B	41
5.4.4.0	General	41
5.4.4.1	CC links for active and non-active calls (option A)	41
5.4.4.2	Reuse of CC links for active calls (option B)	42
5.4.5	Subscriber Controlled Input (SCI): Activation / Deactivation / Interrogation of Services	43
5.5	Detailed procedures for supplementary services	43
5.5.1	Advice of Charge services (AOC)	43
5.5.2	Call Waiting (CW)	43
5.5.2.1	Call Waiting at target: CC links	43
5.5.2.2	Call Waiting: IRI records	43
5.5.2.2.1	Target is served user	43
5.5.2.2.2	Other party is served user	43
5.5.3	Call Hold/Retrieve	43
5.5.3.1	CC links for active and non-active calls (option A)	43
5.5.3.2	Reuse of CC links for active calls (option B)	43
5.5.3.3	IRI records	44
5.5.3.3.1	Invocation of Call Hold or Retrieve by target	44
5.5.3.3.2	Invocation of Call Hold or Retrieve by other parties	44
5.5.4	Explicit Call Transfer (ECT)	44
5.5.4.1	Explicit Call Transfer, CC link	44
5.5.4.2	Explicit Call Transfer, IRI records	44
5.5.5	Calling Line Identification Presentation (CLIP) (IRI Records)	44
5.5.5.1	Call originated by target (target is served user)	44
5.5.5.2	Call terminated at target (other party is served user)	44
5.5.6	Calling Line Identification Restriction (CLIR)	44
5.5.7	COnnected Line identification Presentation (COLP)	45
5.5.7.1	Call terminated at target (target is served user)	45
5.5.7.2	Call originated by target (other party is served user)	45
5.5.8	COnnected Line identification Restriction (COLR)	45
5.5.9	Closed User Group (CUG)	45
5.5.10	Completion of Call to Busy Subscriber (CCBS)	45
5.5.11	Multi ParTY call (MPTY)	45
5.5.11.1	General	45
5.5.11.2	IRI records	45
5.5.12	DIVersion Services (DIV)	45
5.5.12.0	General	45
5.5.12.1	Call Diversion by Target	46
5.5.12.1.1	Call Diversion by Target, CC links	46
5.5.12.1.2	Call Diversion by Target, IRI records	46
5.5.12.2	Forwarded Call Terminated at Target	46
5.5.12.3	Call from Target Forwarded	46
5.5.13	Variants of call diversion services	46
5.5.14	SUBaddressing (SUB)	47
5.5.15	User-to-User Signalling (UUS)	47
5.5.16	Incoming Call Barring (ICB)	47
5.5.17	Outgoing Call Barring (OCB)	47
5.5.18	Tones, Announcements	47
5.6	Functional architecture	47
5.7	IP-based handover interface for CC	48
5.7.1	General	48
5.7.2	Identifiers	49
5.7.3	Voice Content Direction	50
5.7.4	Payload Description	50
5.7.5	Sequence Number	50

6	Packet data domain.....	51
6.1	Identifiers	51
6.1.0	Introduction.....	51
6.1.1	Lawful interception identifier	51
6.1.2	Network identifier.....	51
6.1.3	Correlation number	51
6.2	Timing and quality	52
6.2.1	Timing	52
6.2.2	Quality	52
6.2.3	Void.....	52
6.3	Security aspects	52
6.4	Quantitative aspects.....	52
6.5	IRI for packet domain.....	53
6.5.0	Introduction.....	53
6.5.1	Events and information	57
6.5.1.0	General	57
6.5.1.1	REPORT record information	57
6.5.1.2	BEGIN record information	66
6.5.1.3	CONTINUE record information	67
6.5.1.4	END record information	69
6.6	IRI reporting for packet domain at GGSN	70
6.7	Content of communication interception for packet domain at GGSN.....	70
7	Multi-media domain.....	71
7.0	Introduction	71
7.1	Identifiers	72
7.1.0	General.....	72
7.1.1	Lawful Interception Identifier (LIID)	72
7.1.2	Network identifier.....	73
7.1.3	Correlation number	73
7.2	Timing and quality	74
7.2.1	Timing	74
7.2.2	Quality	74
7.2.3	Void.....	74
7.3	Security aspects	74
7.4	Quantitative aspects.....	74
7.5	IRI for IMS.....	75
7.5.0	Introduction.....	75
7.5.1	Events and information	78
7.6	Correlation indications of IMS IRI with GSN CC at the LEMF	83
7.7	Void.....	83
8	3GPP WLAN Interworking.....	83
8.0	General	83
8.1	Identifiers	83
8.1.1	Overview	83
8.1.2	Lawful interception identifier	83
8.1.3	Network identifier.....	84
8.1.4	Correlation number	84
8.2	Timing and quality	84
8.2.1	Timing	84
8.2.2	Quality	84
8.2.3	Void	85
8.3	Security aspects	85
8.4	Quantitative aspects.....	85
8.5	IRI for I-WLAN	85
8.5.0	Introduction.....	85
8.5.1	Events and information	89
8.5.1.1	Overview.....	89
8.5.1.2	REPORT record information	89
8.5.1.3	BEGIN record information	94
8.5.1.4	END record information	96

8.6	CC for I-WLAN	97
9	Interception of Multimedia Broadcast/MultiCast Service (MBMS)	97
9.1	Identifiers	97
9.1.1	Overview	97
9.1.2	Lawful interception identifier	97
9.1.3	Network identifier.....	98
9.1.4	Correlation number.....	98
9.2	Timing and quality	98
9.2.1	Timing	98
9.2.2	Quality	98
9.2.3	Void.....	98
9.3	Security aspects.....	98
9.4	Quantitative aspects.....	99
9.5	IRI for MBMS.....	99
9.5.0	General.....	99
9.5.1	Events and information.....	101
9.5.1.1	Overview.....	101
9.5.1.2	REPORT record information	101
9.5.1.3	BEGIN record information	102
9.5.1.4	END record information	103
9.6	CC for MBMS.....	104
10	Evolved Packet System (EPS).....	104
10.0	Introduction	104
10.1	Identifiers	105
10.1.0	Introduction.....	105
10.1.1	Lawful interception identifier	105
10.1.2	Network identifier.....	105
10.1.3	Correlation number	106
10.2	Timing and quality	106
10.2.1	Timing	106
10.2.2	Quality	106
10.2.3	Void.....	106
10.3	Security aspects.....	106
10.4	Quantitative aspects.....	107
10.5	IRI for evolved packet domain.....	107
10.5.0	Introduction.....	107
10.5.1	Events and information.....	113
10.5.1.0	Introduction.....	113
10.5.1.1	REPORT record information	113
10.5.1.2	BEGIN record information	125
10.5.1.3	CONTINUE record information	128
10.5.1.4	END record information	131
10.6	IRI reporting for evolved packet domain at PDN-GW.....	134
10.7	Content of communication interception for evolved packet domain at PDN-GW	134
11	3GPP IMS Conference Services.....	135
11.1	Identifiers	135
11.1.1	Overview	135
11.1.2	Lawful interception identifier	135
11.1.3	Network identifier.....	135
11.1.4	Correlation number.....	136
11.2	Timing and quality	136
11.2.1	Timing	136
11.2.2	Quality	136
11.2.3	Void.....	136
11.3	Security aspects.....	136
11.4	Quantitative aspects.....	136
11.5	IRI for IMS Conference Services.....	137
11.5.0	Introduction.....	137
11.5.1	Events and information.....	140
11.5.1.1	Overview.....	140

11.5.1.2	BEGIN record information	140
11.5.1.3	CONTINUE record information	141
11.5.1.4	END record information	144
11.5.1.5	REPORT record information	145
11.6	CC for IMS Conference Services	146
12	3GPP IMS-based VoIP Services	147
12.1	Identifiers	147
12.1.1	Overview	147
12.1.2	Lawful Interception Identifier	147
12.1.3	Network Identifier	147
12.1.4	Correlation Number	147
12.2	Timing and quality	148
12.3	Security aspects	148
12.4	Quantitative aspects	148
12.5	IRI for IMS-based VoIP	148
12.6	CC for IMS-based VoIP	148
12.7	VoLTE Roaming	149
12.7.1	General	149
12.7.2	LI in HPLMN	149
12.7.2.1	With S8HR	149
12.7.2.2	With LBO	149
12.7.3	LI in VPLMN with S8HR	149
12.7.4	LI in VPLMN with LBO	150
12.8	Roaming Constraints to IMS VoIP/VoLTE LI	150
13	Interception of Proximity Services (ProSe)	151
13.1	General	151
13.1.1	Identifiers	151
13.1.1.1	Overview	151
13.1.1.2	Lawful interception identifier	151
13.1.1.3	Network identifier	151
13.1.2	Timing and quality	152
13.1.2.1	Timing	152
13.1.2.2	Quality	152
13.1.3	Security aspects	152
13.1.4	Quantitative aspects	152
13.2	ProSe Direct Discovery	152
13.2.1	General	152
13.2.2	Events and information	154
13.2.2.1	Overview	154
13.2.2.2	REPORT record information	154
13.3	ProSe Remote UE communications	155
13.3.1	General	155
13.3.2	Events and information	157
13.3.2.1	Overview	157
13.3.2.2	REPORT record information	157
13.3.2.3	BEGIN record information	159
13.3.2.4	CONTINUE record information	160
13.3.2.5	END record information	161
14	Invocation of Lawful Interception (LI) for Group Communications System Enablers (GCSE)	161
14.1	Background	161
14.1.1	Interception at GCS AS versus other nodes	161
14.2	GCS AS in Intercepting Operator's Network	161
14.2.1	General	161
14.2.2	Identifiers	161
14.2.2.1	Overview	161
14.2.2.2	Lawful Interception Identifier	162
14.2.2.3	Network Identifier	162
14.2.2.3	Correlation Number	162
14.2.3	Timing and quality	162
14.2.3.1	Timing	162

14.2.3.2	Quality.....	163
14.2.4	Security Aspects	163
14.2.4.1	General	163
14.2.5	Quantitative Aspects	163
14.2.5.1	General	163
14.2.6	IRI for GCSE based Communications	163
14.2.6.1	General	163
14.2.6.2	Events and Event Information.....	166
14.2.6.2.1	Overview	166
14.2.6.2.2	BEGIN record information.....	166
14.2.6.2.3	CONTINUE record information.....	168
14.2.6.2.4	END record information.....	170
14.2.7	CC for GCSE based Communications.....	171
14.2.7.1	General.....	171
14.3	GCS AS Outside Intercepting Operator Network	171
14.3.1	General.....	171
15	Interception of Messaging Services	172
15.1	Overview	172
15.2	SMS.....	172
15.2.1	Introduction.....	172
15.2.2	SMS over GPRS/UMTS	172
15.2.3	SMS over IMS	172
15.3	MMS	173
15.3.1	Introduction.....	173
15.3.2	Identifiers	173
15.3.2.1	Overview.....	173
15.3.2.2	Lawful Interception Identifier	173
15.3.2.3	Correlation Number	174
15.3.6	IRI for MMS	174
15.3.6.1	General.....	174
15.3.6.2	Events and Event Information.....	177
15.3.6.2.1	Overview	177
15.3.6.2.2	REPORT record information.....	178
15.3.7	CC for MMS	190
15.3.7.1	General.....	190
Annex A (normative):	HI2 delivery mechanisms and procedures.....	191
A.0	Introduction	191
A.1	ROSE.....	191
A.1.1	Architecture	191
A.1.2	ASE_HI procedures.....	192
A.1.2.1	Sending part.....	192
A.1.2.2	Receiving part.....	193
A.1.2.3	Data link management	193
A.1.2.3.0	General	193
A.1.2.3.1	Data link establishment	193
A.1.2.3.2	Data link release.....	194
A.1.2.4	Handling of unrecognized fields and parameters.....	194
A.2	FTP.....	194
A.2.1	Introduction	194
A.2.2	Usage of the FTP.....	194
A.2.3	Profiles (informative).....	196
A.2.4	File content	198
A.2.5	Exceptional procedures.....	198
A.2.6	Other considerations	198
Annex B (normative):	Structure of data at the handover interface	200
B.0	Introduction	200

B.1	Syntax definitions.....	200
B.2	3GPP object tree.....	201
B.3	Intercept related information (HI2 PS and IMS).....	202
B.3a	Interception related information (HI2 CS)	213
B.4	Contents of communication (HI3 PS)	217
B.5	HI management operation for ROSE connection.....	218
B.6	User data packet transfer (HI3 CS)	219
B.7	Intercept related information (and I-WLAN).....	221
B.8	Intercept related information (MBMS)	226
B.9	Intercept related information (HI2 SAE/EPS and IMS).....	229
B.10	Contents of communication (HI3 EPS).....	243
B.11	IMS Conference Services ASN.1	244
B.11.1	Intercept related information (Conference Services).....	244
B.11.2	Contents of communication (HI3 IMS Conferencing)	248
B.12	Contents of Communication (HI3 IMS-based VoIP).....	249
B.13	Intercept related information for ProSe.....	251
B.14	GCSE Services ASN.1	253
B.14.1	Intercept related information (GCSE Services).....	253
B.14.2	Contents of communication (HI3 GCSE Group Communications)	257
B.15	Intercept related information (HI2 MMS).....	258
B.16	Content information (HI3 MMS)	265
B.17	IP based handover (HI3) for CS voice content.....	267
Annex C (normative): UMTS and EPS HI3 interfaces.....		268
C.0	Introduction	268
C.1	UMTS LI correlation header	268
C.1.1	Introduction	268
C.1.2	Definition of ULIC header version 0.....	268
C.1.3	Definition of ULIC header version 1	270
C.1.4	Exceptional procedure	271
C.1.5	Other considerations.....	271
C.2	FTP.....	271
C.2.1	Introduction	271
C.2.2	Usage of the FTP.....	271
C.2.3	Exceptional procedures	273
C.2.4	CC contents for FTP.....	273
C.2.4.1	Fields	273
C.2.4.2	Information element syntax	275
C.2.5	Other considerations.....	277
C.2.6	Profiles (informative)	277
Annex D (informative): LEMF requirements - handling of unrecognised fields and parameters.....		280
Annex E (informative): Bibliography.....		281
Annex F (informative): Correlation indications of IMS IRI with GSN CC at the LEMF		283
Annex G (informative): United States lawful interception		284

G.1	Delivery methods preferences	284
G.2	HI2 delivery methods	284
G.2.1	TPKT/TCP/IP	284
G.2.1.1	Introduction	284
G.2.1.2	Normal Procedures	284
G.2.1.2.0	General	284
G.2.1.2.1	Usage of TCP/IP when MF initiates TCP Connections	284
G.2.1.2.2	Use of TPKT	284
G.2.1.2.3	Sending of LI messages	285
G.2.1.3	ASN.1 for HI2 Mediation Function Messages	285
G.2.1.4	Error Procedures	285
G.2.1.5	Security Considerations	286
G.3	HI3 delivery methods	286
G.3.1	Use of TCP/IP	286
G.3.1.1	Normal Procedures	286
G.3.1.1.0	Introduction	286
G.3.1.1.1	Usage of TCP/IP when MF/DF initiates TCP Connections	286
G.3.1.1.2	Use of TPKT	286
G.3.1.1.3	Sending of Content of Communication Messages	287
G.3.1.2	ASN.1 for HI3 Mediation Function Messages	287
G.3.1.3	Error Procedures	287
G.3.1.4	Security Considerations	287
G.4	Cross reference of terms between J-STD-025-A and 3GPP	288
Annex H (normative):	United States lawful interception	289
Annex I (informative):	Void	291
Annex J (normative):	Definition of the UUS1 content associated and sub-addressing to the CC link	292
J.0	Introduction	292
J.1	Definition of the UUS1 content associated to the CC link	292
J.2	Use of sub-address and calling party number to carry correlation information	293
J.2.1	Introduction	293
J.2.2	Subaddress options	293
J.2.3	Subaddress coding	293
J.2.3.0	General	293
J.2.3.1	BCD Values	293
J.2.3.2	Field order and layout	294
J.2.4	Field coding	297
J.2.4.0	Introduction	297
J.2.4.1	Direction	298
J.2.4.2	Coding of the Calling Party Number	298
J.2.5	Length of fields	298
Annex K (normative):	VoIP HI3 Interface	299
K.1	VoIP CC Protocol Data Unit	299
K.2	Definition of VoIP LI Correlation header	299
K.3	Definition of Payload	300
K.4	LEMF Considerations	300
Annex L (normative):	Conference HI3 Interface	301
L.1	Conf CC Protocol Data Unit	301
L.2	Definition of Conference LI Correlation header	301

L.3	Definition of Payload	302
L.4	LEMF Considerations	302
Annex M (informative): Generic LI notification (HI1 notification using HI2 method).....		303
M.1	HI.1 delivery methods preferences:.....	303
M.2	ASN.1 description of LI management notification operation (HI1 interface).....	304
Annex N (informative): Guidelines on IMS VoIP Correlation Information.....		308
N.1	Introduction	308
N.2	IMS VoIP	308
N.2.0	General	308
N.2.1	One Correlation Number Value.....	309
N.2.2	Multiple Correlation Number Values	309
N.2.2.0	General.....	309
N.2.2.1	Method 1.....	309
N.2.2.2	Method 2.....	310
N.2.2.3	Method 3.....	310
N.2.3	Complex Example – Use of one Correlation Number	311
N.2.4	Complex Example – Use of Multiple Correlation Numbers	311
N.2.4.0	General.....	311
N.2.4.1	Method 1	311
N.2.4.2	Method 2.....	312
N.2.4.3	Method 3.....	312
N.3	IMS Conferencing	313
N.3.1	General	313
N.3.2	Target Initiated AdHoc Conference Call.....	313
N.3.3	Independent Lawful Interception of IMS-Conferencing,	313
N.3.3.1	General.....	313
N.3.3.2	Use of correlationNumber (OCTET STRING).....	313
N.3.3.3	Use of imsVoIP (IMS-VoIP-Correlation).....	313
N.3.3.3.1	One Correlation Number Value	313
N.3.3.3.2	Multiple Correlation Number Values.....	314
Annex O (informative): Selection of ASN.1 HI2 sub-domain for LALS Reporting.....		315
Annex P (informative): Change history		317
History		324

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

This Technical Specification has been produced by 3GPP TSG SA to allow for the standardization in the area of lawful interception of telecommunications. This document addresses the handover interfaces for lawful interception of Packet-Data Services, Circuit Switched Services, Multimedia Services within the Universal Mobile Telecommunication System (UMTS) and Evolved Packet System (EPS). The specification defines the handover interfaces for delivery of lawful interception Intercept Related Information (IRI) and Content of Communication (CC) to the Law Enforcement Monitoring Facility.

Laws of individual nations and regional institutions (e.g. European Union), and sometimes licensing and operating conditions define a need to intercept telecommunications traffic and related information in modern telecommunications systems. It has to be noted that lawful interception shall always be done in accordance with the applicable national or regional laws and technical regulations. Nothing in this specification, including the definitions, is intended to supplant national law.

This specification should be used in conjunction with TS 33.106 [18] and TS 33.107 [19] in the same release. This specification may also be used with earlier releases of TS 33.106 [18] and TS 33.107 [19], as well as for earlier releases of UMTS and GPRS.

1 Scope

The present document specifies the handover interfaces for Lawful Interception (LI) of Packet-Data Services, Circuit Switched Services, Multimedia Services within the UMTS network and Evolved Packet System (EPS). The handover interface in this context includes the delivery of Intercept Related Information (IRI) through the Handover Interface 2 (HI2) and Content of Communication (CC) through the Handover Interface 3 (HI3) to the Law Enforcement Monitoring Facility (LEMF).

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] ETSI TS 101 331: "Lawful Interception (LI); Requirements of Law Enforcement Agencies".
- [2] ETSI ES 201 158: "Telecommunications security; Lawful Interception (LI); Requirements for network functions".
- [3] ETSI ETR 330: "Security Techniques Advisory Group (STAG); A guide to legislative and regulatory environment".
- [4] 3GPP TS 29.002: "3rd Generation Partnership Project; Technical Specification Group Core Network; Mobile Application Part (MAP) specification".
- [5A] ITU-T Recommendation X.680: "Abstract Syntax Notation One (ASN.1): Specification of Basic Notation".
- [5B] ITU-T Recommendation X.681: "Abstract Syntax Notation One (ASN.1): Information Object Specification".
- [5C] ITU-T Recommendation X.681: "Abstract Syntax Notation One (ASN.1): Constraint Specification".
- [5D] ITU-T Recommendation X.681: "Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 Specifications".
- [6] ITU-T Recommendation X.690: "ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)".

NOTE 1: It is recommended that for [5A], [5B], [5C], [5D] and [6] the 2002 specific versions should be used.

- [7] ITU-T Recommendation X.880: "Information technology - Remote Operations: Concepts, model and notation".
- [8] ITU-T Recommendation X.882: "Information technology - Remote Operations: OSI realizations - Remote Operations Service Element (ROSE) protocol specification".

NOTE 2: It is recommended that for [8] the 1994 specific versions should be used.

- [9] 3GPP TS 24.008: "3GPP Technical Specification Group Core Network; Mobile radio interface Layer 3 specification, Core network protocol; Stage 3".
- [10] - [12] Void.