

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Single crystal wafers for surface acoustic wave (SAW) device applications –
Specifications and measuring methods**

**Tranches monocristallines pour applications utilisant des dispositifs à ondes
acoustiques de surface (OAS) – Spécifications et méthodes de mesure**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



IEC 62276

Edition 3.0 2016-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Single crystal wafers for surface acoustic wave (SAW) device applications –
Specifications and measuring methods**

**Tranches monocristallines pour applications utilisant des dispositifs à ondes
acoustiques de surface (OAS) – Spécifications et méthodes de mesure**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.140

ISBN 978-2-8322-5271-00

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

CONTENTS	2
FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
3.1 Single crystals for SAW wafer	8
3.2 Terms and definitions related to LN and LT crystals	9
3.3 Terms and definitions related to all crystals	9
3.4 Flatness	10
3.5 Definitions of appearance defects	12
3.6 Other terms and definitions	13
4 Requirements	14
4.1 Material specification	14
4.1.1 Synthetic quartz crystal	14
4.1.2 LN	15
4.1.3 LT	15
4.1.4 LBO, LGS	15
4.2 Wafer specifications	15
4.2.1 General	15
4.2.2 Diameters and tolerances	15
4.2.3 Thickness and tolerance	15
4.2.4 Orientation flat	15
4.2.5 Secondary flat	16
4.2.6 Back surface roughness	16
4.2.7 Warp	16
4.2.8 TV5 or TTV	16
4.2.9 Front (propagation) surface finish	17
4.2.10 Front surface defects	17
4.2.11 Surface orientation tolerance	18
4.2.12 Inclusions	18
4.2.13 Etch channel number and position of seed for quartz wafer	18
4.2.14 Bevel	18
4.2.15 Curie temperature and tolerance	18
4.2.16 Lattice constant	18
4.2.17 Bulk resistivity (conductivity) for reduced LN and LT	19
5 Sampling plan	19
5.1 General	19
5.2 Sampling	19
5.3 Sampling frequency	19
5.4 Inspection of whole population	19
6 Test methods	19
6.1 Diameter	19
6.2 Thickness	20
6.3 Dimension of OF	20

6.4	Orientation of OF	20
6.5	TV5.....	20
6.6	Warp.....	20
6.7	TTV	20
6.8	Front surface defects	20
6.9	Inclusions	20
6.10	Back surface roughness.....	20
6.11	Orientation.....	20
6.12	Curie temperature.....	20
6.13	Lattice constant	20
6.14	Bulk resistivity.....	21
7	Identification, labelling, packaging, delivery condition	21
7.1	Packaging	21
7.2	Labelling and identification.....	21
7.3	Delivery condition	21
8	Measurement of Curie temperature.....	21
8.1	General.....	21
8.2	DTA method.....	21
8.3	Dielectric constant method.....	22
9	Measurement of lattice constant (Bond method)	23
10	Measurement of face angle by X-ray.....	24
10.1	Measurement principle	24
10.2	Measurement method	25
10.3	Measuring surface orientation of wafer.....	25
10.4	Measuring OF flat orientation	25
10.5	Typical wafer orientations and reference planes.....	25
11	Measurement of bulk resistivity.....	26
11.1	Resistance measurement of a wafer	26
11.2	Electrode	27
11.3	Bulk resistivity.....	28
12	Visual inspections – Front surface inspection method	28
Annex A (normative)	Expression using Euler angle description for piezoelectric single crystals	29
A.1	Wafer orientation using Euler angle description	29
Annex B (informative)	Manufacturing process for SAW wafers	32
B.1	Crystal growth methods	32
B.1.1	Czochralski growth method.....	32
B.1.2	Vertical Bridgman method.....	34
B.2	Standard mechanical wafer manufacturing	35
B.2.1	Process flow-chart	35
B.2.2	Cutting both ends and cylindrical grinding.....	36
B.2.3	Marking orientation	37
B.2.4	Slicing	37
B.2.5	Double-sided lapping	37
B.2.6	Bevelling (edge rounding)	37
B.2.7	Mirror polishing.....	37
Bibliography.....		38

Figure 1 – Wafer sketch and measurement points for TV5 determination	10
Figure 2 – Schematic diagram of TTV	11
Figure 3 – Schematic diagram of warp	11
Figure 4 – Schematic diagram of Sori.....	11
Figure 5 – Example of site distribution for LTV measurement.....	12
Figure 6 – LTV value of each site.....	12
Figure 7 – Schematic of a DTA system	22
Figure 8 – Schematic of a dielectric constant measurement system	22
Figure 9 – The Bond method.....	24
Figure 10 – Measurement method by X-ray.....	24
Figure 11 – Relationship between cut angle and lattice planes	25
Figure 12 – Measuring circuit.....	26
Figure 13 – Resistance measuring equipment.....	27
Figure 14 – Shape of electrode	27
Figure A.1 – Definition of Euler angles to rotate coordinate system (X, Y, Z) onto (x_1, x_2, x_3)	29
Figure A.2 – SAW wafer coordinate system	30
Figure A.3 – Relationship between the crystal axes, Euler angles, and SAW orientation for some wafer orientations.....	31
Figure B.1 – Czochralski crystal growth method.....	32
Figure B.2 – Example of non-uniformity in crystals grown from different starting melt compositions.....	34
Figure B.3 – Schematic of a Vertical Bridgman furnace and example of temperature distribution	35
Figure B.4 – Process flow-chart	36
Table 1 – Description of wafer orientations	14
Table 2 – Roughness, warp, TV5 and TTV specification limits	17
Table 3 – Maximum number of etch channels in seed position	18
Table 4 – Crystal planes to determine surface and OF orientations	26
Table 5 – Electrode size	27
Table A.1 – Selected SAW substrate orientations and corresponding Euler angles	30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SINGLE CRYSTAL WAFERS FOR SURFACE
ACOUSTIC WAVE (SAW) DEVICE APPLICATIONS –
SPECIFICATIONS AND MEASURING METHODS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62276 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

This bilingual version (2018-01) corresponds to the monolingual English version, published in 2016-10.

This third edition cancels and replaces the second edition of IEC 62276 published in 2012. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Corrections of Euler angle indications in Table 1 and axis directions in Figure 3.
- Definition of "twin" is not explained clearly enough in 3.3.3. Therefore it is revised by a more detailed definition.

- Etch channels maximum number at quartz wafer of seed which do not pass through from surface to back surface are classified for three grades in 4.2.13 a). Users use seed portions of quartz wafers for devices. They request quartz wafers with less etch channels in seeds to reduce defects of devices. The classification of etch channels in seed may prompt a rise in quartz wafer quality.

The text of this standard is based on the following documents:

CDV	Report on voting
49/1144/CDV	49/1170/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The French version of this standard has not been voted upon.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

A variety of piezoelectric materials are used for surface acoustic wave (SAW) filter and resonator applications. Prior to an IEC meeting in 1996 in Rotterdam, wafer specifications were typically negotiated between users and suppliers. During this meeting, a proposal was announced to address wafer standardization. This standard has been prepared in order to provide industry standard technical specifications for manufacturing piezoelectric single crystal wafers to be used in surface acoustic wave devices.

SINGLE CRYSTAL WAFERS FOR SURFACE ACOUSTIC WAVE (SAW) DEVICE APPLICATIONS – SPECIFICATIONS AND MEASURING METHODS

1 Scope

This document applies to the manufacture of synthetic quartz, lithium niobate (LN), lithium tantalate (LT), lithium tetraborate (LBO), and lanthanum gallium silicate (LGS) single crystal wafers intended for use as substrates in the manufacture of surface acoustic wave (SAW) filters and resonators.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60758:2016, *Synthetic quartz crystal – Specifications and guidelines for use*

ISO 2859-1: 1999, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 Single crystals for SAW wafer

3.1.1

as-grown synthetic quartz crystal

right-handed or left-handed single crystal quartz grown hydrothermally

Note 1 to entry: The term “as-grown” indicates a state prior to mechanical fabrication.

Note 2 to entry: See IEC 60758 for further information concerning crystalline quartz.

3.1.2

lithium niobate

LN

single crystals approximately described by chemical formula LiNbO_3 , grown by Czochralski (crystal pulling from melt) or other growing methods

3.1.3

lithium tantalate

LT

single crystals approximately described by chemical formula LiTaO_3 , grown by Czochralski (crystal pulling from melt) or other growing methods