Corrosion Under Insulation and Fireproofing

API RECOMMENDED PRACTICE 583 SECOND EDITION, MARCH 2021



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this recommended practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety datasheet.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the recommended practice. At all times users should employ sound business, scientific, engineering, and judgment safety when using this recommended practice.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher. API Publishing Services. 200 Massachusetts Avenue. Suite 1100, Washington, DC.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, "may" denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, "can" denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

1	Scope	1
2	Normative References	1
3	Terms, Definitions, Acronyms, and Abbreviations	
3.1 3.2	Terms and Definitions	
	•	
4 4.1	Introduction to the Causes of Damage	
4.2	CUI in Carbon and Low Alloy Steels	
4.3	CUI in Austenitic and Duplex Stainless Steels	
4.4 4.5	CUF in Carbon and Low Alloy Steels CUI on Aluminum Piping	
	Areas Susceptible to Damage	
5 5.1	General	
5.2	General Areas of Damage	13
5.3	Pressure Vessels	
5.4 5.5	Piping Tankage and Spheres	
5.6	Heat-traced Systems	
5.7	Shutdown/Mothballing	
6	Insulation and Fireproofing Systems	20
6.1	Insulation Materials and Thermal Insulative Coatings	
6.2 6.3	Insulation Jacketing/Cladding Caulking	
6.4	Fireproofing Materials	
	Coatings Under Insulation and Fireproofing Systems	
6.5	Coatings officer insulation and rifeproofing Systems	აა
7	Inspection for CUI and CUF Damage	37
7 7.1	Inspection for CUI and CUF Damage	37 37
7 7.1 7.2	Inspection for CUI and CUF Damage	37 37 38
7 7.1 7.2 7.3	Inspection for CUI and CUF Damage	37 37 38 38
7 7.1 7.2 7.3	Inspection for CUI and CUF Damage	37 37 38 38 62
7 7.1 7.2 7.3 8	Inspection for CUI and CUF Damage General	37 38 38 62 63
7 7.1 7.2 7.3	Inspection for CUI and CUF Damage	37 38 38 62 63 63
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3	Inspection for CUI and CUF Damage	37 38 38 62 63 63 63
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3	Inspection for CUI and CUF Damage	37 38 38 62 63 63 63 65
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3	Inspection for CUI and CUF Damage	37 37 38 38 62 63 63 63 65 67
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7	Inspection for CUI and CUF Damage	37 38 38 62 63 63 65 67 70
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7	Inspection for CUI and CUF Damage General	37 38 38 62 63 63 65 67 70 70
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	Inspection for CUI and CUF Damage General	37 38 38 62 63 63 65 67 70 70 71
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9	Inspection for CUI and CUF Damage. General. Inspection of Piping Operating Below 32 °F (0 °C) Inspection Tools and Methods. Risk-Based Inspection. Design Practices to Minimize CUI. General. Coatings for Hot and Cold Services Insulation Materials. Jacketing. General Design Aspects Insulation. Heat-traced Systems Protective Coatings and Caulk. Shutdown/Mothballing Quality Control/Quality Assurance.	37 38 38 62 63 63 63 65 70 70 71 71
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	Inspection for CUI and CUF Damage General	37 38 38 62 63 63 65 70 70 71 71
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.10 10.1	Inspection for CUI and CUF Damage General	37 37 38 38 62 63 63 65 70 70 71 71 72 72
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 10.1 10.2	Inspection for CUI and CUF Damage General	37 37 38 38 62 63 63 63 65 70 70 71 71 72 73 73
7 7.1 7.2 7.3 8 9 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.10 10.1	Inspection for CUI and CUF Damage General	37 37 38 38 62 63 63 63 67 70 71 71 72 73 73 73

11 11.1	Maintenance to Mitigate CUI/CUF IssuesGeneral	
11.2	Programmed/Condition-based Maintenance	
11.3	Execution	
11.4	Deluge System Issues	75
11.5	Mitigation of CUI/CUF Damage	75
11.6	Mitigation of CUF Damage	83
12	Repair Techniques/Strategies	
12.1	General	
12.2	Surface Coatings	
12.3 12.4	Weld RepairsSafety Issues	
	•	
	x A (informative) Examples of a Qualitative Likelihood Assessment System	
	x B (informative) Examples of Insulation Techniques for Various Applications	
Biblio	ography	96
Figur		
1	SCC Tendency of Austenitic and Duplex Alloys	11
2	Jacketed Piping with Missing Insulation Plug (top photo) Allowing Water Ingress and	4.0
_	Subsequently Corrosion on Piping Elbow (bottom photo)	
3	CUI Failure of 4 in. Gas Compressor Recycle Line	
4 5	CUI at an Insulation Support RingFailure of Sphere Legs Due to CUF	
5 6	Principle of Guided Wave UT Compared with Conventional Manual UT	
7	Guided Wave Transducer Arrays, Signal Representation, and Results	
8	Performance Summary	
9	Permanently Installed Monitoring Array of Transducers	
10	Schematic of Profile Radiography Setup	
11	Examples of Profile Radiograph Showing CUI Damage on an Insulated Pipe	
12	Pit Depth Measurement Techniques	
13	Application Limits for Tangential and Film Density Radiography	
14	Photo of a Flash Radiography System for Pipe Profiling to Detect Wall Thinning Due to Corrosion	
15	Radiometric Profiling Display and System	50
16	RTR Display and System	
17	A Pulsed Eddy Current Instrument with Probe	52
18	A Pulsed Eddy Current Array System	53
19	Principle of Operation the Pulsed Eddy Current Technique	
20	A PEC Display Showing the Decay of the Eddy Currents (top), Wall Thickness and Compensa	
	Wall Thickness (middle), and a Log-Log Representation of the Inspection (bottom)	
21	Difference Between Average and Minimum Wall Thickness Within the Footprint	
22	A Photo of a Neutron Backscatter System	58
23	Thermographs Showing Areas with Wet Insulation (in red)	
24	Examples of Inspectors Working with the Tool (top image); for the bottom images, the I hand Side Shows a System and the Right-hand Side Shows the Corresponding MDI	
^ -	Response	61
25 26	Areas of Concern for CUI in a Vertical Vessel	
26 27	Vertical Piping Should Be Wrapped from Bottom-to-Top with an Overlap	
2 <i>1</i> 28	Schematic of Two-wire Electric Spray Processes and Deposit Microstructure	
20 29	Schematic of Oxy-fuel Wire Spray Processes and Deposit Microstructure	
30	Example of a Petroleum-based Tape Wrap System	
31	Photograph of a Personnel Protective Cage on a Vertical and Elbow Section of Piping (I	
	and a Removable Personnel Protective Cage on a Valve (right)	

32	Photo Showing Piping with and without Damage to the Insulation System	81
33	Example of Jacketing Joint with Missing Caulking	
34	Example of Poor Jacketing Fit-up	82
35	Examples of Joints with Poor Ability to Shed Water	83
36	Example of Missing End Cap	
B.1	Method of Insulating Nozzles and Manways	90
B.2	Method for In Situ Polyurethane Foaming of Straight Pipe and Valve/Flange Boxes	90
B.3	Method for Insulating Pipe Support with and without Continuous Vapor Barrier	91
B.4	Method for Insulating Miscellaneous Attachments	
B.5	Method for Insulating Vertical Vessel Bottom Support Ring	92
B.6	Method of Diverting Water Away from Critical Locations	
B.7	Method of Avoiding Water Buildup at Insulation Supports	93
B.8	Method of Avoiding Water Buildup for Vessel Nozzles and Attachments	94
B.9	Method of Avoiding Water Buildup for Piping	
B.10	Method of Avoiding Water Buildup for Horizontal and Vertical Gussets	95
Table		
1	Locations for CUI Throughout Process Facilities	13
2	Locations for CUI/CUF on Vessels	1 <i>0</i>
3	Susceptible Locations for CUI and CUF in Piping	
4	Susceptible Locations for CUI/CUF in Piping Operating Below the Dew Point	
5	Locations for CUI/CUF in Tanks and Spheres	
6	Various Types of Insulation in Refining and Chemical Plants	
7	Comparison of Surface Preparation Standards	36
A.1	Example of Points-based Parameter Rating for Likelihood of CUI	
A.2	Likelihood Rating	
A.3	Example of Points-based Parameter Rating for Likelihood of CUI	
A.4	Likelihood Rating	
A.5	Example of Points-based Parameter Rating for Likelihood of CUF	
A.6	Likelihood Rating	

Corrosion Under Insulation and Fireproofing

1 Scope

This recommended practice covers the design, maintenance, inspection, and mitigation practices to address external corrosion under insulation (CUI) and corrosion under fireproofing (CUF). The document discusses the external corrosion of carbon and low alloy steels under insulation and fireproofing and the external chloride stress corrosion cracking (ECSCC) of austenitic and duplex stainless steels under insulation. The document does not cover atmospheric corrosion or corrosion at uninsulated pipe supports but does discuss corrosion at insulated pipe supports.

The purpose of this recommended practice is to:

- help owner/users understand the complexity of the many CUI/CUF issues;
- provide owner/users with understanding on the advantages and limitations of the various nondestructive examination methods used to identify CUI and CUF damage;
- provide owner/users with an approach to risk assessment (i.e. likelihood of failure and consequence of failure) for CUI and CUF damage; and
- provide owner/users guidance on how to design, install, and maintain insulation systems to avoid CUI and CUF damage.

The practices described in this document apply to pressure vessels, piping, and storage tanks and spheres. The document discusses the factors impacting the damage mechanisms, the guidelines to prevent external corrosion/cracking under insulation, the maintenance practices to avoid damage, the inspection practices to detect/assess damage, and the guidelines for risk assessment of equipment or structural steel subject to CUI and CUF damage.

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements and/or recommendations of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API 510, Pressure Vessel Inspection Code: In-service Inspection, Rating, Repair, and Alteration

API 570, Piping Inspection Code: In-service Inspection, Rating, Repair, and Alteration of Piping Systems

API Recommended Practice 571, Damage Mechanisms Affecting Fixed Equipment in the Refining Industry

API Recommended Practice 580, Risk-Based Inspection

API Recommended Practice 581, Risk-Based Inspection Methodology

API Standard 653, Tank Inspection, Repair, Alteration, and Reconstruction, Fifth Edition