

Corrosion Inhibition Selection and Management for Oil and Gas Production

This NACE International standard represents a consensus of those individual members who have reviewed this document, its scope, and provisions. Its acceptance does not in any respect preclude anyone, whether he has adopted the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in conformance with this standard. Nothing contained in this NACE International standard is to be construed as granting any right, by implication or otherwise, to manufacture, sell, or use in connection with any method, apparatus, or product covered by Letters Patent, or as indemnifying or protecting anyone against liability for infringement of Letters Patent. This standard represents minimum requirements and should in no way be interpreted as a restriction on the use of better procedures or materials. Neither is this standard intended to apply in all cases relating to the subject. Unpredictable circumstances may negate the usefulness of this standard in specific instances. NACE International assumes no responsibility for the interpretation or use of this standard by other parties and accepts responsibility for only those official NACE International interpretations issued by NACE International in accordance with its governing procedures and policies which preclude the issuance of interpretations by individual volunteers.

Users of this NACE International standard are responsible for reviewing appropriate health, safety, environmental, and regulatory documents and for determining their applicability in relation to this standard prior to its use. This NACE International standard may not necessarily address all potential health and safety problems or environmental hazards associated with the use of materials, equipment, and/or operations detailed or referred to within this standard. Users of this NACE International standard are also responsible for establishing appropriate health, safety, and environmental protection practices, in consultation with appropriate regulatory authorities if necessary, to achieve compliance with any existing applicable regulatory requirements prior to the use of this standard.

CAUTIONARY NOTICE: NACE International standards are subject to periodic review, and may be revised or withdrawn at any time without prior notice. NACE International requires that action be taken to reaffirm, revise, or withdraw this standard no later than five years from the date of initial publication. The user is cautioned to obtain the latest edition. Purchasers of NACE standards may receive current information on all standards and other NACE publications by contacting the NACE *First*Service Department, 15835 Park Ten Place, Houston, TX 77084-5145 (tel: +1 281-228-6200, email: firstservice@nace.org).

NACE values your input. To provide feedback on this standard, please contact: standards@nace.org.

Foreword

This NACE Standard Practice aims to provide guidance for selection and application of Corrosion Inhibitors (CI) for upstream oil and gas processes conditions exposed to corrosive environments.

The content was developed as a collaboration between Oil and Gas operating companies as well as CI product developers and suppliers and CI test facilities.

This standard was originally prepared in 2021 by Task Group (TG) 550, "Corrosion Inhibitor Program Management for Oil and Gas Fields. TG 550 is administered by Specific Technology Group (STG) 31, "Oil and Gas Production-Corrosion and Scale Inhibition." This standard was issued by NACE under the auspices of STG 31. This standard is maintained by Standards Committee (SC) 14, Oil and Gas: Upstream.

In NACE standards, the terms shall, must, should, and may are used in accordance with the definitions of these terms in the NACE Publications Style Manual. The terms shall and must are used to state a requirement, and are considered mandatory. The term should is used to state something good and is recommended, but is not considered mandatory. The term may is used to state something considered optional.

NACE International Standard Practice (SP21469)

Corrosion Inhibition Selection and Management for Oil and Gas Production

1.	Introduction	4
2.	Corrosion Inhibition Management	4
3.	Identify Application Window	6
4.	Data Required for Corrosion Inhibitor Selection	8
5.	Corrosion Inhibitor Candidate Selection	11
6.	Validation of Corrosion Inhibitor Performance	12
7.	Corrosion Inhibitor Application	17
	References	20
	Bibliography	21
	Appendix A (Nonmandatory)—Process Data Relevant to Establish an Operating Envelope/IOW in Respect to Corrosion Inhibition	22
TABL	LES AND FIGURES	
Table	e 1: Data Gathering for Identification of the Application Window/Operating Envelope	6
Table	2: Upstream Corrosion Mechanisms and Some Parameters that Can Influence the CI Performance	7
Table	3: Overview of Identification of Parameters Impacting the CI Selection (See Also Chapter 4)	8
Table	e 4: Overview of Test Methods Regularly Used for CI Validation: Their Purpose, Advantages and Limitations (All Test Listed Are Sensitive To Execution)	15
Table	e 5: (used with permission)—CI Recommended Practice: CI-IOW Surveillance Triggers vs Validated CI Performance and CI & Corrosion Management Tracking KPIs	18
Figur	e 1: Corrosion inhibition Management Process	5
Figur	e 2: Schematic Representation of an Autoclave Set Up (left) and a Flow Loop Setup to Validate Impact of Flow Velocity/Wall Shear Stress (right)	13