



BSI Standards Publication

Small craft — Principal data

National foreword

This British Standard is the UK implementation of EN ISO 8666:2020+A11:2021. It is derived from ISO 8666:2020. It supersedes BS EN ISO 8666:2020, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GME/33, Small craft.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication has been prepared under a mandate given to the European Standards Organizations by the European Commission and the European Free Trade Association. It is intended to support requirements of the EU legislation detailed in the European Foreword. A European Annex, usually Annex ZA or ZZ, describes how this publication relates to that EU legislation.

For the Great Britain market (England, Scotland and Wales), if UK Government has designated this publication for conformity with UKCA marking (or similar) legislation, it may contain an additional National Annex. Where such a National Annex exists, it shows the correlation between this publication and the relevant UK legislation. If there is no National Annex of this kind, the relevant Annex ZA or ZZ in the body of the European text will indicate the relationship to UK regulation applicable in Great Britain. References to EU legislation may need to be read in accordance with the UK designation and the applicable UK law. Further information on designated standards can be found at www.bsigroup.com/standardsandregulation.

For the Northern Ireland market, UK law will continue to implement relevant EU law subject to periodic confirmation. Therefore Annex ZA/ZZ in the European text, and references to EU legislation, are still valid for this market.

UK Government is responsible for legislation. For information on legislation and policies relating to that legislation, consult the relevant pages of www.gov.uk.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 19990 1

ICS 47.080

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2020.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2021	Implementation of CEN correction notice 17 February 2021: correction to Annex ZA
31 March 2022	Implementation of CEN amendment A11:2021: amendment to Annex ZA

EUROPEAN STANDARD

EN ISO 8666:2020+A11

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2021

ICS 47.080

Supersedes EN ISO 8666:2018

English Version

Small craft - Principal data (ISO 8666:2020)

Petits navires - Données principales (ISO 8666:2020)

Kleine Wasserfahrzeuge -
Hauptdaten (ISO 8666:2020)

This European Standard was approved by CEN on 3 November 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 8666:2020) has been prepared by Technical Committee ISO/TC 188 "Small craft" in collaboration with Technical Committee CEN/TC 464 "Small Craft" the secretariat of which is held by SIS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2021, and conflicting national standards shall be withdrawn at the latest by May 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 8666:2018.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative [Annex ZA](#), which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 8666:2020 has been approved by CEN as EN ISO 8666:2020 without any modification.

European foreword to amendment A11

This document (EN ISO 8666:2020/A11:2021) has been prepared by Technical Committee CEN/TC 464 "Water analysis" the secretariat of which is held by SIS.

This Amendment to the European Standard EN ISO 8666:2020 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2022, and conflicting national standards shall be withdrawn at the latest by April 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For the relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Contents

Page

Foreword	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols, designations and units	3
5 Measurements	4
5.1 General.....	4
5.2 Longitudinal.....	4
5.2.1 General.....	4
5.2.2 Maximum length, L_{\max}	4
5.2.3 Length of the hull, L_H	4
5.2.4 Waterline length, L_{WL}	7
5.3 Athwartship.....	8
5.3.1 General.....	8
5.3.2 Maximum beam, B_{\max}	8
5.3.3 Beam of hull, B_H	8
5.3.4 Beam, waterline, B_{WL}	8
5.3.5 Maximum beam, waterline, $B_{WL\max}$	8
5.3.6 Beam between hull centres, B_{CB}	8
5.4 Vertical.....	9
5.4.1 Maximum depth, D_{\max}	9
5.4.2 Midship depth, $D_{LWL/2}$	9
5.4.3 Freeboard, F	10
5.4.4 Draught, T	10
5.4.5 Draught, air, H_a	10
5.4.6 Headroom.....	11
5.5 Other data.....	11
5.5.1 Deadrise angle, β	11
5.5.2 Reference sail area, A_S	12
5.5.3 Standard sail area, A'_S	12
5.5.4 Windage area, A_{IV}	12
5.5.5 Volume of the craft, V	12
6 Masses	13
6.1 Mass, net shipping, m_N	13
6.2 Mass, gross shipping, m_G	14
6.3 Mass, light craft, m_{LC}	14
6.3.1 Items of equipment included in m_{LC}	14
6.3.2 Items of equipment and other items not included in m_{LC}	15
6.4 Performance test mass, m_P	16
6.5 Mass of the craft when towed on a trailer, m_T	16
6.5.1 General.....	16
6.5.2 Items of equipment included in m_T	16
6.5.3 Items of equipment not included in m_T	18
6.5.4 Exclusions, inclusions.....	18
6.6 Maximum load, m_{ML}	18
7 Loading conditions	19
7.1 Test condition.....	19
7.2 Ready-for-use condition.....	19
7.3 Fully loaded ready-for-use condition.....	19
7.4 Empty craft condition.....	19
7.5 Light craft condition.....	20
7.6 Minimum operating condition.....	21

7.7	Loaded arrival condition	21
7.8	Maximum load condition	21
8	Tolerances	21
8.1	Published data	21
8.2	Preliminary specification	22
8.3	Reference lengths	22
	Bibliography	23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 188, *Small craft*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 464, *Small craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 8666:2016), of which it constitutes a minor revision. The changes compared to the previous edition are as follows:

- the document has been aligned to the latest edition of the ISO/IEC Directives, Part 2, resulting in the addition of Clause 2, Normative references, and the renumbering of the remaining clauses; all cross-references have been accordingly updated;
- the “allowance for the maximum mass of optional equipment and fittings not included in the manufacturer’s basic outfit” has been moved from 6.6 (Maximum load, former 5.6) to 7.8 (Maximum load condition, former 6.8).

Any feedback or questions on this document should be directed to the user’s national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Small craft — Principal data

1 Scope

This document establishes definitions of main dimensions and related data and of mass specifications and loading conditions. It applies to small craft having a length of the hull (L_H) of up to 24 m.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE For units, see [Clause 4](#).

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

waterline

WL

intersection line of the water's surface with the craft's hull when the *craft* ([3.15](#)) is afloat

3.2

maximum load waterline

reference waterline

WL_{ref}

waterline ([3.1](#)) of the *craft* ([3.15](#)) when upright in the maximum *loaded displacement* ([3.6](#))

3.3

sheerline

intersection between deck and hull, for rounded deck edges the natural intersection, or, where no deck is fitted or the hull extends above the deck (bulwark), the upper edge of the craft's hull

Note 1 to entry: The upper position of the sheerline depends on the inclination between the hull/deck intersection and the actual deck.

3.4

transom beam

B_T

maximum width of the hull at the transom at or below the *sheerline* ([3.3](#)), excluding extensions, handles and fittings

Note 1 to entry: Where spray rails act as chines or part of the planing surface, they are included in the transom beam measurement.

Note 2 to entry: For *craft* ([3.15](#)) with a rounded or pointed stern or with a transom beam of less than half the maximum beam of the craft, the transom beam, B_T , is the widest beam at or below the sheerline at the aft quarter length of the hull.