

Electrical Submersible Pump Dismantle, Inspection and Failure Analysis

API RECOMMENDED PRACTICE 11S1
FOURTH EDITION, APRIL 2022



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or presentation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1	Scope..... 1
2	Normative References 1
3	Terms, Definitions, and Abbreviations..... 1
3.1	Terms and Definitions 1
3.2	Abbreviations 7
4	Health Safety and Environmental (HSE) 8
4.1	General 8
4.2	Lifting and Handling 8
4.3	Clear and Clean Work Areas 8
4.4	Personal Protective Equipment (PPE)..... 8
4.5	Dedicated Work Areas 8
5	ESP Pulling—Activities and Observations 9
5.1	General 9
5.2	Pre-pulling Procedural Guidelines 9
5.3	Recommended Observations During Pulling Operations 9
6	General Pre-inspection Information Gathering and Guidelines 11
6.1	General 11
6.2	Preparation 11
6.3	Sample Collections, Analysis and Preservation..... 15
6.4	Recommended Tooling 17
7	Equipment Dismantle and Inspection 18
7.1	General..... 18
7.2	Pump, Gas Separator, Intake 19
7.3	Seal/Protector 26
7.4	Motor..... 29
7.5	Downhole Gauge/Sensor..... 36
7.6	Cable and Splices 36
7.7	Pothead 38
8	Report..... 39
	Annex A (Informative) Commonly Used Terms, Definitions and Abbreviations 41
	Annex B (Informative) Failure Analysis Nomenclature 47
	Annex C (Informative) ESP Pulling Checklist 49
	Annex D (Informative) Dismantle Inspection and Failure Analysis Checklist 51
	Annex E (Informative) Dismantle Inspection and Failure Analysis Tooling Checklist 52

Contents

Page

Figures

1	Centrifugal Pump (Typical)	22
2	Gas Separator (Typical).....	25
3	Protector/Seal (Typical)	29
4	Center Tandem Motor (Typical).....	35

Electrical Submersible Pump Dismantle, Inspection and Failure Analysis

1 Scope

This recommended practice (RP) covers the processes and procedures of collecting required information to complete a root cause failure analysis of an electrical submersible pump (ESP) system. These include:

- Procedures for disassembly, inspection, final report, failure classification and corrective actions. Items covered by this recommended practice include pumps, intakes, gas separators, gas handling devices, seals/protectors, motors (induction and permanent magnet motors), gauges, sensors, motor lead extensions, potheads, and power cables. Tooling and test equipment may differ between suppliers; however, the typical assembly and inspection procedures and principles are generally applicable for most ESP systems.
- Information that should be collected prior to equipment dismantle and inspection as well as specific observations that should be recorded during equipment inspections/teardown/disassembly.
- General equipment drawings which may aid in identifying equipment components. It should be noted that these drawings are for generic equipment components, and there may be differences between manufacturers on the exact description or configuration of the assemblies. The user should refer to the manufacturer's specific drawings as needed.

This RP does not include gauge surface electronics, system grounding, alternative deployed systems, chemical injection systems, motor oil injection from surface, remote gauges, generators, power supply, wellhead, trees and valves, tubing, tail-pipe systems, operation maintenance and troubleshooting, pump testing, installation, sizing and selection, application of ESP cable systems, testing of ESP cable systems, application and testing of seals/protectors, sand handling devices, ESP system vibrations or items covered by other API recommended practices.

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

ASTM D877/D877M, *Standard Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes*

ASTM D1533, *Standard Test Method for Water in Insulating Liquids by Coulometric Karl Fischer Titration*

3 Terms, Definitions, and Abbreviations

3.1 Terms and Definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

bag chamber

A seal/protector chamber that relies on an elastomer barrier (bag) to isolate seal fluid from the well fluid.

NOTE The seal/protector may include multiple chambers connected in parallel or series.