


2013 ASME Boiler and Pressure Vessel Code

AN INTERNATIONAL CODE

IV

Rules for Construction of Heating Boilers



INTENTIONALLY LEFT BLANK

AN INTERNATIONAL CODE

2013 ASME Boiler & Pressure Vessel Code

2013 Edition

July 1, 2013

IV RULES FOR CONSTRUCTION OF HEATING BOILERS

ASME Boiler and Pressure Vessel Committee
on Heating Boilers



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2013

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “rate,” or “endorse” any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes in this document (if any) are part of this American National Standard.



ASME collective membership mark



Certification Mark

The above ASME symbol is registered in the U.S. Patent Office.

“ASME” is the trademark of The American Society of Mechanical Engineers.

The Specifications published and copyrighted by the American Society for Testing and Materials are reproduced with the Society's permission.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934
Printed in the United States of America

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2013.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2013 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved

TABLE OF CONTENTS

List of Sections	xi	
Foreword	xiii	
Statement of Policy on the Use of the Certification Mark and Code Authorization in Advertising	xv	
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xv	
Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees	xvi	
Personnel	xviii	
ASTM Personnel	xxxiii	
Preamble	xxxiv	
Summary of Changes	xxxv	
List of Changes in Record Number Order	xxxvii	
Cross-Referencing and Stylistic Changes in the Boiler and Pressure Vessel Code	xxxviii	
Part HG		
Article 1	General Requirements for all Materials of Construction	1
HG-100	Scope and Service Restrictions	1
HG-101	Scope	1
HG-102	Service Restrictions	1
HG-103	Units	1
HG-103	Tolerances	2
Article 2	Material Requirements	3
HG-200	General Material Requirements	3
HG-201	Specific Material Requirements	3
Article 3	Design	4
HG-300	Design Pressure	4
HG-301	Cylindrical Parts Under Internal Pressure	4
HG-305	Formed Heads, Pressure on Concave Side	4
HG-306	Formed Heads, Pressure on Convex Side	5
HG-307	Flat Heads	5
HG-309	Spherically Dished Covers (Bolted Heads)	9
HG-312	Cylindrical Parts Under External Pressure	11
HG-320	Openings in Boilers, General Requirements'	13
HG-321	Reinforcement Required for Openings in Shells and Formed Heads	15
HG-323	Flanged-in Openings in Formed Heads	15
HG-325	Reinforcement Required for Openings in Flat Heads	16
HG-326	Limits of Metal Available for Reinforcement	16
HG-327	Strength of Reinforcement	17
HG-328	Reinforcement for Multiple Openings	20
HG-330	Inspection and Access Openings	20
HG-340	Stayed Surfaces	21
HG-341	Staybolts	22
HG-342	Dimensions of Stays	24
HG-343	Dimensions of Diagonal Stays	24
HG-345	Staying of Heads	25
HG-346	Tubesheets with Firetubes Used as Stays	25
HG-350	Ligaments	28
HG-360	Requirements for Tube Holes and Tube Attachments	29
HG-370	External Piping Connections	31

Article 4	Pressure Relieving Devices	32
HG-400	Pressure Relieving Valve Requirements	32
HG-401	Minimum Requirements for Safety and Safety Relief Valves	33
HG-402	Discharge Capacities of Safety and Safety Relief Valves	35
HG-403	Heating Surface	37
HG-405	Temperature and Pressure Safety Relief Valves	38
Article 5	Tests, Inspection, and Stamping	39
HG-500	Proof Tests to Establish Design Pressure	39
Article 6	Instruments, Fittings, and Controls	52
HG-600	General	52
HG-601	For Steam Heating Boilers	52
HG-610	For Hot Water Heating or Hot Water Supply Boilers	54
HG-620	For All Boilers	55
HG-630	Electric Wiring	55
HG-640	Controls and Heat Generating Apparatus	56
Article 7	Installation Requirements	57
HG-700	Installation Requirements, All Boilers	57
Part HF	Requirements for Boilers Constructed of Wrought Materials	66
Article 1	General	66
HF-100	Scope	66
Article 2	Material Requirements	67
HF-200	General Material Requirements	67
HF-201	Plate	67
HF-202	Rods, Bars, and Shapes	67
HF-203	Prefabricated or Preformed Pressure Parts	67
HF-204	Pipe and Tubes	68
HF-205	Material not Fully Identified	68
HF-206	Recertification of Material Produced to a Specification not Permitted by this Section	69
HF-207	Austenitic Stainless Steel	69
HF-210	Maintaining Material Identification	70
Article 3	Design Stresses and Minimum Thicknesses	71
HF-300	Maximum Allowable Stress Values	71
HF-301	Minimum Thicknesses	71
HF-302	Basis for Establishing Stress Values in Tables HF-300.1 and HF-300.2	71
Part HF — Subpart HW	Requirements for Boilers Fabricated by Welding	94
Article 4	General Requirements	94
HW-400	Scope	94
HW-401	Responsibility of Manufacturer or Contractor	94
Article 5	Material Requirements	95
HW-500	Permissible Materials	95
HW-501	Materials of Different Specifications	95
HW-502	Materials for Small Parts	95
Article 6	Welding Processes and Qualifications	96
HW-600	Welding Processes	96
HW-610	Welding Qualifications	96
HW-611	No Production Work Without Qualifications	96
HW-612	Interchange of Qualifying Tests Among Manufacturers Prohibited	96
HW-613	Maintenance of Records of Qualifications and Identifying Marks	96

Article 7	Design of Weldments	97
HW-700	Design of Welded Joints	97
Article 8	Fabrication Requirements	111
HW-800	Forming Plates	111
HW-801	Base Metal Preparation	111
HW-810	Assembly	111
HW-812	Alignment Tolerance	111
HW-813	Distortion	111
HW-820	Specific Welding Requirements	112
HW-830	Repair of Weld Defects	113
HW-840	Posthydrotest Welding of Nonpressure Parts to Pressure Parts	113
Article 9	Inspection	114
HW-900	Inspection During Fabrication	114
HW-910	Check of Welding Procedure Qualifications	114
HW-911	Check of Welder and Welding Operator Performance Qualifications	114
Part HF — Subpart HB	Requirements for Boilers Fabricated by Brazing	115
Article 10	General Requirements	115
HB-1000	Scope	115
HB-1001	Responsibility of Manufacturer or Contractor	115
Article 11	Material Requirements	116
HB-1100	General	116
HB-1101	Combinations of Dissimilar Materials	116
HB-1102	Brazing Filler Metals	116
HB-1103	Fluxes and Atmospheres	116
Article 12	Brazing Processes, Procedures, and Qualifications	117
HB-1200	Brazing Processes	117
HB-1201	Joint Brazing Procedures	117
HB-1202	Brazing Qualifications and Records	117
Article 13	Design	118
HB-1300	Strength of Brazed Joints	118
HB-1301	Brazed Joint Efficiency Factors	118
HB-1302	Minimum Thickness	118
HB-1303	Permissible Service Temperature	118
HB-1304	Application of Brazing Filler Metal	118
HB-1305	Joint Clearance	118
HB-1306	Openings	119
HB-1307	Brazed Connections	119
Article 14	Fabrication Requirements	120
HB-1400	Cleaning of Surfaces to be Brazed	120
HB-1401	Postbrazing Operations	120
HB-1402	Repair of Defective Brazing	120
Article 15	Inspection and Stamping	121
HB-1500	Inspection	121
Part HC	Requirements for Boilers Constructed of Cast Iron	122
Article 1	General	122
HC-100	Scope	122
Article 2	Material Requirements	123
HC-200	General Material Requirements	123
HC-201	Manufacture	123
HC-202	Chemical Composition	123

HC-203	Tensile Strength Classification	123
HC-204	Tension Test	123
HC-205	Test Bars	123
HC-206	Selection of Test Bar Size	123
HC-207	Molding and Pouring Test Bars	123
HC-208	Tensile Strength Test Procedure	123
HC-209	Transverse Test	125
HC-210	Transverse Test Procedure	125
HC-211	Number of Tests	125
HC-212	Retests	125
HC-213	Workmanship, Finish, and Repair	125
HC-214	Examinations and Tests	126
HC-215	Test Records	126
Article 3	Design	127
HC-300	Maximum Allowable Stress Values	127
HC-301	Basis for Establishing Stress Values in Table HC-300	127
HC-310	Heads	127
HC-311	Spherically Shaped Covers	127
HC-315	Openings and Reinforcements	129
HC-320	Corners and Fillets	129
HC-325	Washout Openings	129
HC-330	Assembly Method	129
Article 4	Tests	130
HC-400	Tests to Establish Design Pressure	130
Article 5	Quality Control and Inspection	132
HC-501	General	132
HC-502	Outline of Features to be Included in the Written Description of the Quality Control System	132
HC-510	Examination	133
HC-520	Certificates of Conformance	133
Part HA	Requirements for Boilers Constructed of Cast Aluminum	134
Article 1	General	134
HA-100	Scope	134
Article 2	Material Requirements	135
HA-200	General Material Requirements	135
HA-201	Workmanship, Finish, and Repair	135
HA-202	Examinations and Tests	135
HA-203	Test Records	136
Article 3	Design	137
HA-300	Maximum Allowable Stress Values	137
HA-301	Heads and Spherically Shaped Covers	137
HA-302	Openings and Reinforcements	137
HA-303	Corners and Fillets	137
HA-304	Washout Openings	137
HA-305	Assembly Method	138
Article 4	Tests	139
HA-400	Tests to Establish Design Pressure	139
Article 5	Quality Control and Inspection	141
HA-501	General	141
HA-502	Outline of Features to be Included in the Written Description of the Quality Control System	141
HA-503	Examination	142

HA-504	Certificates of Conformance	142
Part HLW	Requirements for Potable-Water Heaters	144
	Introduction	144
Article 1	General	146
HLW-100	Scope	146
HLW-101	Service Limits	146
HLW-102	Permissible Stamping	146
HLW-103	Units	146
Article 2	Material Requirements	148
HLW-200	Lining	148
HLW-201	Primary Pressure Parts Material	149
HLW-202	Acceptance of Unidentified or Small Quantities of Material	149
HLW-203	Miscellaneous Pressure Parts Material	149
HLW-204	Flanges and Pipe Fittings	150
HLW-205	Nonpressure Part Material	150
Article 3	Design	151
HLW-300	Design	151
HLW-301	Basis for Establishing Stress Values in Tables HLW-300 and HLW-301	151
HLW-302	Minimum Thicknesses	151
HLW-303	Shells Under Internal Pressure	151
HLW-305	Blank Unstayed Dished Heads, Pressure on Concave Side	153
HLW-306	Blank Unstayed Dished Heads, Pressure on Convex Side	155
HLW-307	Tubes	155
HLW-308	Openings	156
HLW-309	Tubes Attached by Rolling	156
HLW-310	Storage Tanks	156
Article 4	Design of Weldments	157
HLW-400	Design of Welded Joints	157
Article 5	Tests	171
HLW-500	Tests to Establish Maximum Allowable Working Pressure and Production Line Tests	171
Article 6	Inspection and Stamping	173
HLW-600	Inspection and Certification	173
HLW-601	Manufacturer's Data and Partial Data Reports	173
HLW-602	Stamping of Water Heaters and Storage Tanks	174
Article 7	Controls	176
HLW-700	Controls	176
Article 8	Installation Requirements	177
HLW-800	Safety Relief Valves	177
HLW-801	Mounting Safety Relief Valves	177
HLW-805	Water Supply	178
HLW-808	178
HLW-809	Provisions for Thermal Expansion in Hot Water Systems	178
HLW-810	Bottom Drain Valve	178
HLW-820	Thermometer	179
Mandatory Appendix 1	Submittal of Technical Inquiries to the Boiler and Pressure Vessel Committee	181
Mandatory Appendix 2	Codes, Standards, and Specifications Referenced in Text	182
Mandatory Appendix 3	Adhesive Attachment of Nameplates to Casing	183
Mandatory Appendix 5	Vacuum Boilers	184

Mandatory Appendix 6	Standard Units for Use in Equations	186
Mandatory Appendix 7	Rules for Mass-Production of Heating Boilers	187
Mandatory Appendix 8	Criteria for Reapplication of a Certification Mark	189
Mandatory Appendix 9	Establishing Governing Code Editions, Addenda, and Cases For Heating Boilers and Replacement Parts	192
Nonmandatory Appendix B	Method of Checking Safety Valve and Safety Relief Valve Capacity by Measuring Maximum Amount of Fuel that can be Burned	194
Nonmandatory Appendix C	Examples of Method of Calculating a Welded Ring Reinforced Furnace	196
Nonmandatory Appendix D	Examples of Methods of Computation of Openings in Boiler Shells	198
Nonmandatory Appendix E	Terminology	201
Nonmandatory Appendix F	Quality Control System	205
Nonmandatory Appendix H	List of Abbreviations and Addresses	207
Nonmandatory Appendix I	208
Nonmandatory Appendix K	Guide to Information Appearing on Certificate of Authorization	212
Nonmandatory Appendix L	Guide to Manufacturer's Data Report Forms	215
Nonmandatory Appendix M	Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Code	239
Nonmandatory Appendix N	Guide to Manufacturer's Certificate of Conformance for Pressure Relief Valves	242

FIGURES

HG-307	Some Acceptable Types of Unstayed Flat Heads and Covers	6
HG-309	Spherically Dished Steel Plate Covers with Bolting Flanges	10
HG-312.4	Acceptable Type of Ring Reinforced Furnace	12
HG-312.7	Connection Between Plain and Corrugated Furnace	13
HG-312.8	Acceptable Type of Semicircular Furnace Reinforcement	14
HG-321	Chart for Determining Values of F	16
HG-326.1	Some Representative Configurations Describing the Reinforcement Dimension, t_e , and the Finished Opening Dimension, d	18
HG-326.2	Nomenclature and Formulas for Reinforced Openings	19
HG-340.1	Pitch of Staybolts Adjacent to Upper Corners of Fireboxes	22
HG-340.2	Acceptable Proportions for Ends of Through-Stays	22
HG-340.3	Examples of Acceptable Corner Welds for Pressures Not Over 30 psi	22
HG-343	Details of Installation of Diagonal Stays	25
HG-345.1(a)	Sketch Showing Application of HG-345.1 to the Staying of Boilers	26
HG-345.1(b)	Sketch Showing Application of HG-345.1 to the Staying of Boilers	27
HG-350.1	Example of Tube Spacing with Pitch of Holes Equal in Every Row	28
HG-350.2	Example of Tube Spacing with Pitch of Holes Unequal in Every Second Row	29
HG-350.3	Example of Tube Spacing with Pitch of Holes Varying in Every Second and Third Row	29
HG-350.4	Example of Tube Spacing with Tube Holes on Diagonal Lines	30
HG-402	Official Certification Mark to Denote the American Society of Mechanical Engineers' Standard	35
HG-530.1	Official Certification Mark to Denote the American Society of Mechanical Engineers' Standard	45
HG-530.2	Steam and Water Boilers Form of Stamping on Completed Boilers or their Nameplates	45
HG-530.3	Boilers Suitable for Water Only	46
HG-530.4	Steam and Water Boilers	46
HG-530.5	Boilers Suitable for Water Only	47
HG-530.6	Boilers Suitable for Water Only	47
HG-530.7	Steam and Water Boilers	48
HG-530.8	Boilers Suitable for Water Only	48

HG-703.1(a)	Steam Boilers in Battery - Pumped Return - Acceptable Piping Installation	58
HG-703.1(b)	Steam Boilers in Battery - Gravity Return - Acceptable Piping Installation	59
HG-703.2	Hot Water Boilers in Battery - Acceptable Piping Installation	60
HG-725(a)	Spacing and Weld Details for Supporting Lugs in Pairs on Horizontal-Return Tubular Boiler	64
HG-725(b)	Welded Bracket Connection for Horizontal-Return Tubular Boiler	65
HW-701.1	Butt Welding of Plates of Unequal Thickness	97
HW-701.3	Some Forms of Attachments of Pressure Parts to Flat Plates to Form a Corner Joint (Tee Joint)	99
HW-710.4(a)	Some Acceptable Types of Diagonal Stays for Installation by Welding	100
HW-710.4(b)	Unacceptable Types of Diagonal Stays for Installation by Welding	100
HW-715.1	Heads Attached to Shells	102
HW-731	Some Acceptable Types of Welds for Fittings, Nozzles, and Other Connections to Shells, Drums, and Headers	104
HW-740	Three-Ply Joint Assemblies	107
HW-745	Two-Ply Joint Assemblies	109
HC-205.1	Dimensions of Tensile Test Specimen	124
HC-206.1	Cast Test Bars	124
HC-311	Spherically Shaped Covers with Bolting Flanges	128
HLW-401.1	Butt Welding of Plates of Unequal Thickness	157
HLW-401.2	Typical Corner Joints	158
HLW-411	Typical Water Heater Welded Joints	159
HLW-413	Tubes Attached by Welding	161
HLW-415	Heads Attached to Shells	163
HLW-431.1	Some Acceptable Types of Welds for Fittings, Nozzles, and Other Connections to Shells and Head	164
HLW-431.5	Some Acceptable Types of Welds for Fittings, Nozzles, and Other Connections to Shells and Head	166
HLW-432.1	Some Acceptable Types of Brazed Fittings, Nozzles, and Other Connections to Copper-Lined Shells and Heads	168
HLW-602.1	Official Symbol to Denote The American Society of Mechanical Engineers' Standard	174
HLW-602.2	Form of Stamping on Completed Water Heaters	174
HLW-809.1	A Typical Acceptable Piping Installation for Storage Water Heaters in Battery	179
HLW-809.2	A Typical Acceptable Piping Installation for Flow Through Water Heater with Provisions for Piping Expansion	180
L-1	Guide for the Preparation of Section IV Manufacturer's Data Report Forms	216

TABLES

HG-321	Values of Spherical Radius Factor K_1	16
HG-340	Allowable Pitch of Stays, in. (mm) (Limited by HG-340.3)	23
HG-360	Permitted O-Ring Materials	31
HG-370	Minimum Thickness of Material for Threaded Connections to Boilers	31
HG-400.1	Minimum Pounds of Steam per Hour (kg/hr) per Square Foot (Meter) of Heating Surface	32
HG-709.2	Expansion Tank Capacities for Forced Hot Water Systems	62
HG-715	Size of Bottom Blowoff Piping, Valves, and Cocks	63
HF-300.1	Maximum Allowable Stress Values for Ferrous Materials, ksi	72
HF-300.1M	Maximum Allowable Stress Values for Ferrous Materials, MPa	78
HF-300.2	Maximum Allowable Stress Values for Nonferrous Materials, ksi	84
HF-300.2M	Maximum Allowable Stress Values for Nonferrous Materials, MPa	89
HW-713	Firetube Extension Through Tubesheets for Welded Construction	102
HB-1305	Recommended Joint Clearances at Brazing Temperature	119
HC-210	Correction Factors for Transverse Test Bars	126
HC-213	Pipe Plug Size for Minimum Wall Thickness	126
HC-300	Maximum Allowable Stress Values in Tension for Cast Iron, ksi (MPa)	127
HLW-300	Maximum Allowable Stress Values in Tension for Lined Water Heater Materials, ksi (MPa) ...	152
HLW-301	Maximum Allowable Stress Values in Tension for Unlined Water Heater Materials ksi (MPa) .	154
HLW-809.1	Expansion Tank Capacities for a Water Heater	178

FORMS

8-1	Certificate of Conformance for Reapplication of the Certification Mark	190
H-2	Manufacturer's Data Report for all Types of Boilers Except Watertube and those Made of Cast Iron	219
H-3	Manufacturer's Data Report for Watertube Boilers	221
H-4	Manufacturer's Partial Data Report	223
H-5	Manufacturer's Master Data Report for Boilers Constructed from Cast Iron	225
H-5A	Manufacturer's Master Data Report for Boilers Constructed from Cast Aluminum	227
H-6	Manufacturer's Data Report Supplementary Sheet	229
HC-1	Manufacturer's Material Certificate of Conformance for Cast Iron Boiler Sections	230
HC-2	Manufacturer's Material Certificate of Conformance for Hydrostatic Testing of Cast Iron Boiler Sections	231
HA-1	Manufacturer's Material Certificate of Conformance for Cast Aluminum Boiler Sections	232
HA-2	Manufacturer's Material Certificate of Conformance for Hydrostatic Testing of Cast Aluminum Boiler Sections	233
HLW-6	Manufacturer's Data Report for Water Heaters or Storage Tanks	234
HLW-7	Manufacturer's Partial Data Report for Water Heaters and Storage Tanks	236
HLW-8	Manufacturer's Master Data Proof Test Report for Water Heaters or Storage Tanks	238
HV-1	Manufacturer's Certificate of Conformance for Pressure Relief Valves	244

ENDNOTES	245
-----------------------	-----

INDEX	247
--------------------	-----

(13)

LIST OF SECTIONS

SECTIONS

- I Rules for Construction of Power Boilers

- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)

- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NC — Class 2 Components
 - Subsection ND — Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Subsection NH — Class 1 Components in Elevated Temperature Service
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containments for Transportation and Storage of Spent Nuclear Fuel and High Level Radioactive Material and Waste
 - Division 5 — High Temperature Reactors

- IV Rules for Construction of Heating Boilers

- V Nondestructive Examination

- VI Recommended Rules for the Care and Operation of Heating Boilers

- VII Recommended Guidelines for the Care of Power Boilers

- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels

- IX Welding, Brazing, and Fusing Qualifications

- X Fiber-Reinforced Plastic Pressure Vessels

- XI Rules for Inservice Inspection of Nuclear Power Plant Components

- XII Rules for Construction and Continued Service of Transport Tanks

INTERPRETATIONS

ASME issues written replies to inquiries concerning interpretation of technical aspects of the Code.

Interpretations of the Code are posted in January and July at <http://cstools.asme.org/interpretations.cfm>. Any Interpretations issued during the previous two calendar years are included with the publication of the applicable Section of the Code. Interpretations of Section III, Divisions 1 and 2 and Section III Appendices are included with Subsection NCA.

CODE CASES

The Boiler and Pressure Vessel Code committees meet regularly to consider proposed additions and revisions to the Code and to formulate Cases to clarify the intent of existing requirements or provide, when the need is urgent, rules for materials or constructions not covered by existing Code rules. Those Cases that have been adopted will appear in the appropriate 2013 Code Cases book: "Boilers and Pressure Vessels" or "Nuclear Components." Supplements will be sent automatically to the purchasers of the Code Cases books up to the publication of the 2015 Code.

FOREWORD

(This Foreword is provided as an aid to the user and is not part of the rules of this Code.)

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee's function is to establish rules of safety relating only to pressure integrity, which govern the construction* of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgement* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the requirements of the Code. However, designers and engineers using computer programs for design or analysis are cautioned that they are responsible for all technical assumptions inherent in the programs they use and the application of these programs to their design.

* *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and pressure relief.

The rules established by the Committee are not to be interpreted as approving, recommending, or endorsing any proprietary or specific design, or as limiting in any way the manufacturer's freedom to choose any method of design or any form of construction that conforms to the Code rules.

The Committee meets regularly to consider revisions of the rules, new rules as dictated by technological development, Code Cases, and requests for interpretations. Only the Committee has the authority to provide official interpretations of this Code. Requests for revisions, new rules, Code Cases, or interpretations shall be addressed to the Secretary in writing and shall give full particulars in order to receive consideration and action (see Submittal of Technical Inquiries to the Boiler and Pressure Vessel Standards Committees). Proposed revisions to the Code resulting from inquiries will be presented to the Committee for appropriate action. The action of the Committee becomes effective only after confirmation by ballot of the Committee and approval by ASME. Proposed revisions to the Code approved by the Committee are submitted to the American National Standards Institute (ANSI) and published at <http://cstools.asme.org/csconnect/public/index.cfm?PublicReview=Revisions> to invite comments from all interested persons. After public review and final approval by ASME, revisions are published at regular intervals in Editions of the Code.

The Committee does not rule on whether a component shall or shall not be constructed to the provisions of the Code. The scope of each Section has been established to identify the components and parameters considered by the Committee in formulating the Code rules.

Questions or issues regarding compliance of a specific component with the Code rules are to be directed to the ASME Certificate Holder (Manufacturer). Inquiries concerning the interpretation of the Code are to be directed to the Committee. ASME is to be notified should questions arise concerning improper use of an ASME Certification Mark.

When required by context in this Section, the singular shall be interpreted as the plural, and vice versa, and the feminine, masculine, or neuter gender shall be treated as such other gender as appropriate.

STATEMENT OF POLICY ON THE USE OF THE CERTIFICATION MARK AND CODE AUTHORIZATION IN ADVERTISING

ASME has established procedures to authorize qualified organizations to perform various activities in accordance with the requirements of the ASME Boiler and Pressure Vessel Code. It is the aim of the Society to provide recognition of organizations so authorized. An organization holding authorization to perform various activities in accordance with the requirements of the Code may state this capability in its advertising literature.

Organizations that are authorized to use the Certification Mark for marking items or constructions that have been constructed and inspected in compliance with the ASME Boiler and Pressure Vessel Code are issued Certificates of Authorization. It is the aim of the Society to maintain the standing of the Certification Mark for the benefit of the users, the enforcement jurisdictions, and the holders of the Certification Mark who comply with all requirements.

Based on these objectives, the following policy has been established on the usage in advertising of facsimiles of the Certification Mark, Certificates of Authorization, and reference to Code construction. The American Society of Mechanical Engineers does not “approve,” “certify,” “rate,” or “endorse” any item, construction, or activity and there shall be no statements or implications that might so indicate. An organization holding the Certification Mark and/or a Certificate of Authorization may state in advertising literature that items, constructions, or activities “are built (produced or performed) or activities conducted in accordance with the requirements of the ASME Boiler and Pressure Vessel Code,” or “meet the requirements of the ASME Boiler and Pressure Vessel Code.” An ASME corporate logo shall not be used by any organization other than ASME.

The Certification Mark shall be used only for stamping and nameplates as specifically provided in the Code. However, facsimiles may be used for the purpose of fostering the use of such construction. Such usage may be by an association or a society, or by a holder of the Certification Mark who may also use the facsimile in advertising to show that clearly specified items will carry the Certification Mark. General usage is permitted only when all of a manufacturer’s items are constructed under the rules.

STATEMENT OF POLICY ON THE USE OF ASME MARKING TO IDENTIFY MANUFACTURED ITEMS

The ASME Boiler and Pressure Vessel Code provides rules for the construction of boilers, pressure vessels, and nuclear components. This includes requirements for materials, design, fabrication, examination, inspection, and stamping. Items constructed in accordance with all of the applicable rules of the Code are identified with the official Certification Mark described in the governing Section of the Code.

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME” or the Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code.

Items shall not be described on ASME Data Report Forms nor on similar forms referring to ASME that tend to imply that all Code requirements have been met when, in fact, they have not been. Data Report Forms covering items not fully complying with ASME requirements should not refer to ASME or they should clearly identify all exceptions to the ASME requirements.

(13) SUBMITTAL OF TECHNICAL INQUIRIES TO THE BOILER AND PRESSURE VESSEL STANDARDS COMMITTEES

1 INTRODUCTION

(a) The following information provides guidance to Code users for submitting technical inquiries to the committees. See Guideline on the Approval of New Materials Under the ASME Boiler and Pressure Vessel Code in Section II, Parts C and D for additional requirements for requests involving adding new materials to the Code. Technical inquiries include requests for revisions or additions to the Code rules, requests for Code Cases, and requests for Code Interpretations, as described below.

(1) *Code Revisions.* Code revisions are considered to accommodate technological developments, address administrative requirements, incorporate Code Cases, or to clarify Code intent.

(2) *Code Cases.* Code Cases represent alternatives or additions to existing Code rules. Code Cases are written as a question and reply, and are usually intended to be incorporated into the Code at a later date. When used, Code Cases prescribe mandatory requirements in the same sense as the text of the Code. However, users are cautioned that not all jurisdictions or owners automatically accept Code Cases. The most common applications for Code Cases are:

(-a) to permit early implementation of an approved Code revision based on an urgent need

(-b) to permit the use of a new material for Code construction

(-c) to gain experience with new materials or alternative rules prior to incorporation directly into the Code

(3) *Code Interpretations.* Code Interpretations provide clarification of the meaning of existing rules in the Code, and are also presented in question and reply format. Interpretations do not introduce new requirements. In cases where existing Code text does not fully convey the meaning that was intended, and revision of the rules is required to support an interpretation, an Intent Interpretation will be issued and the Code will be revised.

(b) The Code rules, Code Cases, and Code Interpretations established by the committees are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Code rules.

(c) Inquiries that do not comply with these provisions or that do not provide sufficient information for a committee's full understanding may result in the request being returned to the inquirer with no action.

2 INQUIRY FORMAT

Submittals to a committee shall include:

(a) *Purpose.* Specify one of the following:

(1) revision of present Code rules

(2) new or additional Code rules

(3) Code Case

(4) Code Interpretation

(b) *Background.* Provide the information needed for the committee's understanding of the inquiry, being sure to include reference to the applicable Code Section, Division, Edition, Addenda (if applicable), paragraphs, figures, and tables. Preferably, provide a copy of the specific referenced portions of the Code.

(c) *Presentations.* The inquirer may desire or be asked to attend a meeting of the committee to make a formal presentation or to answer questions from the committee members with regard to the inquiry. Attendance at a committee meeting shall be at the expense of the inquirer. The inquirer's attendance or lack of attendance at a meeting shall not be a basis for acceptance or rejection of the inquiry by the committee.