

BS EN 62656-1:2015



BSI Standards Publication

Standardized product ontology register and transfer by spreadsheets

Part 1: Logical structure for data parcels

bsi.

...making excellence a habit.™

National foreword

This British Standard is the UK implementation of EN 62656-1:2015. It is identical to IEC 62656-1:2014.

The UK participation in its preparation was entrusted to Technical Committee GEL/3, Documentation and graphical symbols.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.

Published by BSI Standards Limited 2015

ISBN 978 0 580 69579 7

ICS 33.180.01; 33.180.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2015.

Amendments/corrigenda issued since publication

Date	Text affected
-------------	----------------------

ICS 33.180.01; 33.180.99

English Version

Standardized product ontology register and transfer by spreadsheets - Part 1: Logical structure for data parcels (IEC 62656-1:2014)

Enregistrement d'ontologie de produits normalisés et transfert par tableurs - Partie 1: Structure logique pour les paquets de données (IEC 62656-1:2014)

Standardisierte Übertragung und Registrierung von Ontologien für Produkte mittels Tabellen - Teil 1: Logische Struktur der Datenpakete (IEC 62656-1:2014)

This European Standard was approved by CENELEC on 2014-09-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 3D/226/FDIS, future edition 1 of IEC 62656-1, prepared by IEC/SC 3D "Product properties and classes and their identification", of IEC/TC 3 "Information structures, documentation and graphical symbols", was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 62656-1.

The following dates were fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-07-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-30

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62656-1:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61360-4	NOTE	Harmonized as EN 61360-4.
IEC 61968 (Series)	NOTE	Harmonized as EN 61968 (Series).
IEC 61970 (Series)	NOTE	Harmonized as EN 61970 (Series).
ISO 10303 (Series)	NOTE	Harmonized as EN ISO 10303 (Series).
ISO 80000 (Series)	NOTE	Harmonized as EN ISO 80000 (Series).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61360-1	2009	Standard data elements types with associated classification scheme for electric items -- Part 1: Definitions - Principles and methods	EN 61360-1	2010
IEC 61360-2	2012	Standard data element types with associated classification scheme for electric components -- Part 2: EXPRESS dictionary schema	EN 61360-2	2013
ISO 639-1	2002	Codes for the representation of names of languages – Part 1: Alpha-2 code	-	-
ISO 3166-1	2013	Codes for the representation of names of countries and their subdivisions - Part 1: Country codes	-	-
ISO 8601	2004	Data elements and interchange formats - Information interchange - Representation of dates and times	-	-
ISO 10303-11	2004	Industrial automation systems and integration - Product data representation and exchange – Part 11: Description methods: The EXPRESS language reference manual	-	-
ISO 10303-21	2002	Industrial automation systems and integration - Product data representation and exchange – Part 21: Implementation methods: Clear text encoding of the exchange structure	-	-
ISO 13584-24	2003	Industrial automation systems and integration - Parts library – Part 24: Logical resource: Logical model of supplier library	-	-
ISO 13584-25	2004	Industrial automation systems and integration - Parts library - Part 25: Logical resource: Logical model of supplier library with aggregate values and explicit content	-	-
ISO 13584-42	2010	Industrial automation systems and integration -- Parts library -- Part 42: Description methodology: Methodology for structuring parts families	-	-
IEC/TS 62720	2013	Identification of units of measurement for computer-based processing	-	-
ISO/TS 13584-35	2010	Industrial automation systems and integration - Parts library - Part 35: Implementation resources: Spreadsheet interface for parts library	-	-

ISO/TS 29002-5	2009	Industrial automation systems and integration - Exchange of characteristic data – Part 5: Identification scheme	-	-
ISO/IEC 6523-1	1998	Information technology -- Structure for the identification of organizations and organization parts -- Part 1: Identification of organization identification schemes	-	-
ISO/IEC 6523-2	1998	Information technology - Structure for the identification of organizations and organization parts - Part 2: Registration of organization identification schemes	-	-
ISO/IEC 8824-1	2008	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 11179-3	2013	Information technology - Metadata registries - (MDR) - Part 3: Registry metamodel and basic attributes	-	-
ISO/IEC 11179-5	2005	Information technology - Metadata registries - (MDR) – Part 5: Naming and identification principles	-	-

CONTENTS

INTRODUCTION.....	10
1 Scope.....	11
2 Normative references	12
3 Terms and definitions	13
4 Parcel use cases and scenarios.....	18
4.1 Typical use cases	18
4.2 Spreadsheet representation of dictionary or library	18
4.3 Use scenario of dictionary parcel format	19
4.4 Use scenario of library parcel format	20
4.5 Use scenario of parcel format of higher layers	21
5 The Parcellized Ontology Model (POM).....	21
5.1 Overview of the parcel structure	21
5.2 Meta dictionary approach	24
5.3 Identification structure.....	25
5.4 Typical modelling constructs of POM	27
5.4.1 Specialization tree versus composition tree	27
5.4.2 Property specialization	27
5.4.3 Divide between specialization and generalization.....	28
5.4.4 Property specialization and cardinality.....	29
5.4.5 Property specialization and alternate ID.....	30
5.4.6 Mapping classes and properties by alternate ID	30
5.4.7 Unit with variable prefix.....	31
5.4.8 Dependent condition	31
5.4.9 Use of dependent condition for time dependent property	32
5.4.10 Class valued property	32
5.4.11 Class selector with class valued property and class reference.....	33
5.4.12 Metamorphic or polymorphic classes	33
5.5 Type system extension for data parcels	34
5.5.1 Extended data types and updates from IEC 61360-2:2002	34
5.5.2 ICID_STRING	34
5.5.3 IRDI_STRING	34
5.5.4 STRING_TYPE and its extensions.....	34
5.5.5 STRING_TYPE and its enumerated simple subtypes.....	35
5.5.6 STRING_TYPE and its enumerated reference subtypes	35
5.6 Structure of a parcelling sheet.....	36
5.7 File name extension	37
5.8 CSV representation of parcel format	37
5.9 Basic use of parcels	38
5.10 Header section.....	38
5.10.1 Categories of instructions.....	38
5.10.2 Mandatory	38
5.10.3 Optional - functional.....	39
5.10.4 Optional - informative.....	39
5.10.5 Comment.....	39
5.10.6 Reserved words	39

5.11	Instruction Column	39
5.11.1	General rule.....	39
5.11.2	Class ID.....	39
5.11.3	Preferred name of the class	40
5.11.4	Definition of the class.....	40
5.11.5	Note for the class.....	41
5.11.6	Alternate class ID.....	41
5.11.7	Super alternate class ID	42
5.11.8	Sub-alternate class ID.....	42
5.11.9	Source language.....	42
5.11.10	Parcel mode	43
5.11.11	Parcel identifier.....	43
5.11.12	Parcel conformance class identifier	44
5.11.13	Default supplier.....	44
5.11.14	Default version.....	45
5.11.15	Default data supplier	45
5.11.16	Default data version	46
5.11.17	Data object identifier name.....	47
5.11.18	Property ID	47
5.11.19	Preferred name of the property.....	48
5.11.20	Definition	49
5.11.21	Note	50
5.11.22	Data type.....	50
5.11.23	Unit of measurement.....	51
5.11.24	Requirement	52
5.11.25	Alternative units of measurement	52
5.11.26	Variable prefix for the unit	53
5.11.27	Super property	54
5.11.28	Alternate property ID.....	54
5.11.29	Super alternate ID.....	55
5.11.30	Sub-alternate ID of property	56
5.11.31	Equivalent property ID.....	57
5.11.32	ID for the unit of measurement	57
5.11.33	Property value format.....	58
5.11.34	Identifier encoding	58
5.11.35	Cell delimiter.....	59
5.11.36	Decimal mark.....	59
5.11.37	Pattern constraint.....	60
5.11.38	Relational constraint	60
5.12	Data section for instances	61
5.12.1	General	61
5.12.2	Enumeration types or non quantitative types.....	62
5.12.3	Level type	62
5.12.4	String type	63
5.12.5	Translatable string type.....	63
5.12.6	Boolean type.....	63
5.12.7	Class reference type (Class instance type)	63
5.12.8	Aggregate type	64
5.12.9	Named type	66

5.12.10	Placement types	67
5.12.11	Entity instance type.....	67
6	Use of parcel for Domain Ontology description	67
6.1	Dictionary as an instance of meta-dictionary	67
6.2	Identification of conjunctive parcels	70
6.3	Roles and definition of dictionary parcels.....	70
6.4	Properties of meta-dictionary (meta-ontology).....	71
6.4.1	Overview of meta-classes	71
6.4.2	Meta-properties for dictionary meta-class	72
6.4.3	Meta-properties for class meta-class	73
6.4.4	Meta-properties for property meta-class.....	74
6.4.5	Meta-properties for supplier meta-class	75
6.4.6	Meta-properties for enumeration meta-class	76
6.4.7	Meta-properties for data-type meta-class.....	77
6.4.8	Meta-properties for document meta-class	77
6.4.9	Meta-properties for object meta-class	78
6.4.10	Meta-properties for UoM meta-class	78
6.4.11	Meta-properties for term meta-class	79
6.4.12	Meta-properties for relation meta-class.....	80
7	Use of parcel for meta-ontology (MO) description	84
7.1	Overview of meta-meta-classes	84
7.2	Meta-properties for class meta-meta-class.....	85
7.3	Meta-properties for property meta-meta-class.....	85
7.4	Meta-properties for term meta-meta-class.....	86
7.5	Meta-properties for relation meta-meta-class	87
8	Mechanism for structural extension	87
8.1	General.....	87
8.2	Example	88
9	Conformance classes for parcelling spreadsheet.....	88
Annex A (normative)	Information object registration.....	90
Annex B (normative)	Meta-dictionary file and updates.....	91
Annex C (normative)	Reserved words.....	92
Annex D (normative)	Description examples of data types.....	95
Annex E (normative)	Meta-properties used by normative meta-classes	98
Annex F (normative)	Properties for optional meta-classes.....	119
Annex G (normative)	Predefined classes and properties in Meta-Ontology	130
G.1	General.....	130
G.2	Predefined meta-classes in Meta-Ontology	130
G.3	Predefined meta-properties in meta-ontology	133
Annex H (normative)	Predefined meta-relations in meta-ontology.....	153
Annex I (normative)	Axiomatic properties used by each Meta-meta-class	156
Annex J (normative)	Predefined classes and properties in Axiomatic Ontology	164
J.1	General.....	164
J.2	Predefined meta-classes in Axiomatic Ontology	164
J.3	Predefined meta-properties in Axiomatic ontology.....	166
Annex K (informative)	Mapping of meta-properties to EXPRESS	173
K.1	EXPRESS mapping for mandatory meta-classes.....	173

K.2	EXPRESS mapping for optional meta-classes	182
Annex L (informative)	Meta-class properties mapped with DIN 4002	186
Annex M (informative)	Use case of relation for units and quantities	199
Annex N (informative)	Guide for the use of placement data types	202
N.1	Primitive coordinates	202
N.2	EXPRESS language codes	203
Annex O (informative)	Foundation in mathematical-logic	205
O.1	Class and property as sets	205
O.2	Property specialization explained by set theory	207
O.3	Mathematical basis of POM	209
	Bibliography	212
Figure 1	– Parcel use scenario	19
Figure 2	– Parcel architecture as four levels of spreadsheets	23
Figure 3	– Components of POM architecture depicted as packages	24
Figure 4	– Schematic diagram of Parcellized Ontology Model (POM)	25
Figure 5	– A generalized enumeration	29
Figure 6	– A specialized enumeration	30
Figure 7	– Dependent property, condition, and dependent condition	32
Figure 8	– STRING_TYPE and its extensions	35
Figure 9	– ENUM_TYPE and its simple subtypes	35
Figure 10	– ENUM_TYPE and its complex subtypes	36
Figure 11	– Structure of a parcelling sheet	37
Figure 12	– Display example of Default data supplier used for IEC 61968-11	46
Figure 13	– Display example of property ID	48
Figure 14	– Display example of preferred name	49
Figure 15	– Display example of definition	50
Figure 16	– Display example of data type	51
Figure 17	– Display example of unit of measurement	51
Figure 18	– Display example of key	52
Figure 19	– Display example of alternative units	53
Figure 20	– Display example of variable prefix unit	54
Figure 21	– Display example of Super-property for properties	54
Figure 22	– Display example of alternate property ID	55
Figure 23	– Display example of super alternate property ID	56
Figure 24	– Display example of sub-alternate property ID	56
Figure 25	– Display example of equivalent property ID	57
Figure 26	– Display example of ID for the unit of measurement	58
Figure 27	– Display example of value format	58
Figure 28	– Display example of pattern constraint	60
Figure 29	– Display example of relational constraint	61
Figure 30	– Display example of ENUM_INT_TYPE or ENUM_CODE_TYPE	62
Figure 31	– Display example of LEVEL_TYPE	63
Figure 32	– Display example of TRANSLATABLE_STRING_TYPE	63

Figure 33 – Display example of BOOLEAN_TYPE	63
Figure 34 – Display example of CLASS_INSTANCE_TYPE	64
Figure 35 – Display example of SET OF STRING_TYPE	65
Figure 36 – Display example of LIST OF STRING_TYPE	65
Figure 37 – Display example of LIST OF TRANSLATABLE_STRING_TYPE	65
Figure 38 – Display example of SET OF LEVEL OF INT_MEASURE_TYPE	66
Figure 39 – Display example of SET OF SET OF STRING_TYPE	66
Figure 40 – Display example of NAMED TYPE	67
Figure 41 – Configuration of a dictionary parcel	68
Figure 42 – Parcels for Domain Library and Domain Ontology (Dictionary)	70
Figure 43 – Relation, function, and predication	84
Figure 44 – Definition example of the Relation meta-class	84
Figure M.1 – Example of UoM meta-class for defining units for length	199
Figure M.2 – Sample specification of the relation meta-class for quantity and system of units of measurement	200
Figure M.3 – Quantity and system of units of measurement expressed as relations	201
Figure N.1 – Local coordinate system and the primitive coordinates	202
Figure N.2 – Extracts of EXPRESS codes for placement types	203
Figure N.3 – Extracts of EXPRESS codes for CSG primitives	204
Figure O.1 – Class, property and property-value function	206
Figure O.2 – Class and Property and its characteristic function	206
Figure O.3 – Property specialization by restriction of the domain	207
Figure O.4 – Property specialization by restriction of the codomain	208
Figure O.5 – Property specialization by limiting the selectable function set	208
Figure O.6 – Architecture of POM	209
Figure O.7 – Examples of instances at DL layer	210
Table 1 – Description of the property ID code	48
Table 2 – Example of correspondence within multiple languages	66
Table 3 – Meta-classes for building a domain-dictionary	71
Table 4 – Formula specification for property constraint	82
Table 5 – Conformance classes	89
Table C.1 – Key words for instruction in class header	92
Table D.1 – Description examples for simple data types	95
Table D.2 – Description examples for complex data types	96
Table E.1 – Meta-properties used by dictionary meta-class	99
Table E.2 – Meta-properties used by class meta-class	101
Table E.3 – Meta-properties used by property meta-class	105
Table E.4 – Meta-properties used by supplier meta-class	109
Table E.5 – Meta-properties used by enumeration meta-class	111
Table E.6 – Meta-properties used by datatype meta-class	113
Table E.7 – Meta-properties used by document meta-class	115
Table F.1 – Meta-properties used by object meta-class	120

Table F.2 – Meta-properties used by UoM meta-class.....	121
Table F.3 – Meta-properties used by term meta-class.....	124
Table F.4 – Meta-properties used by relation meta-class	127
Table G.1 – List of meta-classes in Meta-Ontology	131
Table G.2 – List of meta-properties defined at meta-ontology (MO) layer	134
Table H.1 – List of meta-relations predefined at MO layer.....	154
Table I.1 – Axiomatic properties used by class meta-meta-class	157
Table I.2 – Axiomatic properties used by property meta-meta-class	159
Table I.3 – Axiomatic properties used by term meta-meta-class	161
Table I.4 – Axiomatic properties used by relation meta-meta-class.....	162
Table J.1 – Predefined meta-classes in Axiomatic Ontology.....	165
Table J.2 – List of axiomatic meta-properties defined at Axiomatic Ontology (AO) layer.....	167
Table K.1 – Mapping to EXPRESS modelling languages for meta-properties of dictionary meta-class	173
Table K.2 – Mapping to EXPRESS modelling languages for meta-properties of property meta-class.....	176
Table K.3 – Mapping to EXPRESS modelling languages for meta-properties of supplier meta-class.....	178
Table K.4 – Mapping to EXPRESS modelling languages for meta-properties of enumeration meta-class.....	179
Table K.5 – Mapping to EXPRESS modelling languages for meta-properties of datatype meta-class.....	180
Table K.6 – Mapping to EXPRESS modelling languages for meta-properties of document meta-class	181
Table K.7 – Mapping to EXPRESS modelling languages for meta-properties of object meta-class.....	183
Table K.8 – Mapping to EXPRESS modelling languages for meta-properties of terminology meta-class	184
Table L.1 – Meta-properties for the definition of a class or a property, mapped with DIN 4002.....	187
Table L.2 – Meta-properties for the definition of an enumeration, mapped with DIN 4002.....	193
Table L.3 – Meta-properties for the definition of a data type, mapped with DIN 4002	195
Table L.4 – Meta-properties for the definition of a UoM, mapped with DIN 4002	197

INTRODUCTION

IEC 62656 consists of the following parts, under the general title *Standardized product ontology register and transfer by spreadsheets*:

- Part 1: Logical structure for data parcels;
- Part 2: Application guide for use with IEC CDD;
- Part 3¹: Interface for common information model.

¹ To be published.

STANDARDIZED PRODUCT ONTOLOGY REGISTER AND TRANSFER BY SPREADSHEETS –

Part 1: Logical structure for data parcels

1 Scope

This part of IEC 62656 specifies the logical structure for a set of spreadsheets, used as “data parcels”, to define, transfer and register product ontologies. Such ontology descriptions in other literatures or disciplines are sometimes called “reference dictionaries”. Thus the logical data structure described in this standard is named “Parcellized Ontology Model” or “POM” for short, and each vehicle of transport of the model is called a “parcel”, and may be used for definition, transfer, and registering of a reference dictionary as a collection of metadata, or for similar purposes for instances belonging to a certain class of the reference dictionary. Moreover, this ontology model allows for modelling or modifying an ontology model per se as a set of instance data, thus it enables an ontology model to evolve over time.

This part of IEC 62656 also includes a standard mapping between the meta-data of dictionary parcels in the spreadsheet format conforming to this standard and the meta-data represented in IEC 61360-2 compliant EXPRESS model for dictionary exchange.

It is assumed that a tool supporting this part of IEC 62656 may read and write a set of spreadsheet data whose semantics and syntax are defined in this part of standard, where the physical file structure of the spreadsheets may be based on the CSV (Comma Separated Values) format, typically used in a commercial spreadsheet application, or any other tabular formats including XML schema compatible or convertible to the CSV format.

The spreadsheet interface structure defined in this part of IEC 62656 contains the following:

- Definition and specification of the logical structure and layout of the spreadsheet interface for definition, transfer, and registering of a reference dictionary;
- Definition and specification of library instance data belonging to a class of a reference dictionary described by a set of spreadsheets conformant to this part of IEC 62656;
- Definition and specification of the meta dictionary that enables the definition and transfer of a reference dictionary as a set of instance data conforming to the meta dictionary;
- Definition and specification of the meta-model as data that enables the definition and transfer of a reference dictionary as a set of instance data conforming to the meta-meta-dictionary
- Specification of the mapping between the dictionary data expressed in the spreadsheet format and the EXPRESS model specified by IEC 61360-2/ISO 13584-42 (with some elements of ISO 13584-25);
- Description of the basic semantic mapping between the dictionary data expressed in the spreadsheet formats defined in this part of IEC 62656 and that of DIN 4002.

The following items are outside the scope of this part of IEC 62656:

- Explanation of the CSV format per se, used in spreadsheet applications;
- Presentation of the data parcels conformant to this part of IEC 62656, such as colouring and sizing of the spreadsheets;
- Specification of the dictionary EXPRESS model conformant to IEC 61360 or ISO 13584 series of standards;
- Normative definition of the mappings between an IEC 61360-ISO 13584 compliant dictionary and another that is based upon a standard other than IEC 61360-ISO 13584;